AMERICAN POTATO JOURNAL

INDEX

of

AUTHORS

and

TITLES

Vols. 1-26 1923-1949

November 1950

AMERICAN POTATO JOURNAL

Author Index

Vols. 1-26

Adams, J. B. Aphid resistance in potatoes. **23**:1-22

Afanasiev, M. M. and H. E. Morris. Time of infection and accumulative effect of Rhizoctonia on successive crops of potatoes. **25**:17-23

Akeley, R. V. and F. J. Stevenson. Yield, specific gravity, and starch content of tubers in a potato breeding program. **20**:203-17

———— and ————. The inheritance of dry-matter content in potatoes. **21**:83-9

————, ———— and E. S. Schultz. Kennebec: a new potato variety resistant to late blight, mild mosaic and net necrosis. **25**:351-61

———— see Hartman, R. E.

———— see Libby, W. C.

———— see Murphy, E. F.

———— see Schultz, E. S.

———— see Stevenson, F. J.

Alban, E. K. and E. B. Tussing. Weight loss of potatoes stored in various containers. **23**:302-4

Albert, A. R., R. H. Larson, and J. C. Walker. The comparative productiveness of seed potatoes grown on sandy and on peat soils in Wisconsin. **16**:16-24

———— see Larson, R. H.

———— see Walker, J. C.

Alexander, L. M., G. E. Schopmeyer, and R. B. Anderson. Potato storage and quality of french fries. 1. Katahdin. **26**:439-45

Allen, T. C., and G. H. Rieman. Occurrence of hopperburn resistance and susceptibility in the potato. **16**:139-42

————, ———— and J. S. McFarlane. Influence of planting date on potato leafhopper population and hopperburn development. **17**:283-6

———— see Whipple, O. C.

Allison, R. V., see Hundertmark, B. W.

Amenta, H. Sun-drying of potatoes in Southern California. **26**-176-7 (abs.)

Anderson, L. D. and H. G. Walker. Control of the potato flea beetle, *Epitrix cucumeris* (Harris) on the eastern shore of Virginia. **14**:319-25

———— and————. Potato spraying in Eastern Virginia in 1937. **15**:64-6

———— and ————. Potato spraying in Eastern Virginia in 1938. **16**: 114-20

Anderson, R. B., see Alexander, L. M.

Andre, F., see Voss, C. N.

Apple, J. W. and C. Y. Arnold. The use of tuber specific gravity in determining the effectiveness of leafhopper insecticides. **22**:339-43

Apple, J. W., see Linn, M. B.

Appleman, C. O. Apical dominance in potatoes as an index of seed value. **2**:357-8

Ark, P. A. Some laboratory and field data on ring rot of potatoes in California. **23**:170-81

Arnold, C. Y., see Apple, J. W.

————, see Linn, M. B.

Artschwager, E. Studies on the potato tuber. **1**:282-3

Babb, M. F., J. E. Kraus, and G. H. Starr. Tolerance to psyllid yellows of potato varieties as reflected in yields. **21**:321-41

Babbitt, D. M. Seed potato treatment on a large scale **8**:271-2

Bailey, H. L. Notes on potato insects in Vermont. **2**:32-4

———— Judgment of Solanum: a dissertation on the grading problem. **3**:122-4

Bailey, J. E., see Cochran, H. L.

Bailey, R. M., see Krantz, F. A.

Bandemer, S. L., P. J. Schaible, and E. J. Walker. Discoloration of potatoes after cooking as related to their composition. **24**:1-5

Baribeau, B. Tuber-unit seed plot in Quebec. **12**:62-4

———— Bacterial ring rot of potatoes. **25**:71-82

Barmore, M. A. The sloughing of potatoes. **15**:170-1

Barrios, E. P. A report on sun-drying of potatoes for stock feed in Nebraska. **26**:82-5

Barrus, M. F. Control of potato scab. **2**:107-8

———— Seed treatment of potatoes in New York state. **9**:73-5

Bateman, F. H. Presidential address. **15**:1-4

Beall, G. and F. M. Cannon. The cause of purple top of potatoes as indicated by a study of its distribution within fields. **22**:362-72

Bemis, K. P. The ventilation of seed potato warehouses. **6**:287-91

———— Potato marketing agreements. **12**:27-32

———— Merchandising, by-products and packages. **24**:123-6

———— Problems of the potato industry. **26**:141-4 (abs.)

———— Potato research. **26**-215-21 (abs.)

Benn, H. W. Harvesting and shipping early potatoes. **23**:23-31

Bennett, E. R. Irrigation and its effects on the potato. **3**:196-8

Berger, K. C. Soil fertility investigations with potatoes in Wisconsin. **25**:47-8 (abs.) **25**:377-86

Berger, K. C. and G. C. Gerloff. Stem streak necrosis of potatoes in relation to soil acidity. **24**:156-62

Berkeley, G. H., R. W. Thompson, and J. K. Richardson. Potato spray tests in Ontario. **23**:285-90

Berkner, F. The "Preliminary Wilting Method" in ecologically considered potato farming (1), the influence of planting time and season on amount and quality of yield. **13**:26-8

Beverly, V. C. Maine padded digger campaign in Aroostook county. **7**:351-3

Bewell, E. R. The determination of the cooking quality of potatoes. **14**:235-42

Binkley, A. M., R. Kunkel, and W. S. Edmundson. The effect of chemical vine killers on yield and quality of Red McClure and Bliss Triumph potatoes. **25**:371-6

Binkley, A. M., see Metzger, C. H.

————, see Kunkel, R.

Bird, J. J. Dry weather potato growing in Michigan. **8**:235-9

———— Potato spacing, fertilizer, and date of planting tests. **9**:77-80

———— Results of potato demonstrations in Michigan, 1932. **10**:6-9

———— Michigan 300 bushel potato club. **10**:9-12

Bisby, G. R. The seed potato situation in Manitoba, 1926. **3**:61

Black, L. M. The potato yellow dwarf disease. **11**:148-52

———— Specific transmission of varieties of potato yellow dwarf virus by related insects. **18**:231-3

———— see Fernow, K. H.

Blair, A. W. Concentrated fertilizers for potatoes. **6**:144-6
———Fertilizers increase the total yield and percentage of large sized potatoes. **7**:321-4
Blair, F. J. Development of the early potato industry in the United States. **5**:354-63
Blasingame, R. V. Potato seedbed preparation and planting. **7**:101-2
——— Growing potatoes with tractor power. **11**:199-204
Blodgett, E. C. and W. W. Ray. Leak caused by *Pythium debaryanum*, Hesse, produces typical "shell rot" of potato in Idaho. **22**:250-3
——— and R. S. Snyder. Effect of alkali salts on shape and appearance of Russet Burbank potatoes. **23**:425-30
Blodgett, F. M. A preliminary experiment using calomel as a dip treatment of seed potatoes. **5**:6-12
——— Potato seed treatment in New York state. **7**:130-6
——— The effects of some agronomic practices on the incidence of rhizoctonia. **16**:93-8
——— Second report on the effect of agronomic practices on the incidence of rhizoctonia and scab potatoes. **17**:290-5
——— A method for the determination of losses due to diseased or missing plants. **18**:132-5
——— and E. K. Cowan. Relative effects of calcium and acidity of the soil on the occurrence of potato scab. **12**:265-74
———, E. O. Mader, O. D. Burke, and R. B. McCormack. New developments in potato spraying. **10**:79-88
———, ———, ——— and ———. Three years' results using Bordeaux mixture with reduced amounts of lime as a potato spray. **12**:171-7
——— and F. J. Stevenson. New scab-resistant potatoes: Ontario, Seneca, and Cayuga. **23**:315-29
——— see Kirkpatrick, H. C.
——— see Mader, E. O.
——— see Skaptason, J. B.
——— see Taylor, C. F.
Blood, P. T. and J. L. Haddock. Variations in cooking quality of potatoes as influenced by fertilizers. **16**:329-35
——— see Haddock, J. L.
——— see Kardos, L. J.
Blume, J. M., see Purvis, E. R.
Boggs, F. Obituary. **15**:152
Bolley, H. L. Methods of detecting mosaic being studied in North Dakota. **1**:220-1
——— American Potato Journal-influence on certification. **3**:51-2
——— Potatoes—certification—North Dakota method. **3**:64-8
Bomberger, F. B. Eastern shore Farmers' Association. **5**:219-22
Bonde, R. The spread of spindle tuber by the knife. **4**:51-2
——— Is roguing effective in a tuber-unit seed plot in Aroostook? **6**:206-8
——— A promising blight resistant potato. **9**:49-54
——— Potato spraying—the value of late applications and magnesium-Bordeaux. **11**:152-6
——— Bacterial wilt and soft rot of the potato. **16**:109-14
——— Ring rot in volunteer plants. **19**:131-3
——— Spraying potatoes for the control of diseases and insects in Maine. **26**:90 (abs.)

———— and E. S. Schultz. Potato cull piles as a source of late blight infection. **20**:112-8

———— and ———— The control of potato late blight tuber rot. **22**:163-7

———— and E. G. Snyder. Comparison of different organic and copper fungicides and some combinations of fungicides with DDT for the control of potato diseases and insects. **23**:415-25

———— see Folsom, D.

———— see Hilborn, M. T.

———— see Hovey, C.

———— see Riedl, W. A.

———— see Schultz, E. S.

———— see Stevenson, F. J.

Borthwick, H. A., see Jones, H. A.

Brann, J. W. Some results of potato indexing in Wisconsin. **9**:136-40

Brasher, E. P. The influence of split applications of complete fertilizer on the yield of Irish potatoes. **18**:81-5

Bradley, R. H. and N. K. Ellis. The effect of different rates of application of 2,4-D on the yield of potatoes. **25**:98 (abs) **25**:87-9

Bradley, R. H. and L. L. Dean. Sprout inhibition of non-dormant Chippewa potatoes. **26**:90 (abs.) **26**:279-87

Brentzel, W. E. Treatment removes rhizoctonia from potato tubers. **19**:16-7

Briant, A. M. Methods for judging flavor of cooked potatoes from soils treated for wire worm control. **26**:300-04

Breon, W. S., see Pierce, E. C.

Brierly, P., see Weiss, F.

Brown, B. A. Mosaic *versus* leafroll, **3**:121-2

———— Degeneration of potatoes in Connecticut. **7**:140-2

———— Effects of fertilization on yields and quality of potatoes. **8**:133-4

———— Recent experimental results in fertilizing potatoes in Connecticut. **9**:17-24

———— Sprayer injury to potatoes. **10**:205-6

———— Magnesia and lime for potatoes in Connecticut. **13**:3-8

———— Continuous culture *versus* rotations for potatoes, Conn. **13**:313-5

———— Soil fertility experiments with potatoes. **21**:163-9

———— Placement of fertilizers for potatoes. **22**:33-6

Brown, B. E. Concentrated fertilizers. **2**:185-9

———— Comparison of potato yields secured on different soil types with and without fertilizer. **2**:472-5

———— Field studies with new nitrogen salts. **2**:491-4

———— Potash in relation to potato production on a number of soil types. **2**:494-8

———— Effect of fertilizer on potato tubers. **4**:37-8

———— Potato soils and their fertilization. **6**:195-200

———— Soil fertility and fertilizer problems facing the potato industry. **7**:64-7

———— The importance of nitrogen in potato production. **7**:227-9

———— New knowledge of potato fertilizers. **8**:104-8

———— Concentrated fertilizers for potatoes on three important soil types. **10**:35-42

———— Fertilizer placement studies with potatoes. **12**:178-82

Brown, B. E. Potato soil fertility and fertilizer literature for 1934. **12**:254-7

———— Some changes in potato fertilizer use. **13**:327-39
———— Concerning "Lost" potato acres. **20**:283-9
———— Use of ammonium nitrate in potato fertilizers. **21**:1-5
————, J. C. Campbell, A. Hawkins, G. V. C. Houghland, and K. D. Jacob. Evaluation of sludge-acid and alkylation-acid superphosphates as sources of phosphorus in potato fertilizers. **20**:89-95
————, J. A. Chucka, A. Hawkins, and J. C. Campbell. Field comparisons of colloidal phosphate and superphosphate as sources of phosphorus in potato fertilizers. **21**:241-9
———— and G. A. Cumings. Fertilizer placement studies with the potato on prominent soil types in 1932. **11**:142-7
———— and———— Fertilizer placement studies in 1933. **11**:265-73
———— and ———— Fertilizer placement for potatoes. **13**:269-72
————, G. V. C. Houghland, O. Smith, and R. L. Carolus. Influence of magnesium on different potato soil types. **10**:55-65
————, H. H. Zimmerley, G. V. C. Houghland, W. H. Redit and L. G. Schoenleber. Further studies on the placement of fertilizer for potatoes. **16**:81-93
———— see Caldwell, J. S.
———— see Campbell, J. C.
———— see Chucka, J. A.
———— see Hawkins, A.
———— see Martin, W. H.
Brown, W. P. What our purchasers think of the tuber-unit seed plot. **6**:204-6
Bryan, H. Notes on the potato situation in Great Britain. **12**:79-81
Bukasov, S. M. The problems of potato breeding. (Russia). **13**:235-52
Burke, O. D. and H. Menusan, Jr. Potato spraying in Pa. **25**:100-2
Burke, O. D., see Blodgett, F. M.
Burkholder, W. H. The occurrence in the United States of the tuber ring rot and wilt of the potato (*Phytomonas sepedonica*). **15**:243-5
———— Diagnosis of the bacterial ring rot of the potato. **19**:208-12
Bushnell, J. Ventilation in potato storage. **2**:358-61
———— A comparison of Michigan seed and Ohio certified seed. **5**:6-8
———— Normal multiple sprouting of seed potatoes. **6**:155-7 (abs.)
———— Do potato varieties degenerate in warm climates? **5**:245-6
———— The history of seed potato certification in Ohio. **7**:14-6
———— The value of small potatoes for seed purposes. **8**:3-5
———— Impressions of potato growing and potato experiments in England. **8**:91-6
———— A comparison of certified Cobblers from various sources. **8**:249-51
———— Green manures in potato rotations. **11**:117-22
———— Sizing seed potatoes for planting whole. **12**:19-21
———— Fertilizers in the sub-soil for potatoes. **14**:78-81
———— Reason for the low average yields of potatoes in Ohio. **16**:67-70
———— Effect of number of plants per hill on the yield of potatoes in Ohio. **19**:119-23
———— Age of maximum reproduction vigor in Irish Cobbler seed potatoes. **19**:124-29
———— The possibility of reducing the proportion of phosphate in fertilizer applied to sandy soil. **20**:153-5
———— Some effects of restricting the oxygen supplied to potato roots. **26**:90-1 (abs.)

———— Fertilizer and cultural experiments with potatoes reported during 1944-46. **25**:329-33

————, J. P. Sleesman, and F. J. Stevenson. Erie, a late potato adapted to Ohio. **21**:29-32

———— see Sleesman, J. P.

Butcher, F. G., see Menusan, H., Jr.

Butler, O. Making Bordeaux mixture. **5**:187-90

Caldwell, J. S., C. W. Culpepper, and B. E. Brown. Effect of boron upon quality of dehydrated white potatoes. **24**:397-412

————, ————, and P. M. Lombard. Suitability for dehydration in white potatoes as determined by the factors of variety, place of production, and stage of maturty. II. **21**:217-29

————, ————, and F. J. Stevenson. Suitability for dehydration in white potatoes as determined by the factors of variety, and place of production. I. **21**:211-6

———— see Wright, R. C.

Callbeck, L. C. Current results with potato vine killers in Prince Edward Island. **25**:225-33

———— Progress report on studies of effects of varying the proportion of lime in Bordeaux mixture for potato spraying. **24**:377-81

———— Results of spraying and dusting potatoes for late blight. **26**:91-2 (abs.); 155-60

———— Potato vine killing in Prince Edward Island. **26**:91(abs.); 409-20

Campbell, J. C., A. Hawkins, B. E. Brown, and J. A. Chucka. Fertilizer placement for potatoes: a comparison of level-band and Hi-Lo methods. **22**:297-311

———— and B. B. Pepper. Promising new chemicals for the control of diseases and insects. **25**:48-9 (abs.); 82-6

———— see Brown, B. E.

———— see Daines, R. H.

———— see LeClerg, E. L.

———— Pepper, B. B.

Cannon, F. M., see Beall, G.

Carolus, R. L. Some significant variations in the chemical composition of the plant associated with a malnutrition trouble of potatoes. **10**:147-65

———— Chemical estimation of the weekly nutrient level of a potato crop. **14**:141-53

———— Influence of nitrogen, phosphorus, potassium, and calcium on tuber and foliage weight of potatoes. **21**:199-203

———— see Brown, B. E.

———— see Hester, J. B.

Case, W. M. Freezing-dehydration of potatoes in North Dakota: **26**:177-8 (abs.)

Cash, L. C., see Stevenson, F. J.

Chapman, P. J. Spraying potatoes for the control of insect pests in New York. **5**:230-2

Child, A. M., and J. J. Willaman. Cullinary quality in potatoes. **6**:259-66

———— see Rogers, M. C.

Chucka, J. A. Magnesium deficiency in Aroostook potato soils. **11**:29-35

———— Fertilizer placement studies on potatoes in Maine 1932-33. **11**:92-5

———— and Brown, B. E. Magnesium studies with the potato. **15**:301-12

———— see Brown, B. E.

———— see Campbell, J. C.

———— see Hawkins, A.

Clapp, A. L. Commercial fertilizers for potatoes in the Kansas River Valley. **12**:219-21

Clark, C. F. The improvement of the potato. **5**:126-9

———— Further studies of the origin of russeting in the potato. **10**:88-91

———— Report of the research committee on potato breeding. **12**:91-4

———— Report of the research committee on potato breeding. **13**:96-9

———— Potato breeding investigations in 1936: review of literature. **14**: 253-8

———— Recent developments in potato breeding: review of literature. **15**:16-26

———— Potato breeding investigations in 1938: review of literature. **16**: 212-20

———— Longevity of potato seed. **17**:147-52

———— The Calrose potato: a new variety possessing resistance to late blight. **23**:343-7

————, P. M. Lombard, and E. F. Whiteman. Cooking quality of the potato as measured by specific gravity. **17**:38-45

————, W. P. Raleigh, and F. J. Stevenson. Breeding for resistance to common scab in the potato. **13**:256-9

———— and F. J. Stevenson. Breeding behavior of the Katahdin potato. **12**:55-9

————, W. Stuart, and F. J. Stevenson. The Katahdin potato: a new variety. **8**:121-5

———— see Schultz, E. S.

———— see Stevenson, F. J.

Clarke, A. E. Fertilization and early embryo development in the potato. **17**:20-5

————, W. C. Edmundson, and P. M. Lombard. Seed setting in potatoes as affected by spraying with a-naphthaleneacetamide and by light. **18**:273-9

———— and P. M. Lombard. Relation of length of day to flower and seed production in potato varieties. **16**:236-44

———— and ————. Flower bud formation in the potato plant as influenced by variety, size of seed piece, and light. **19**:97-105

———— and F. J. Stevenson. Factors influencing the germination of seeds of the potato. **20**:247-58

Clayton, C. N., see Eddins, A. H.

Clayton, E. E. Some observations on Long Island's potato spray program. **8**:177-9

Clemmer, C. W., and K. Koch. Seed potato improvement and large volume production through a four-year-five phase cycle. **20**:33-6

Coates, W. H. The influence of a three-year rotation and fertilizer treatment on the organic carbon of soils. **18**:19-26

Cobb, J. S. A study of culinary quality in white potatoes. **12**:335-46

Cochran, H. L., and J. E. Bailey. Northern Georgia as a source of fall crop certified seed potatoes for certain sections of the South. **16**:266-73

Colberg, W. J., see R. L. Post.

Conners, I. L., see Racicot, H. N.

Cook, H. T. Forecasting late blight in Eastern Virginia in 1947. **25**:49 (abs.)

Cook, H. T., and G. V. C. Houghland. The severity of potato scab in relation to the use of neutralized and one-third neutralized fertilizers. **19**:201-8

———— and T. J. Nugent. The influence of acid-forming and non-acid forming fertilizer on the development of potato scab. **16**:1-5

———— see LeClerg, E. L.

Cordon, T. C., see Treadway, R. H.

Cormany, C. E. The white potato in South America. **6**:135-9
Cowan, E. K., see Blodgett, F. M.
Cox, T. R., and T. E. Odland. The response of potatoes to different sources of nitrogen, phosphorus, and potash. **17**:105-13
———— see Odland, T. E.
Crosier, W. and D. Reddick. Some ecologic relations of the potato and its chief fungus parasite, *Phytophthora infestans*. **12**:205-19
———— see Reddick, D.
Culpepper, C. W., see Caldwell, J. S.
———— see Wright, R. C.
Cumings, G. A., see Brown. B. E.
———— see Martin, W. H.
Cunningham, H. S. Addition of mercury compounds to the fertilizer mixture as a control for common scab of the potato under Long Island conditions. **13**:100-3
Curl, A. L., and E. K. Nelson. Non-volatile acids of the potato. **17**:328-30
Currence, T. M., and F. A. Krantz. The relation of plot size and shape to potato yield variations. **13**:310-3
Cykler, J. F., see Starr, C. H.

Daines, R. H. Antagonistic action of *trichoderma* on *Actinomyces scabies* and *Rhizoctonia solani*. **14**:85-93
———— and ————. Potato sprouting inhibited by the use of alpha-naphthaleneacetic methyl ester. **23**:88-91
————, J. C. Campbell, and W. H. Martin. Three years' comparisons of dusts and Bordeaux spray for potato production in Central Jersey. **19**:90-6
Damon, S. C., see Odland. T. E.
Dance, J. H. Dusting potatoes in Wisconsin. **3**:162-3
Danielson, L. L. Weeding Irish Cobbler potatoes with 2,4-D. **26**:1-7
Darling, H. M. Ring rot survey 1940-47. **25**:44-7
———— see Ware, L. M.
Davidson, R. S., and A. E. Rich. The performance of new fungicides for controlling late blight on potatoes. **24**:35-9
Davis, G. E. The effects of certain environmental factors on tuberization in the wild potato, *Solanum commersonii*. **18**:266-9
Davis, P. N. Growing and fertilizing potatoes on muck soils. **2**:486-8
Dean, D.
———— Spraying for late blight and rot in 1924. **2**:52-6
———— Spraying in 1925. **2**:193-6
———— The future problems of potato spraying. **2**:305-6
———— Potato marketing from a new angle. **2**:390-4
———— Future possibilities with the potato. **2**:429-31
———— Place of fertilizers in potato production. **2**:461-3
———— New development of potato marketing. **3**:18-9
———— Equipment for potato spraying. **4**:49-51
———— Some observations on late blight development in 1928. **5**:288-91
———— A study of the 1928 potato deal may help in planning for the 1929 crop. **6**:67-75
———— Potato spraying in New York. **6**:175-7
———— Cultivating and fertilizing potatoes. **7**:165-9
———— Potato spraying and dusting. **8**:96-100
———— Our changing potato industry. **10**:108-14

Dean, L. L., see Bradley, R. H.
Decker, P., see Tuthill, S. C.
———— see Wolfenberger, D. O.
Deitz, F. C. Fertilizer experiment with Green Mountain potatoes. **4**:17-9
———— Fertilizer experiment with potatoes. **5**:71-4
DeLong, G. E., see Stevenson, F. J.
DeLong, D. M. In what way does Bordeaux spray kill the potato leafhopper? **6**:109-14
Denniston, L. T. The relation of spraying and disease-free seed to high yields in Pennsylvania. **12**:14-8
Denny, F. E. Suggestions in inducing early germination of potato tubers in greenhouse tests for virus. **20**:171-6
Detwiler, S. B. Note on regional distribution of magnesium in river and lake waters of the U. S. **13**:156-9
Dewey, J. E., see Rawlins, W. A.
Dickey, J. B. R. Methods used by Pennsylvania Four Hundred Bushel Club members. **2**:148-51
———— Cultivating potatoes: how and how much. **10**:91-4
———— Potato consumption in the United States. **10**:114-8
———— Potatoes forty years ago. **10**:250-2
———— Methods and trends in Four Hundred Bushel potato production in Pennsylvania. **12**:82-5
Dickison, W., see MacLeod, G. F.
Dimock, J. A. Ventilation by electric fans in the Dimock orchard seed potato warehouse. **1**:244-5
———— Hereafter—sized seed potatoes. **2**:242-3
———— Potato warehousing in the Green Mountain state. **2**:361-3
Dimond, A. E., J. W. Heuberger, and J. G. Horsfall. Copper spray substitutes. **20**:141-53
Dittman, A. L., see Smith, O.
Douglas, E. Economic practices in potato production win. **6**:294-7
Dove, W. F., see Murphy, E. F.
Dow, M. W. Paring waste of Maine potatoes. **7**:6-11
Drobish, H. E. Klamath Falls. **9**:24-7
Dunn, L. E., and R. E. Nylund. The influence of fertilizers on the specific gravity of potatoes grown in Minnesota. **22**:275-88
———— and C. O. Rost. Effect of fertilizers on the quality of potatoes grown in the Red River Valley of Minnesota. **22**:173-87
Dunnewald, T. J., see Starr, G. H.
Dutt, J. O., see Werner, H. O.
Dye, H. W. Profitable potato dusting. **5**:226-30
Dykstra, T. P. Report on potato virus diseases in 1936. **14**:117-24
———— Report on potato virus diseases in 1937. **15**:157-64
———— Report on potato virus diseases in 1938. **16**:204-12
———— A comparative study of American and European potato virus diseases. **16**:281-7
———— Report on potato virus diseases in 1939. **17**:201-10
———— Results of experiments in control of bacterial ring rot of potatoes in 1940. **18**:27-55
———— Report on potato virus diseases in 1940. **18**:221-30
———— Compilations of results in control of potato ring rot. **19**:175-96
———— Potato virus diseases: review of literature, 1941. **19**:267-79

———— Potato production problems in China. **21**:123-31

Eastham, J. W. Vascular discoloration in tubers from vines killed by frost. **2**:108

Eddins, A. H. Effect of inoculated sulphur, lime, and mercury compounds on the yield of potatoes. **11**:295-302

———— Adjusting pH reactions of soils with sulphur and limestone to control brown rot of potatoes. **16**:6-16

———— Some characteristics of bacterial ring rot of potatoes. **16**:309-22

———— Effect of sulphur and limestone soil treatments on potato scab in a sandy soil. **18**:312-6

———— Transmission and spread of late blight in seed potatoes. **22**:333-9

———— and C. N. Clayton. Late blight of potatoes and its control under Southern conditions. **20**:107-12

————, E. N. McCubbin, and F. J. Stevenson. Results of potato variety tests at Hastings, Fla. **21**:269-77

————, E. Q. Proctor, and E. West. Corky ringspot of potatoes in Florida. **23**:330-3

———— see LeClerg, E. L.

Edgar, A. D., see Lutz, J. M.

Edgerton, G. W. Report of the certification conference. **15**:130-40

Edmundson, W. C. Irrigating-up potatoes. **3**:192-4

———— Sun injury to cut potato seed. **16**:98-103

———— The effect of psyllid injury on the vigor of seed potatoes. **17**:315-7

———— Response of several varieties of potatoes to different photoperiods. **18**:100-12

———— A comparison of Katahdin potato pollen produced in the field and in the greenhouse. **19**:12-5

———— and L. A. Schaal. Potato breeding for Fusarium resistance. **17**:92-5

———— see Binkley, A. M.

———— see Clarke, A. E.

———— see List, G. M.

———— see Kunkel, R.

———— see Schaal, L. A.

Edwards, P. W. Disposal and utilization of potato starch factory wastes. **26**:172-3 (abs.)

Eide, C. J., see Krantz, F. A.

Ellis, N. K. The effect on the yield of potatoes of incorporating 2,4-D in the regular spray. **26**:92 (abs.); 208-13

———— see Bradley, R. H.

———— see Samson, R. W.

Ellis, N. R. Use of ensiled and dehydrated potatoes in livestock feeding. **26**:178-9 (abs.)

Elmer, O. H. Correlation between the rhizoctonia and the blackleg disease of potato. **5**:67-8

———— Prevention of potato seed piece decay. **19**:19-23

Emmert, E. M. Preliminary report on the periods of critical need of potatoes for nitrogen and potassium. **23**:267-71

Erickson, W. G. Colorado marketing agreement. **24**:429-31

Eskew, R. K. European methods for the utilization of potato starch factory wastes. **25**:409-12

———— Conversion of potatoes to stable form. **26**:92-3 (abs.); **26**:163-72

Fellers, C. R., see Lyons, M. F.

Felton, M. W. The development of stem end discoloration in Bliss Triumph potatoes held in warm storage. **25**:49-50 (abs.)
———— The effect of temperature, moisture and nitrogen on development of leaf roll symptoms in the Irish potato. **25**:50-1 (abs.)
Fernow, K. New York seed potato certification standards in 1925. **2**:124-6
———— Accuracy in potato inspection. **3**:44-7
———— Growing potatoes for seed purposes. **3**:269-76
———— Advantages to be derived from testing samples of seed potatoes in the South. **4**:77-9
———— Spraying and dusting potatoes. **5**:157-9
———— Potato growing in Bermuda. **8**:150-3
———— A partially masked mosaic of potatoes. **10**:235-
———— Report of the certification committee of the Potato Association of America. **14**:59-64
———— Report of the certification committee of the Potato Association of America. **15**:43-57
———— Potato ring rot control for those who think they don't have the disease. **21**:14-7
———— Relation of sample size to accuracy. **21**:229-34
———— and L. M. Black. Yellow dwarf in New York state. **9**:116-7
Findlen, P., see Hotchkiss, A.
Fineman, Z. M. The influence of fertilizers on yield and specific gravity of potatoes grown in Alaska. **24**:82-9
Fisher, D. F., see Rose, D. H.
Fitch, C. L. Killing aphids on rogued plants. **2**:400
———— Knobby seed may be good seed. **7**:38-9
———— Potato seedlings for less money in less time. **7**:283-90
———— Drought keeps potatoes alive. **8**:251-3
———— Wheel damage to potatoes with large sprayers on muck soils. **9**:5-7
———— The Hastings district. **9**:55-7
———— Fertilizer and subsoil studies for potatoes on ten Iowa peat and muck farms in 1931. **9**:105-9
———— Geography of scab in the United States. **12**:310-6
———— The Cobbler seed supply of the United States. **15**:91-8
———— The "Clean" Cobbler supply of North America. **25**:30-4
———— The national onion and potato committee. **25**:144-6
Folsom, D. Tuber-unit seed plots in Maine in 1925. **2**:304-5
———— Potato dusting and spraying comparisons in Maine. **3**:149-54
———— Is uniformity of potato seed certification rules possible and desirable? **3**:377-82
———— Selection in relation to the potato seed plot. **4**:61-3
———— Net necrosis *versus* stem-end browning in Aroostook potatoes. **7**:251-6
———— Potato virus diseases in 1931. **9**:173-81
———— Virus diseases in 1932. **10**:224-33
———— Growing seed potatoes under an aster cloth cage. **11**:65-9
———— Potato virus diseases in 1933. **11**:235-42
———— Potato virus diseases in 1934. **12**:304-10
———— Sample size and reliability. **19**:197-9
———— Tuber-unit seed plots. **19**:225-9
———— Potato varieties: the newly named, the commercial, and some that are useful in breeding. **23**:229-42

———— Inheritance of predisposition of potato varieties to internal mahogany browning of the tubers. **24**:294-8

———— Permanence of greening of potato tubers. **24**:336-40

———— and R. Bonde. List of distinct potato viroses. **13**:14-6

———— and F. J. Stevenson. Resistance of potato seedling to the natural spread of leafroll. **23**:247-64

———— see Stevenson, F. J.

Foster, A. C. The development of the potato industry in Australia. **11**:326-31

———— Powdery scab in Australia. **13**:12-4

Gaines, C. D. Leafroll and net necrosis. **23**:160-1

Gandarillas, H., and R. E. Nylund. Further studies on the influence of sprout-inhibiting and sprout-inducing treatments on the growth and yields of potatoes. **26**:7-16

Gardner, J. S. Storage of cut seed *versus* whole seed. **6**:42-4

———— A comparison of the tuber-unit and the tuber index method of potato improvement. **10**:42-5

Gardner, M. E., R. Schmidt, and F. J. Stevenson. The Sequoia potato: a recently introduced insect-resistant variety. **22**:97-103

Garey, L. F. The demand for potatoes in urban centers. **14**:1-9

Gerloff, G. C., see Berger, K. C.

Gibbel, W. W. Why I use the dusting method on my potato crop for the control of insects and prevention of diseases. **3**:163-6

Gilbert, A. H. Spindle tuber and giant hill. **1**:201-2

———— Net necrosis of the potato tuber. **4**:90-2

Gillig, E. M. Fostering the certified seed potato deal more effectively. **10**:134-8

Glassford, J. C. King spud (poem). **6**:245

Glick, D. P. Results of attempted eradication of bacterial ring rot from potatoes. **18**:140-3

———— see Metzger, C. H.

Goodin, R. E., see Richardson, L. T.

Goss, R. W. Effect of the spindle tuber disease on sprouting. **2**:261-4

———— The effect of irrigated crop rotations upon potato scab. **13**:91-6

———— Fusarium wilts of potatoes, their differentiation and effect of environment upon their occurrence. **13**:171-80

———— and J. H. Jensen. Varietal susceptibility of potatoes to fusarium wilt. **18**:209-12

———— and H. O. Werner. Seed potato treatments for the control of scab. **5**:59-62

———— see Jensen, J. H.

———— see Werner, H. O.

Granovsky, A. A. The value of DDT for the control of potato insects. **21**:89-91

———— Aphid transmission of potato virus diseases in storage. **26**:93 (abs.)

Gratz, L. O., and E. S. Schultz. Observations on certain virus diseases of potatoes in Florida and Maine. **7**:187-200

Griffith, C. H., see Krantz, F. A.

Griffiths, F. P. The potato program of the Western Regional Research Laboratory. **26**:181-2 (abs.)

Gui, H. L. Potato scab-gnat, *Pnyxia scabiei*, Hop. **10**:22-7

———— Soil types as factors in wireworm distribution. **12**:107-13

———— see Sleesman, J. P.

Gussow, H. T. Stem end browning and net necrosis in potatoes. **19**:280-2

Haan, Dr. H. de. Protection of property of the potato breeder in The Netherlands. **24**:374-7

Haddock, J. L., and P. T. Blood. Variations in cooking quality of potatoes as influenced by varieties. **16**:126-33

———— see Blood, P. T.

Hardenburg, E. V. Potato seed source testing in New York. **1**:186-8

———— Muck and peat soils for potato production. **1**:324-5

———— New York's extension program in potato marketing. **2**:50-2

———— Hollow-heart in potatoes. **2**:155-9

———— The status of potato fertilization in New York. **2**:457-61

———— The influence of soil type on seed potatoes. **2**:464-6

———— Improving the market quality of potatoes. **3**:124-6

———— The origin and history of the American Giant and Beauty of Hebron potatoes. **3**:166-7

———— Tuber-shape indices in standard potato types. **5**:319-23

———— *Per capita* consumption of potatoes and some related factors. **6**:354-60

———— Improving market quality in potatoes. **7**:348-51

———— Experimental studies of muck soil as affecting seed and table quality in potatoes. **8**:27-37

———— Potato rotations and fertilizer program. **8**:192-5

———— Potato storage. **8**:269-71

———— Experimental results from the use of paper mulch on potatoes. **9**:91-4

———— Efficiency factors in the cultivation of potatoes. **10**:94-8

———— Causes and prevention of potato tuber defects at harvest time. **10**:173-6

———— Some false notions about potato varieties. **10**:201-4

———— Relation of digger operation to potato tuber injury. **11**:171-6

———— Muckland potato production in New York. **11**:244-6

———— Potatoes as a health food. **11**:292-5

———— Greensprouting seed potatoes. **13**:28-9

———— Cultural and storage research with potatoes. **13**:38-44

———— Grade analysis of potatoes on the Cleveland market. **14**:107-16

———— Potato consumption and dietetic value. **14**:185-8

———— Cultural and storage research with potatoes during 1936. **14**:211-5

———— Potato tuber bruising in the Cleveland and Rochester markets. **15**:213-9

———— Potato culture and storage investigations in 1937 and 1938. **16**:143-50

———— Potato culture and storage investigations in 1938 and 1939. **17**:60-5

———— Comparative studies of several potato seed treatments. **21**:1-5

———— American seedsmen as vendors of seed potatoes. **22**:373-5

———— Effect of sprayer-wheel injury on the yield of potatoes. **25**:128-30

———— Current potato research in North America. **25**:183-90

———— Effect of types of container, storage, and variety on shrinkage of stored potatoes. **26**:75-9

———— Potato production review. **26**:194-96

———— Potato Association of America: an historical note. **26**:351-3

———— and V. F. Nettles. Potato culture and storage investigations in 1940. **18**:85-9

———— and H. Platenius. A preliminary report on the waxing of seed potatoes. **16**:37-40

———— and F. J. Stevenson. Mohawk: a new baking potato. **20**:79-86

———— and C. N. Turner. Potato digger adjustment and relation to tuber bruising. **17**:191-7

———— see Metcalf, H. N.

Harrington, F. M. Influence of irrigation on seed potatoes. **3**:203-5

———— Irrigated *versus* dryland seed potatoes. **5**:63-64

———— Irrigated *versus* dryland potatoes. **8**:71-3

———— Tuber indexing *versus* tuber-unitting and roguing in seed potato production. **9**:128-31

———— Influence of fertilizer on potato maturity and type. **13**:218-20

———— see Iverson, V. E.

Harris, L., see Pumphrey, F. V.

Harris, M. R. Accuracy of ultraviolet light method in selecting potato tubers free of virus. **24**:179-83

Hartman, R. E., and R. V. Akeley. Potato wart in America. **21**:283-8

Haskell, R. J. Late blight and rot of potatoes in 1926. **4**:1-5

———— Educational work needed—promoting certified seed. **21**:75-6

Hastings, R. C. Mechanical injury to potatoes and its eradication in North Dakota. **8**:126-32

———— Benefits to be derived from Southern certified seed trials. **19**:107-8

———— New developments on certifying seed potatoes. **19**:149-52, **26**:160-3

Hawkins, A. Response of potatoes to rate and placement of nitrogen in Connecticut, 1948. **26**:93-4 (abs.)

Hawkins, J. H. Wireworm control for Maine potato growers. **14**:351-4

————, J. A. Chucka, and B. E. Brown. Minor element studies in Maine. **18**:234-9

———— see Brown, B. E.

———— see Campbell, J. C.

Heim, D. C. Standardized potato sprays and dusts. **6**:163-8

Henderson, M. T., see LeClerg, E. L.

Henderson, W. J., see Kreutzer, W. A.

Hester, J. B. The use of lime in potato production in Eastern Virginia. **12**:235-48

———— Results from the lime experiment with potatoes for 1936. **13**:339-42

———— The value of cover crops in potato production in Eastern Virginia. **14**:9-18

———— The influence of acid and neutral fertilizer mixtures upon the yield of potatoes on the limed plots at Onley, Virginia. **15**:35-7

———— and R. L. Carolus. Three years' results with the use of copper, manganese, and zinc sulphate in fertilizer mixtures for potatoes. **14**:37-9

Heuberger, J. W., see Dimond, A. E.

———— see Jehle, R. A.

———— see Wolfenberger, D. O.

Hibst, F. P. The scope and possibilities of a national potato council. **6**:345-54

Hicks, O. C. The seed potato situation in New Brunswick. **3**:61-2

Hilborn, M. T., and R. Bonde. New form of low-temperature injury in potatoes. **19**:24-9

Hill, L. M. The influence of certain cultural practices and disease control on yield of potatoes. **18**:121-31

———— see Orton, C. R.

Hill, R. E. Research on potato insect problems—a review of recent literature. **25**:107-27

Holden, J. A. Potatoes in irrigated rotation experiments at the Scottbluff (Nebraska) experiment farm. **3**:194-6

———— "Profit bushels" in potato production. **11**:156-8

Holmes, I. The Michigan potato growers' response to price. **7**:136-9

Hommel, R. F., see Smith, O.

Hooker, W. J., and J. E. Sass. Some histological features of potato stem necrosis associated with *Actinomyces scabies*. **25**:51 (abs.)

———— and ———— Evidence of parasitic activity of *Actinomyces scabies* on seedling roots. **25**:51-2 (abs.)

Horsfall, J. G., and N. Turner. Injuriousness of Bordeaux mixture. **20**:308-20

———— and ———— Organic fungicides for late blight in Connecticut. **24**:103-10

———— see Dimond, A. E.

Hotchkiss, A., M. Wood, and P. Findlen. Cooking quality preferences for potatoes. **17**:253-61

Hougas, R. W. and E. H. Rieman. Unusual variegations in the Sebago potato —Part II—Pathological aspects. **26**:94 (abs.)

Hougas, R. W., see Rieman G. H.

Houghland G. V. C. Potato fertilizers in Maryland. **6**:268-71

———— Sampling potatoes for starch analysis. **7**:219-23

———— Minimum weight of a prime potato. **11**:205-6

———— Discussion of potato sprout emergence as related to fertilizer placement. **13**:343-6

———— Reclamation of potato land flooded by salt water. **14**:19-22

———— Net returns from fertilizers. **25**:12-6

———— and M. M. Parker. Study of three factors in potato production: row spacing, seed spacing, and fertilizer rate. **25**:393-406

———— see Cook, H. T.

Hovey, C., and R. Bonde. *Physalis angulata L.*, a test plant for the potato leafroll virus. **25**:52 (abs.)

Howard, F. L. Keeping up the strength of corrosive sublimate solutions. **6**:142-3

Howatt, J. L., see MacLeod, D. J.

Hoyman, W. G. Observations on use of potato vine killers in North Dakota. **24**:110-6

———— The effect of zinc-containing dusts and sprays on the yield of potatoes. **26**:94-5 (abs.)

———— Potato vine killers. **25**:52 (abs.)

Huckett, H. C. The efficiency of dusting and spraying potatoes on Long Island to control potato insects. **5**:123-6

———— The relationship between date of planting Green Mountain potatoes and yield of tubers in spraying experiments on Long Island. **7**:27-30

Hundertmark, B. W., and R. V. Allison. Urea as a source of nitrogen for potatoes in the Hastings, Florida, area. **16**:322-9

Hungerford, C. W. Seed potato disinfection in Idaho, 1927. **5**:98-9

Hunt, L. W. Use of potatoes in the diet—when and how to cook them. **6**:171-3

Hurst, R. R. Digging date and rhizoctonia control of potatoes. **8**:15-6

———— Treating seed potatoes. **8**:16-7

———— and H. L. MacLaren. Some observations on the sprouting habits of potato tubers exposed to low temperatures. **11**:123-7

———— see Peppin, S. G.

Hutcheson, J. R. Following through with the interstate early potato committee. **8**:42-6

Hutson, J. B. Grower and consumer interests in the potato problem. **12**:295-303

Ingerson, H. G. Commercial cleaning of potatoes for the market. **9**:109-11

Iverson, V. E., and F. M. Harrington. Accuracy of the ultraviolet light method for selecting ring rot free potato seed stocks. **19**:71-4

Jackman, E. R. New marketing development. **9**:96-7

———— see Otis, C. E.

Jacob, K. D., see Brown, B. E.

Jacob, W. C., R. H. White-Stevens and P. H. Wessels. The influence of irrigation on the nitrogen, phosphorus and potash requirements of different potato varieties. **26**:241-55

Jacobs, P. B. The manufacture of alcohol from potatoes. **26**:173-6 (abs.)

Jehle, R. A., and J. W. Heuberger. Effect of raising storage temperature of late-grown Irish Cobbler potatoes. **11**:289-92

———— and F. J. Stevenson. The Potomac potato. **22**:261-6

———— and ———— The Marygold potato. **26**:25-32

———— and E. A. Walker. Storage temperature studies with Irish Cobbler seed potatoes. **14**:394-410

————, ———— and J. W. Heuberger. Preliminary report on the use of spring-grown seed for planting the late potato crop on the eastern shore of Maryland. **14**:290-3

Jenkins, J. M., Jr., Performance of certain potato varieties in South Carolina in 1942. **19**:213-6

Jensen, H. Early potato varieties and main crop production in the Yakima Valley. **6**:35-41

———— and R. W. Goss. Infection of first-year potato seedlings with (*Fusarium solani* var. *eumartii*. **18**:239-42

———— see Goss, R. W.

———— see Werner, H. O.

Jensen, O. F. How shall fertilizer be applied? **2**:482-6

Johnson, E. M., see Valleau, W. D.

Johnson, G., see Pyke, W. E.

Johnston, E. S. Sand culture studies check with practical experiences. **2**:365-6

Johnstone, F. E., Jr. Chromosome doubling in potatoes induced by colchicine treatment. **16**:288-304

———— see Livermore, J. R.

Jones, H. A., and H. A. Borthwick. Influence of photoperiod and other factors on the formation of flower primordia in the potato. **15**:331-6

Jones, W. and H. S. MacLeod. Armillaria dry rot of potato tubers in British Columbia. **14**:215-7

———— see MacLeod, H. S.

Kardos, L. T., and P. T. Blood. Retardation of sprouting of potatoes by carbon dioxide storage. **24**:39-47

Kellogg, J. H. Why we should eat more potatoes. **5**:251-4

———— Alcott's potato gospel. **5**:283-5

———— The American potato might have won the Marathon. **5**:315-6

———— The potato our best food staple. **6**:99-109

———— The potato as a health factor. **7**:3-8

Kelly, W. C., and G. F. Somers. The effect of harvest, variety, and storage, of the ascorbic acid content of potato tubers. **26**:47-53

Kelly, W. C., see Smith, O.

———— see Pratt, A. J.

Kempter, P. F. The potato for pulchritude. **6**:3-6

Kennedy, S. Developing peat beds and getting Four Hundred Bushel yields of potatoes. **7**:69-71

Kimbrough, W. D., see Miller, J. C.

———— see Ware, L. M.

Kirkpatrick, H. C. Indicator plants for studies with the leafroll virus of potatoes. **25**:53 (abs.) **25**:283-90

Kirkpatrick, H. C., and F. M. Blodgett. Yield losses caused by leafroll of potatoes. **20**:53-6

Knoblauch, H. C., and T. E. Odland. Response of potatoes to magnesium under various soil conditions. **11**:35-40

Knollin, J. C. A large potato yield. **1**:349-53

Knorr, L. C. Efficacy of the rotary knife in the control of potato ring rot. **21**:250-61

———— Reliability of the stem-ooze test for identification of potato ring rot. **22**:57-62

———— Field testing of disinfectants for the control of potato ring rot bacteria on wooden and metallic surfaces. **24**:141-50

———— Suscept range of the potato ring rot bacterium. **25**:361-71

Koch, K., see Clemmer, C. W.

Koehnke, M. Certification of potatoes in Nebraska. **9**:94-6

———— Report of seed certification committee, progress of the seed potato industry. **15**:56-64

———— Prevalence of ring rot in certified seed producing areas in the United States and Canada. **22**:21-7

———— and J. Shaughnessy. Nebraska seed improvement program for Nebraska potatoes. **19**:161-6

Kotila, J. E. Some bud mutations of the potato. **6**:131-5

Kovalenko, G. M. Hardy frost resistant potato varieties. **9**:205-9

Krantz, F. A. Potato improvement by selection in self-fertilized lines. **2**:303-4

———— Progress in breeding new varieties of white potatoes. **6**:227-37

———— Maturity of potato seedlings in the greenhouse and their behavior in the field. **15**:153-7

————Twenty-five years in the history of the potato. **16**:25-31

———— Recent developments in potato breeding; resistance to common scab and late blight. **25**:223-6

———— and R. M. Bailey. Recent contributions to potato breeding and related subjects. **8**:153-8

———— and E. P. Lana. Incidence of hollow heart in potatoes as influenced by removal of foliage and shading. **19**:144-9

———— and L. G. Leach. The need for a program of potato improvement. **8**:229-34

———— and A. C. Tolaas. The Mesaba potato. **15**:89-91

———— and ———— The red Warba potato. **16**:185-90

———— C. J. Eide, O. C. Turnquist, C. H. Griffith, and A. G. Tolaas. The Waseca, Chisago, and Satapa potatoes. **26**:264-68

———— see Currence, T. M.

———— see Pujals, E. A.

Kraus, J. E. Influence of certain factors on second growth on Russet Burbank potatoes. **22**:134-42

———— see Babb, M. F.

Kreutzer, W. A., see Lane, G. H.

Kreutzer, W. A., W. J. Henderson, and G. H. Lane. The comparative effectiveness of certain cutting-knife treatments in the control of ring rot of potatoes. **22**:127-33

————, G. H. Lane, and J. L. Paschal. The comparative effectiveness of certain knife disinfectants and the use of the double-edged knife for the control of ring rot of potatoes. **23**:291-9

———— see McLean, J. G.

Kunkel, R., see Lane, G. H.

Kunkel, R., L. A. Schaal, and A. M. Binkley. The relationship between maturity, yield, color, and cooking quality of Bliss Triumph potatoes. **25**:53 (abs.); **26**:132-37

————, A. M. Binkley, and W. C. Edmundson. The effect of chemical vine killers on the quality and yield of Red McClure and Triumph potatoes. **25**:54-5 (abs.) 371-6

———— see McLean, J. G.

———— see Binkley, A. M.

———— see Schaal, L. A.

Ladeburg, R. C., R. H. Larson, and J. C. Walker. Ringspot type of potato virus X. **26**:432-35

Lana, E. P., see Krantz, F. A.

Lane, G., see McLean, J. G.

Lane, G. H. Disinfection of a new stationary-type seed potato cutter to control the spread of ring rot. **26**:379-84

———— see Kreutzer, W. A.

————, R. Kunkel, and W. A. Kreutzer. Tests of cutting knife disinfectants and cutting techniques in the control of ring rot of potatoes. **25**-446-54

Larson, R. H., and A. R. Albert. Relation of potato varieties to incidence of physiological internal tuberculosis. **26**:427-31

———— and ———— and J. C. Walker. Soil reaction in relation to potato scab. **15**:325-30

———— see Albert, A. R.

———— see Ladeburg, R. C.

———— see Walker, J. C.

Lauer, K. W. Certfied seed potatoes in Pennsylvania. **11**:184-7

Lauer, K. W. Chicago conference on seed potato certification. **14**:410-4

Lea, G. F., and T. E. Odland. Effect of preceding crops on yields of Green Mountain potatoes. **15**:164-70

———— and J. B. Smith. Availability studies on magnesium in magnesic limestones, serpentine, olivine, and magnesium ammonium phosphate. **15**:4-9

Leach, J. G. Sources of potato blackleg infection. **7**:590-64

———— What the plant pathologist can and ought to contribute to a potato improvement program. **13**:31-8

———— Biological basis for certification of seed potatoes. **15**:117-30

———— Report of the committee to coordinate research on new and unusual potato diseases. **17**:81-8

———— see Krantz, F. A.

———— see Thurston, H. W.

———— see Vaughn, J. R.

LeClerg, E. L. National Potato Breeders' Conference at Baton Rouge and Fairhope, Alabama. **17**:188-90

———— Relation of field plot design to seed-source tests of Irish potatoes in the South. **19**:75-9

———— Non-virus leafroll of Irish potatoes. **21**:5-13

———— Effect of stand percentages and skips in stand on yield of Irish potatoes in Louisiana. **23**:395-9

———— Association of specific gravity with dry-matter content and weight of Irish potato tubers. **24**:6-9

———— Comparative dry-matter content of varieties of Irish potatoes grown in Louisiana. **24**:73-6

———— and M. T. Henderson. Relative efficiency of the two-dimensional quasi-factorial design as compared with a randomized-block arrangement when concerned with yields of Irish potatoes. **7**:279-82

———— and ———— Studies on the association of heat sprouting with rest period and maturing time in Irish potatoes. **20**:28-33

————, P. M. Lombard, A. H. Eddins, H. T. Cook, and J. C. Campbell. Effect of different amounts of spindle tuber and leafroll on yields of Irish potatoes. **21**:60-71

Leverton, R. M., see Werner, H. O.

Levitt, J. Histological study of hollow heart of potatoes. **19**:134-43

Libby, W. C., and R. V. Akeley. Potato variety testing and release program in Maine. **26**:404-09

Linn, M. B., J. W. Apple and C. Y. Arnold. Effect of leafhopper control with DDT dust on length of growing season, quality and yield of seventeen potato varieties. **25**:55 (abs) **25**:315-28

Lipman, J. G. Fertilizer prospects for 1926—the use of concentrated materials in potato fertilization. **3**:1-9

———— Lime and fertilizers for potatoes, development of soil practices that would permit potato growers to solve the scab problem. A systematic study from the viewpoint of soil acidity. The use of sulphur. **7**:339-48

List, G. M., and W. C. Edmundson. Spraying and dusting potatoes with DDT and other materials. **23**:347-52

Livermore, J. R. Hill-unit selection of potatoes. **2**:421-5

———— Bud selection. **10**:17-22

———— Presidential address. **11**:1-7

———— Potato field trial. **12**:142-50

———— Report of the New York Conference of potato breeders, pathologists, and horticulturists. **14**:297-300

————Correlation of seedling performance in the greenhouse and subsequent yield in the field. **16**:41-3

———— Report of the committee on standardization of field plot technique. **17**:114-23

———— Naming selections from established varieties. **21**:72-4

———— and F. E. Johnstone, Jr. The effect of chromosome doubling on the crossability of *Solanum chacoense*, *S. Jamesii*, and *S. bulbocastanum* with *S. tuberosum*. **17**:170-3

———— and H. O. Werner. Report of the committee on standardization of field plot technique. **14**:45-55

Locke, S. B. Field resistance to leafroll infection in potato varieties. **25**:37-43

Logan, P. P. What the restaurant operator looks for in potatoes. **26**:221-6 (abs.)

Lombard, P. M. Is it advisable to use oversized potatoes for seed purposes? **3**:117-20

———— Comparative influence of different tillage practices on the yield of the Katahdin potato in Maine. **13**:252-55

———— Suberization of potato sets in its relation to stand and yield. **14**: 311-8

———— and W. Stuart. Relative vigor of apical and basal seed pieces of potato. **12**:124-30

———— see Caldwell, J. S.

———— see Clark, C. F.

———— see Clarke, A. E.

———— see LeClerg, E. L.

———— see Stuart, W.

Lorenz, O. A. Studies on potato nutrition. I. The effects of fertilizer treatment on the yield and composition of Kern county potatoes. **21**:179-92

———— Effect of planting depth on yield and tuber set of potatoes. **22**:343-9

———— Studies on potato nutrition. III. Chemical composition and uptake of nutrients by Kern county potatoes. **24**:281-93

Lovejoy, P. B., see Chucka, J. A.

Lownsberry, B. F., Jr., see Mai, W. F.

Lutman, B. F. Skin poisoning due to the use of powdered Bordeaux mixture. **2**:61

———— The reappearance of potato scab in infested and its appearance in almost uninfested land. **18**:65-80

Lutz, J. M. Storage of Southern-grown potatoes during the summer. **24**: 209-20

———— R. C. Wright, and A. D. Edgar. Research on harvesting, transportation and storage of potatoes. A rev. of recent lit. **25**:437-45

Lynn, W. C. The New Jersey potato industry. **5**:259-65

———— Size of potato sacks in general use. **8**:212-4

Lyons, M. E., and C. R. Fellers. Potatoes as carriers of vitamin C. **16**:169-79

McKenne, J. P. Experience with aerial application of insecticides and fungicides. **26**:96,98 (abs.)

McLean, J. G., R. Kunkel, and G. Lane. A comparison of chemical tests with the ultraviolet technique in testing potatoes for virus diseases. **25**:56 (abs.)

McLean, J. G., see Sylvester, E. S.

MacLaren, H. L., see Hurst, R. R.

MacLeod, D. J. Important cultural practices for optimum potato production. **5**:155-7

———— Precautions to be taken when transporting potatoes during cold weather. **6**:331

———— Some observations of the bunch-top (purple-top) disease in Canada. **26**:95-6 (abs.)

———— Some quantitative aspects of insect injuries to potato plants. **16**: 179-84

———— A review of the potato insect problems in New York state. **16**:232-6

———— and W. Dickison. Bordeaux spraying in relation to growth rate and yield of potatoes in Nassau county, Long Island. **13**:180-4

———— see Rawlins, W. A.

MacLeod H. S. The value of small potatoes for seed purposes. **8**:139

———— Reason for giving certification to small sized potatoes and advantages of planting "whole seed" rather than "cut seed" in some localities. **12**:113-8

———— and W. Jones. New potato variety from British Columbia. **14**:93-9

———— see Jones, W.

MacMillan, H. G. Irrigation and diseases. **3**:198-201

———— The aid of exploration in potato improvement. **19**:255-66

MacVicar, R., W. E. Tottingham, and G. H. Rieman. The comparative boron content of potato leaves and tubers produced under different conditions. **18**:249-53

Mader, E. O. The effect of varying the concentrations and the lime-to-copper ratio of Bordeaux mixture in potato spraying. **11**:111-7

———— Potato yellow dwarf and medium red clover. **14**:293-5

———— and F. M. Blodgett. Potato spraying and potato scab. **12**:137-42

———— and ———— Response of different varieties of potatoes to different amounts of copper in a modified spray program. **12**:325-35

———— and ———— Effects of Bordeaux mixture and pyrethrum dust on leafhopper control and yields of potatoes. **15**:10-5

———— and M. T. Mader. The composition of tubers of sprayed and unsprayed potato plants in relation to cooking quality. **14**:56-9

————, W. A. Rawlins, E. C. Udey. The interaction of Bordeaux mixture spray, sulphur and pyrethrum dusts on potato yields and insect control. **15**:337-49

———— see Blodgett, F. M.

Mader, M. T., see Mader, E. O.

Mai, W. F. Virus X in the newer potato varieties and the transmission of the virus by the cutting knife. **24**:341-51

———— and Lownsberry, B. F. Jr. Studies on the host range of the golden nematode of potatoes, *Heterodera rostochiensis*. Wollenweber **25**:55-6 (abs.); **25**:290-4

Martin W. H. Changes in the potato industry since 1922. **2**:245-7

———— The Freehold seed potato certification conference. **3**:237-42

———— Seed potato disinfection. **4**:25-7

————Progress in seed certification. **5**:167-70

———— Depth of planting and spacing the seed pieces. **7**:97-101

———— What pressure is necessary for potato spraying. **7**:155-8

———— Missing hills wont pay tax bills. **8**:40-2

———— Soil reaction and the potato crop. **6**:59-64

———— Certified seed potatoes and seed disinfection. **9**:33-7

————Uniform seed potato certification standards. **10**:245-8

———— Marketing the 1933 potato crop in New Jersey. **11**:176-80

———— Suggestions for regulating the potato industry in the Northeastern states. **11**:319-26

———— B. E. Brown, and G. A. Cumings. Fertilizer placement studies on sassafras loam with the potato in New Jersey. **10**:191-9

———— see Daines, R. H.

Mattson, H. New potato varieties introduced in 1947. **25**:133-4

Maughan, F. B. Varietal differences in insect populations and injuries to potatoes. **14**:157-61

Maynard, E. J. Potatoes make a good feed for livestock. **5**:317-9

McCall, T. M. Potato culture and fertility practices in the Red River Valley. **2**:488-91

McCormack, R. B., see Blodgett, F. M.

McCrary, C. M. Production costs and yields. **6**:173-4

———— Acre costs *versus* bushel costs in potato production. **7**:34-6

McCubbin, E. N. Influence of sprouts on plant emergence, growth, tuber-development, and yield of potatoes. **18**:163-74

———— Present status of the golden nematode of potato. **25**:131-3
———— see Eddins, A. H.
———— see Smith, O.
McDermid, G. C. Cultural practices with white potatoes in the Charleston, South Carolina, area. **5**:198-200
McFarlane, J. S., see Allen, T. C.
———— see Rieman, G. H.
McGoldrick, F., see Miller, J. C.
McIntosh, T. The inspection of potato varieties in Scotland. **5**:160-2
McIntyre, C. G. Testimony, Maine. **24**:387-91
McLean, J. G., and W. A. Kreutzer. The determination of virus infections in the potato tuber by the use of ultraviolet light. **21**:131-6
———— see Sparks, W. C.
Megee, C. R. Chlorate for weed control. **6**:242-4
———— Some factors to consider in the use of chlorates for the control of weeds. **6**:322-3
Menusan, H., Jr., and F. G. Butcher. Review of some current research in entomological potato problems. **13**:64-70
———— see Burke, O. D.
Mercker, A. E. Early potato marketing along the Atlantic seaboard. **10**:138-9
———— Methods of handling potato surpluses. **26**:144-6 (abs.)
———— Agricultural conservation program. **13**:113-7
———— Potato programs now in operation. **15**:59-63
Merrill, E. D. Rings get potato spraying done. **5**:194-7
Metcalf, H. N., and E. V. Hardenburg. Potato culture and storage investigations reported during 1941 and 1942. **21**:91-115
Metzger, C. H. Potato king contests in Colorado. **6**:75-7
———— Breaking the American record in Colorado. **7**:231-6
———— The Colorado Six Hundred Bushel Club. **8**:137-9
———— Some preliminary notes on the effect of psyllid yellows on seed stock from infected plants. **13**:277-85
———— Curly dwarf in Colorado. **13**:316-7
———— A preliminary report on the effects of commercial fertilizers on potatoes in Colorado. **14**:382-94
———— A new potato disease in Colorado. **15**:225-30
———— Commercial fertilizers in Colorado in 1937. **15**:252-61
———— Potato consumption and dietetic value in 1938 and 1939. **18**:10-9
———— and A. M. Binkley. Some evidence on the spread of bacterial wilt. **17**:198-201
———— and D. P. Glick. A promising method for eradicating bacterial wilt and ring rot from the potato. **17**:45-53
———— and T. H. Summers. The effect of high yields on cost of production in Colorado. **7**:91-6
Miler, G. F., see Orton, C. R.
Miles, L. E. The efficiency of organic mercury compounds in potato scab treatments. **6**:9-15
Millar, A. The classification of varieties of the potato. Field demonstrations. **1**:286-7
Millar, C. E. Profitable use of fertilizer in potato production. **9**:89-91
Miller, E. P. Potato storages. **2**:366-7

Miller, G. W. Cost of growing potatoes in Ohio in 1927, 1928, and 1929. **7**:170-5

Miller, J. C. Developing and growing of certified seed potatoes for subtropical and tropical countries. **13**:9-10.

———— The effect of length of dormant period upon the subsequent flowering of the potato plant. **13**:141-50

———— Certified potato seed for the Southern grower. **13**:288-89

———— Discussion of the problems of potato research. **14**-75-8

———— Report of the potato improvement committee. **15**:109-10

———— Relation of some growth characters to stoloniferous condition in seedling Irish potatoes. **17**:140-7

————Three new varieties of Irish potatoes. **25**:89-91

———— and W. D. Kimbrough. A summary of recent potato investigations in Louisiana. **9**:37-9

————, ———— and J. G. Richard. The effect of high storage temperature upon fall-grown seed Irish potatoes. **14**:362-4

———— and F .McGoldrich. Effect of day length upon the vegetative growth, maturity, and tuber characters of the Irish potato. **18**:261-5

Mills, W. R. The influence of maturity of potato varieties upon their susceptibility to late blight. **15**:318-25

———— and L. C. Peterson. Potato blight investigations. **26**:98 (abs.)

———— see Reddick, D.

Milstead, E. H., see Stevenson, F. J.

Moffit, E. L. The cost of producing potatoes in Pennsylvania. **7**:123-30

Mohler, J. C. The Kansas compulsory potato inspection law. **5**:347-53

Moore, G. C. The effect of certain methods of potato cultivation on growth, yield, and accompanying soil conditions. **14**:175-84

Moore, H. C. Some phases of potato disease control in Michigan. **2**:306-8

———— Seed plot an important factor in seed potato certification. **3**:321-5

———— Notes on sprout tuber or no-top potatoes. **8**:189-92

———— Procedures in the introduction of new varieties. **24**:228-31

———— and E. J. Wheeler. Seed treatment experiments in Michigan. **5**: 100-3

———— see Muncie, J. H.

———— see Wheeler, E. J.

Moore, W. D. Some important diseases of the potato in South Carolina. **5**:162-4

Morgan, M. F. Soil testing as a guide to sound soil management. **11**:259-65

Morofsky, W. F., and J. H. Muncie. The use of new insecticides in control of potato insects. **24**:162-6

———— ———— Use of certain new materials in the control of potato insects in Michigan. **25**:56 (abs.) **25**:255-9

———— see Muncie, J. H.

Morris, H. E., see Afanasiev, M. M.

Muncie, J. H. Reaction of hybrid potato varieties to infection by *Fusarium eumartii*. **26**:100 (abs.)

———— and W. F. Morofsky. Results of spraying and dusting potatoes in Michigan in 1946. **24**:183-7

———— ———— Field tests of fungicide-insecticide combinations in Michigan for 1948. **26**:98,100 (abs.); **26**:287-91

————, H. C. Moore, J. Tyson, and E. J. Wheeler. The effect of sulphur and acid fertilizer on incidence of potato scab. **21**:293-304

———— see Morofsky, W. F.

Munro, J. A., see Post, R. L.

Munro, J. B. Development of the potato industry in British Columbia. **3**:156-9

Murphy, E. Storage conditions which affect the vitamin C content of Maine-grown potatoes. **23**:197-218

————, W. F. Dove, and R. V. Akeley. Observations on genetic, physiological, and environmental factors affecting the vitamin C content of Maine-grown potatoes. **22**:62-83

Murphy, P. Potato growing in Ireland. **3**:41-4

Musgrave, G. W. Cover cropping practice in New Jersey. **2**:153-5

Musser, A. M. Nine years' result with potato fertilizers. **9**:151-7

Myers, C. H. Some comments on selection with special reference to potatoes. **1**:107-12

Nagy, R., see Tottingham, W. E.

Nash, L. B. Potato quality IV. Relation of variety and environmental condition to partial composition and cooking quality. **18**:91-9

———— see Smith, O.

Neal, O. R. The influence of soil erosion on fertility losses and on potato yield. **20**:57-64

Neil, B., and M. Whittemore. The relation between mealiness in potatoes and the amount of potash in the fertilizer. **7**:275-83

Nelson, E. K., see Curl, A. L.

Nettles, V. F., see Hardenburg, E. V.

Newdick, E. L.

Newton, W. Virus diseases of potatoes in British Columbia. **8**:13-5

Nielson, L. W. Solar heat in relation to bacterial soft rot of early Irish potatoes. **23**:41-57

———— and F. A. Todd. Preliminary evaluation of some soil disinfectants for controlling Southern bacterial wilt of potatoes. **22**:197-202

———— and ———— Bacterial soft rot as influenced by sublethal temperatures. Sugar and permeability changes the tubers. **23**:73-87

Nixon, E. L. The results of eighty years' of practical potato spraying in Pennsylvania. **3**:349-53

Nottingham, J. O., and W. A. Rawlins. Control of potato aphids on Long Island. **18**:305-11

Nugent T. J. see Cook H. T.

Nutting, G. C. Factors influencing the quality of potato starch. **26**:152-4 (abs.)

Nutting G. C. and R. T. Whittenberger. Potato storage: effect on the paste viscosity of the starch. **26**:121-26

Nyhus, P. O. The potato situation in Argentina. **13**:185-89

———— A preliminary study on the use of rapid chemical tests as aids in diagnosing nutrient deficiencies in the Irish potato. **25**:216-24

Nylund, R. E., see Dunn, L. E.

———— ———— see Gandarillas, H.

———— see Pujals, E. A.

Odland, M. L. Immediate germination of certain selfed and hybrid potato seed. **15**:67-71

Odland, T. E. The relative response of potatoes to different fertilizer elements. **10**:22-7

———— and T. R. Cox. Potato variety and seedling trials in Rhode Island. **16**:251-9
———— and S. C. Damon. Fertilizer placement tests with potatoes. **9**:125-8
———— see Cox, T. R.
———— see Knoblauch, H. C.
———— see Lea, G. F.
Olin, W. H. Western potato districts. **3**:209-13
———— A new world's record potato yield. **6**:324-5
Orton, C. R., and L. M. Hill. Further observations on blue stem of potato. **15**:72-7
———— and G. F. Miles. Seed potato treatment in 1927. **5**:131-6
Osborne, M. F., see Treadway, R. H.
Oswald, J. W. A virus causing internal necrosis in White Rose potato. **25**:57 (abs.)
Otis, C. E. The killing of potato tops with chemicals in Oregon. **23**:333-6
———— and E. R. Jackman. Oregon "guinea pigs," the far west's proposed new seed potato grades. **22**:323-6

Page, J. H. Problems in the manufacture and use of potato starch. **26**:146-52 (abs.)
Pailthorp, R. R. War approved seed potatoes in 1944. **21**:136-9
Park, J. W. The use of small bags as consumer packages in the marketing of potatoes. **6**:266-8
———— The use of the small cotton bag in certain cities, 1928-29. **6**:326-30
Parker, F. W. The relation between the equivalent acidity of sources of nitrogen and their efficiency in potato fertilization. **12**:60-2
Parker, M. M., see Houghland, G .V. C.
Parks, T. H. Spraying will control potato flea-beetles. **6**:319-21
Parsons, M. S. Relation of quality to price of Long Island potatoes. **12**:125-7
Partridge, G. Potato inspection and certification in Canada. **1(5)**:21-4
Paschal, J. L., see Kreutzer, W. A.
Pawson, W. W., see Vincent, C. L.
Peacock, W. M. Treating seed potatoes with hot formaldehyde. **1(6)**:101-2
———— Roguing seed potato fields. **1**:214-6
———— Protecting certified seed against fraud. **2**:318-22
———— Cooperation in certified seed production. **2**:431-2
———— The elimination of virus diseases. **4**:127-9
———— see Wright, R. C.
Pennock, E. V. Potato starch. **1(5)**:16-7
Pepper, B. B., J. P. Reed, and J. C. Campbell. Investigations on wireworm control with organic insecticides in New Jersey. **26**:315-25
Pepper, B. B., see Campbell, J. C.
Peppin, S. G. The seed potato situation in Prince Edward Island. **3**:62-4
———— Seed potato certification in Prince Edward Island. **3**:325-7
———— and R. R. Hurst. Date of digging and its relation to the development of rhizoctonia on potato tubers. **13**:74-6
Perlova, R. L. The cultivation of the potato in Pamir. **14**:217-20
Peters, E. J. Survey of potato diseases in peat soils in California. **19**:105-6
———— Stem-end vascular discoloration of potatoes due to *Fusarium oxysporum, f. tuberosi.* **20**:10-2
Peterson, L. C. The overwintering of *Phytophthora infestans* (Mont.) de Bary under Long Island conditions. **24**:188-97

———— see Mills, W. R.

———— see Reddick, D.

———— see Skaptason, J. B.

Petty, M. A., Jr. Potato spraying experiments in Louisiana during 1936-37. **15**:188-91.

Picha, B. The bruising of potatoes and its prevention. **7**:223-7

Pierce, E. C., and W. S. Breon. Costs, yields, and profit margins in potato production. **26**:436-38

Platenius, H., see Hardenburg, E. V.

Porter, D. R. Recent investigations of potato calico. **9**:131-5

———— Potato seed treatment in the Kaw Valley. **23**:270-3

Porter, R. A. Positive trends in potato marketing. **9**:2-5

Porter, W. F., and G. W. Simpson. The use of ethylene chlorohydrin for breaking the rest period of large quantities of potatoes. **24**:9-14

Post, R. L., W. J. Colberg, and J. A. Munro. Results of spraying and dusting potatoes in North Dakota for 1946-47. **25**:334-39

———— Pratt, A. J. Yield and grades of blight resistant potatoes grown in 20 different locations in New York state in 1947. **25**:57-8 (abs.) **25**: 209-15

———— W. C. Kelly, and G. F. Somers. Effect of location and date of planting on yield and grade of certain varieties of potatoes. **25**:58 (abs.)

Proctor, E. Q., see Eddins, A. H.

Pujals, E. A., R. E. Nylund, and F. A. Krantz. The influence of sprout-inhibiting and sprout-producing treatments on the growth and yields of potatoes. **24**:47-56

Pumphrey, F. V., and L. Harris. Cracking of Triumph potatoes. **26**:355-61

Purvis, E. R., and J. M. Blume. The role of green manure in potato production. **16**:32-6

Pyke, N. E., and G. Johnson. The relation of the calcium ion to the sloughing of potatoes. **17**:1-9

Racicot, H. N., D. B. O. Savile, and I. L. Conners. Bacterial wilt and rot of potatoes—some suggestions for its detection, verification, and control. **15**:312-8

Racicot, H. N., see Richardson, L. T.

Raeder, J. M. Ring rot of potatoes. **26**:126-31, 203-07

Raleigh, W. P., see Clark, C. P.

———— see Schultz, E. S.

———— see Stevenson, F. J.

Rasmussen, M. P. An economic study of the marketing of New York state potatoes. **2**:93-102

Rath, J. M. Potato growing in Ireland. **8**:179-82

Rathlef, H. von. Flesh color of the potato. **11**:180-4

———— The potato at the exhibition of the imperial institution of nutrition at Erfurt. **11**:331-3

Rawlins, W. A. Further studies on continuous cultivation as a control for wheat wireworms. **13**:70-3

———— Potato insect investigations in 1939. **17**:135-9

———— A review of entomological research on potato insects. **18**:112-6

———— Current contributions on potato insects. **19**:42-7

———— Some varietal differences in wireworm injury to potatoes. **20**:156-8

———— and G. F. McLeod. Some results of experiments with wireworms in New York state in 1934. **12**:32-6
————, R. W. Roth, and J. E. Dewey. Timing applications for control of potato aphids on Long Island. **20**:184-9
———— see McLeod, G. F.
———— see Mader, E. O.
———— see Nottingham, J. O.
———— see Wolfenbarger, D. O.
Ray, W. W., see Blodgett, E. C.
Reddick, D. Potato blight. **5**:285-8
———— A first step in the solution of a potato problem. **8**:169-74
———— Seed transmission of potato virus diseases. **13**:118-24
———— Blight immune, drought tolerant potatoes. **14**:205-10
———— Scab immunity. **16**:71-6
———— Development of blight immune varieties. **20**:118-26
———— Breeding for blight resistance. **24**:226-7
———— and W. Crosier. Biological specializations in *Phytophthora infestans*. **10**:129-34
———— and W. Mills. Building up virulence in *Phytophthora infestans*. **15**:29-34
———— and ———— Blight immune *versus* blight resistant potatoes. **16**:220-4
———— and L. C. Peterson. Empire—a blight-resistant variety. **22**:357-62
———— and ———— New blight resistant varieties. **24**:319-36
———— see Crosier, W.
Redit, W. H., see Brown, B. E.
Reed, J. P., see Pepper, B. B.
Reid, E. B. Hastings potato growers' association. **5**:222-5
Redit, W. H., see Brown, B. E.
Rich, A. E., see Davidson, R. S.
Richard, J. G., see Miller, J. C.
Richardson, J. E. The place of the potato in the diet. **6**:246-7
Richardson, J. K., see Berkeley, G. H.
Richardson, L. T., and R. E. Goodin. Five years' of bacterial ring rot. **26**:85-9
———— and H. N. Racicot. The comparative efficiency of tuber indexing and tuber planting in the elimination of virus disease from seed potatoes. **26**:100,102 (abs.)
Riedl, W. A., F. J. Stevenson, and R. Bonde. The Teton potato: a new variety resistant to ring rot. **23**:379-89
Rieman, G. H. Plans for the maintenance of valuable foreign and certain domestic potato breeding stocks. **25**:237-9
———— and R. W. Hougas. Resistance of new potato varieties to common scab in Wisconsin. **25**:59 (abs.)
Rieman, G. H., and J. S. McFarlane. The resistance of the Sebago variety to yellow dwarf. **20**:277-83
———— see Allen, T. C.
———— see Hougas, R. W.
———— see MacVicar, R.
———— see Webster, W. H.
Riker, A. J., see Thomas, J. E.
Rion, K. E. Potato loads need improving. **22**:168-72

Robb, F. G. An analysis of federal receiving point inspection certificates on late crop potatoes. **2**:394-6

Rogers, C. F., see Rogers, M. C.

Rogers, M. C., C. F. Rogers, and A. M. Child. The making of potato chips in relation to some chemical properties of potatoes. **14**:269-90 ,

Rosa, J. T. Hastening the sprouting of potatoes. **1(5)**:15-6

———— Shortening the rest period of potatoes with ethylene gas. **2**:363-5

———— Potato production in the Sacramento-San Joaquin Delta. **3**:201-3

———— Relation of potato viroses to yield. **5**:190-1

Rose, D. H., and D. F. Fisher. Desiccation effects on skinned potatoes. **17**: 287-89

———— and H. A. Schomer. Relation of heat and desiccation to bacterial soft rot of potatoes. **21**:149-61

Rose, R. C. Seed treating centers popular in Minnesota. **1**:317-20

Rosenquist, C. E. Effect of drift of 2,4-D spray on Irish potatoes. **26**:80-1

Ross, A. F. Susceptibility of Green Mountain and Irish Cobbler commercial strains to stem-end browning. **23**:219-34

———— see Tottingham, W. E.

Rost, C. O., see Dunn, E. L.

Roth, R. W., see Rawlins, W. A.

Ruehle, G. D. Recent spray tests for control of potato late blight in sub-tropical Florida. **24**:299-307

Rutshkins, A., see Filimanov.

Samson, R. W., and N. K. Ellis. Influence of time of planting of potatoes in Indiana muck soil on yield and scab development. **20**:301-8

Sanders, G. E. Notes on Bordeaux mixture. **10**:248-50

Sanford, G. B. The limitations of treatment for potato tubers against scab rhizoctonia. **8**:11-3

Sass, J. E., see Hooker, W. J.

Sasscer, E. R. Notes on regulations governing the importations of potatoes into the United States. **8**:182-3

Savile, D. B. O., see Racicot, H. N.

Scannel, J. W. Development of the certified seed "potato eye" trade. **14**:23-5

———— Notes on bacterial ring rot. **23**:160

Schaal, L. A. Some factors affecting the symptoms of the psyllid yellows disease of potatoes. **15**:193-206

———— Seed and soil treatment for the control of potato scab. **23**:163-70

———— The reaction of Pawnee and Bliss Triumph potatoes to certain physiologic races of *Actinomyces scabies*. **25**:427-31

———— and W. C. Edmundson. Late blight of potatoes in Colorado. **20**:86-8

———— W. C. Edmundson, and R. Kunkel. Vampa, a new scab-resistant potato. **26**:335-42

———— See Edmundson, W. C.

———— see Kunkel, R.

Schaible, P. J., see Bandemer, S. L.

Schmidt, R., see Gardner, M. E.

Schmitt, C. G. Chemicals for control of the golden nematode of potatoes. **25**:59 (abs.)

Schneiderhan, F. J. "Instant Bordeaux'—its preparation and advantages for potato growers. **6**:237-42

Schoenleber, L. G., see Brown, B. E.

Schomer, H. A., see Rose, D. H.

Schopmeyer, G. E., see Alexander, L. M.

Schreiner, O. Essential plant food elements. **7**:307-21

Schultz, E. S. Isolated tuber-unit seed plots for the control of potato virus diseases and blackleg in Northern Maine. **11**:303-4

———— and R. Bonde. The effect of latent mosaic (virus X) on yield of potatoes in Maine. **21**:278-83

————, C. F. Clark, F. J. Stevenson, and W. P. Raleigh. Resistance of the potato to latent mosaic. **14**:124-7

————, F. J. Stevenson, and R. V. Akeley. Resistance of potato to virus Y, the cause of veinbanding mosaic. **24**:413-9

———— see Akeley, R. V.

———— see Bonde, R.

———— see Gratz, L. O.

———— see Stevenson, F. J.

Scannell, J. W. Notes on bacterial ring rot. **23**:160

Shall, L. A., see Schaal, L. A.

Shaughnessy, J., see Koehnke, M.

Sherard, H. The comparative value of calcium cyanamid and ammonium sulphate on yield of Irish potatoes on bladen fine sand. **12**:86-90

Sherf, A. F. Infection experiments with potato ring rot and the effect of soil temperature on the disease. **21**:27-9

Sherman, W .A. The place of grades and standards in potato marketing. **8**:64-71

Shuel, R. W., see Thompson, M. R.

Silberschmidt, K. The production of seed potatoes in the state of Sao Paulo. **19**:166-73

Simpson, G. W., see Porter, W. F.

Sjorgen, O. W. Seed bed preparation for maximum potato yields. **8**:37-40

Skaptason, J. B. Some comparisons of dusts for potato leafhopper control on Long Island. **15**:271-7

———— and F. M. Blodgett. Factorial studies on potato dusting materials. **18**:1-9

———— and ———— Reduced toxicity of cuprous oxide to *Phytophthora infestans* (Mont.) de Bary by the addition of certain insecticides. **18**:179-80

————, L. C. Peterson, and F. M. Blodgett. The copper content of Long Island soils in relation to tuber rot of potatoes caused by *Phytophthora infestans* (Mont.) de Bary. **17**:88-92

Sleesman, J. P. Resistance in wild potatoes to attack by the potato leafhopper and the potato fleabeetle. **17**:9-12

———— and J. Bushnell. Variations in nymphal populations of the potato leafhopper on different varieties of potatoes. **14**:242-5

————, H. L. Gui, and J. D. Wilson. DDT and other new materials for spraying potatoes. **22**:242-50

———— and F. J. Stevenson. Breeding a potato resistant to the potato leafhopper. **18**:280-98

———— see Bushnell, J.

———— see Wilson, J. D.

———— see Wilson, J. W.

Smalley, H. R. The potato situation in 1928 and its relation to the use of fertilizer. **5**:31-4

———— The use of fertilizer on potatoes. **6**:202-3

Smith, J. B., see Lea, G. F.

Smith, O. Effect of soil reaction on the growth of the potato. **10**:118-21

———— Recent fertilizer and cultural investigations with the potato. **26**:361-78.

———— Desirable methods of handling and storing potatoes. **10**:176-83

———— Potato nutrition and soil fertility studies in 1935. **13**:44-52

———— Improving stands and yields of potatoes by various methods of handling seed. **13**:346-50

———— Some factors affecting culinary quality of potatoes. **14**:221-4

———— Developments in potato fertilizer investigations in 1936. **14**:245-53

———— Soil fertilizer and nutrition studies with the potato in 1937. **15**: 99-109

———— Green manure crops for potatoes. **15**:219-25

———— Fertilizer and nutrition studies with the potato in 1938. **16**:53-66

———— Potato research at Cornell University. **17**:27-37

———— Potato fertilizer and nutrition studies in 1939. **17**:262-75

———— Potato fertilizer and nutrition studies in 1940. **18**:333-48

———— Fertilizer and nutrition studies with the potato in 1941. **19**:108-18

———— Potato fertilization and nutrition studies in 1942. **21**:30-48

———— Potato fertilization and nutrition studies in 1943. **21**:342-55

————, R. F. Hommel, and W. . Kelly. Relation of rate and placement of fertilizer, variety, seed spacing, and size of seed piece to yields of potatoes. **20(10)**:267-77

———— and W. C. Kelly. Fertilizer studies with potatoes. **23**:107-35

———— and E. N. McCubbin. Potato rotation studies. **17**:235-43

———— and L. B. Nash. Potato quality I. Relation of fertilizers and rotation systems to specific gravity and cooking quality. **17**:163-9

————, ————, and A. L. Dittman. Potato quality VI. Relation of temperature and other factors to blackening of boiled potatoes. **19**:229-54

———— see Brown, B. E.

Smith, W. C. Potatoes—a volume factor in chain store sales. **9**:57-61

Snell, K. Testing the identity and purity of potato varieties in Germany. **11**:242-4

———— Restriction of the number of potato varieties in Germany. **13**:11-2

———— Supervision of seed potatoes in Germany. **15**:192-3

Snyder, E. G., see Bonde, R.

Snyder, R. S., see Blodgett, E. C.

Soderman, V. How I grew high yields of potatoes. **8**:209-12

Somers, G. F., see Kelly, W. C.

———— see Pratt, A. J.

Soule, A. M. Irish potatoes for Georgia. **5**:164-7

Sparks, W. C., and J. G. McLean. The effect of nitrogen, phosphates, potassium, and pH on the yield of Red McClure potatoes as determined by soil analysis and fertilizer applications. **23**:299-301

Spillman, W. J. How much fertilizer? **1**:183-6

Spurway, C. H. The use of rapid soil and plant tests in teaching, research, and extension work. **11**:95-8

Starr, G. H. The High Plains potato workers hold conference in Wyoming. **15**:286-7

———— Experimental work for the control of ring rot of potatoes. **17**:318-22

———— Ring rot increase in potato seed lots having known quantities of infection. **20**:237-41

———— Hot water for the control of potato ring rot bacteria on the cutting knife. **21**:161-3

———— Ring rot problems. **22**:18-20

———— The effect of different concentrations of bacterial suspensions in inoculations upon subsequent ring rot symptoms in the potato plant. **24**:151-6

———— Longevity of *Corynebacterium sepedonicum* on potato bags when placed under different environmental conditions. **24**:177-9

———— Steam sterilization to kill potato ring rot bacteria on burlap bags. **24**:231-3

———— and W. A. Riedl. A comparison of *Corynebacterium sepedonicum* inocula from resistant and susceptible potato varieties. **25**:59 (abs.) **25**:432-7

————, J. F. Cykler, and T. J. Dunnewald. The effect of moisture and other factors on potato scab. **20(11)**:279-87

———— see Babb, M. F.

Stevenson, F. J. Potato breeding. **9**:157-60

———— Research committee report. **9**:211-6

———— "Whats inside the potato?" **11**:229-4

———— Yellow-fleshed potatoes. **12**:194

———— The national potato breeding program. **13**:57-9

———— Potato conference at Presque Isle, Maine and Fredericton, New Brunswick. **15**:277-84

———— Starch content in potatoes. **15**:356-7

———— Late blight resistance in potato varieties as reflected in yields. **16**:229-32

———— Potato varieties recently distributed to growers in the United States. **17**:217-35

———— Genetics, cytogenetics, and breeding in the potato: review of literature. **17**:299-314

———— Potato breeding, genetics, and cytology: review of literature, 1940. **18**:317-29

———— Potato varieties recently introduced to growers. **19**:41-2

———— Potato breeding, genetics, and cytology: review of recent literature, 1939-41. **20(11)**:267-79

———— Potato breeding—whither bound? **21**:192-9

———— Potato breeding, genetics, and cytology: review of recent literature. **22**:36-52

———— New varieties of potatoes. **24**:247-60

———— Potato breeding, genetics, and cytology: review of literature of interest to potato breeders. **25**:1-12

———— The Saranac Potato. **26**:45-6

———— Charles Frederick Clark, 1873-1949. **26**:192-4

———— Foreign potato introductions. **25**:259-65

———— Old and new potato varieties. **26**:395-404

———— and R. V. Akeley. Newer potato varieties can be produced with less labor and expense than some of the old. **19**:153-61

———— and C. F. Clark. Artificial light as an aid in potato breeding. **10**:103-7

———— and ———— New potato varieties. **11**:85-92

———— and G. E. DeLong. Canus: a new potato variety adapted to Alberta and other sections of the Dominion of Canada. **26**:326-30
———— and D. Folsom. Virus leafroll resistance in the potato. **20**:1-10
———— and E. H. Milstead. Potato breeding technique. **9**:111-6
————, E. S. Schultz, R. V. Akeley, L. C. Cash. Breeding for resistance to late blight in the potato. **22**:203-23
————, ————, C. F. Clark, W. P. Raleigh, L. C. Cash, and R. Bonde. Breeding for resistance to late blight in the potato. **13**:205-18
———— and E. F. Whitman. Cooking quality of certain potato varieties as influenced by environment. **12**:41-7
———— see Akeley, R. V.
———— see Blodgett, F. M.
———— see Bushnell, J.
———— see Caldwell, J. S.
———— see Clarke, C. F.
———— see Clarke, A. E.
———— see Eddins, A. H.
———— see Folsom, D.
———— see Gardner, M. E.
———— see Hardenburg, E. V.
———— see Jehle, R. A.
———— see Riedl, W. A.
———— see Schultz, E. S.
———— see Sleesman, J. P.
———— see Wheeler, E. J.
Stewart, G. Irrigating potatoes. **3**:205-8
Stitt, L. L. Promising new insecticides for control of potato insects in Western Washington. **24**:116-22
Stokdyk, E .A. Shipment restriction as a means of meeting the surplus situation. **9**:145-51
Stuart, W. Potato Association of America: objectives listed. **1**:1-2
———— What size of seed piece or set should we plant? **1(6)**:102-3
———— Seed potato classification. **1**:287-8
———— Limiting factors in potato yields. **2**:44-50
———— Potato storage requirements. **2**:354-7
———— The value of good seed potatoes. **3**:81-5
———— How late should we spray our potato fields? **5**:255-7
———— Cutting the costs of potato production. **6**:15-8
———— Potato production and marketing trends. **7**:256-61
———— Stimulating influences in the production of larger yields of potatoes per acre at a lower cost per unit. **9**:185-200
———— Potato trends. **10**:45-8
———— The identity of "Jersey red skin" or "Red skins." **10**:199-201
———— The activities of the international commission for the study of the potato. **11**:20-3
———— Growing seed potato foundation stock. **11**:246-47
———— Cultural and marketing problems. **12**:150-6
———— Potato variety nomenclature. **13**:272-6
———— Past accomplishments and future objectives of the potato nomenclature committee of the Potato Association of America. **20**:241-7
———— Parental identity in varietal selection names. **21**:139-40

———— and P. M. Lombard. Effect of different storage temperatures on the vitality of seed potatoes. **6**:291-3
———— see Clark, C. F.
———— see Lombard, P. M.
Summers, T. H., see Metzger, C. H.
Sweetman, M. D. The relation of storage temperature of potatoes to their culinary quality. **8**:174-6
———— The physico-chemical changes produced by the cooking of potatoes. **10**:169-73
Sylvester, E. S., and J. G. McLean. Aphid control on potatoes. **26**:16-24

Tabb, H. B. Forecasting the potato markets, advice to growers. **7**:9-13
———— Future trading on potatoes. **7**:290-3
———— Rules for future trading in potatoes. **8**:46-8
———— National regulation of the potato industry. **12**:5-14
Talmage, H. R. Aphids on Long Island potatoes. **1**:247-9
———— Good seed potatoes and increased yields. **2**:198-9
———— Quality in fertilizers. **2**:463-4
———— Higher analysis fertilizers are coming. **5**:103-5
———— Use of concentrated fertilizers under Long Island conditions. **6**:208-10
Tamargo, M. A. A study of seedlings and varieties of the Irish potato in Cuba. **17**:323-7
———— Some observations on potato production in Cuba. **25**:34-6
Tate, D. H. Insect control problems, 1945. **22**:15
Taylor, C. F. Field experiments on potato scab control in Western New York. **11**:40-5
———— The incidence of yellow dwarf in potato varieties. **15**:37-40
———— and F. M. Blodgett. Further field experiments on potato scab control in Western New York. **13**:145-50
———— and ———— Control of a wilt disease of potatoes by formaldehyde dust. **14**:154-7
Taylor, E. M. Methods of applying fertilizer for the potato crop. **5**:129-31
Taylor, P. R. The Agricultural Adjustment Act and the potato industry. **11**:7-16
———— What's ahead for the potato industry. **25**:172-82
Terman, G. L. Effect of source of potash in the fertilizer on yield and starch content of potatoes. **26**:291-9
Thomas, J. E., and A. J. Riker. Sprouting of potatoes inhibited by plant hormones. **22**:104-13
Thompson, H. C., and P. H. Wessels. Cultivation experiments with potatoes on Long Island. **8**:195-8
Thompson, W. R, and R. W. Shuel. Weed control in potatoes with 2,4-D. **25**:163-71
Thompson, R. W., see Berkeley, B. H.
Thurston, H. W., Jr. Recent tests of materials for potato spraying in Pennsylvania. **21**:55-9
————, J. J. Leach and J. D. Wilson. Chromates as potato fungicides. **25**:406-9
Tice, C. The potato industry in British Columbia. **1**:18-20; 43-4
Tiebout, G. L. Diseases of the Triumph potato in Louisiana. **2**:317
Tilford, P. E. Potato spraying and dusting in Ohio. **5**:192-4

———— The effect of different pressures and of different types of lime in potato spraying. **8**:145-50
———— Potato spraying in Ohio. **10**:140-1
Todd, F. A., see Nielsen, L. W.
Tolaas, A. G. Minnesota establishes official grade for certified seed potatoes. **1**:180-1
———— The production of mosaic-free Triumphs. **3**:301-2
———— The value of ordinary field practices in determining the adaptability of new potato seedlings. **9**:165-73
———— Determining the value of a new potato variety. **13**:60-4
———— War approved seed potatoes. **22**:16-8
———— Breeding new varieties. **24**:220-3
———— see Krantz, F. A.
Tottingham, W. E. Some aspects of the mineral composition of potato tubers in relation to blackening after cooking. **16**:119-203
————, R. Nagy, and A. F. Ross. The problem of causes of blackening in cooked potatoes. **13**:297-309
———— see MacVicar, R.
Townsend, G. R. The ammonium thiocyanate treatment for hastening the sprouting of dormant Bliss Triumph potatoes. **23**:92-4
Treadway, R. H. Industrial utilization of cull and surplus potatoes. **24**:361-74
———— Utilization of white potatoes. **25**:300-2
———— Potato outlets. **26**:141 (abs.)
———— Fermentation products from potatoes. **26**:173 (abs.)
———— and T. C. Cordon. Utilization of potatoes. Production of useful fermentation products. **26**:102,104 (abs.)
————, M. D. Walsh, and M. F. Osborne. Effects of storage on starch and sugar contents of Maine potatoes. **26**:33-44
Tucker, J. Method of inspection. **2**:309
———— The effects of seed treatment on black leg. **7**:229-31
———— The effects of seed treatment on black leg. **8**:158-9
———— Presidential address, 1934. **12**:1-5
———— The Potato Association of America and the potato industry. **13**:1-3
———— Efforts to stabilize the potato industry in Canada. **13**:52-5
———— The value of seed potato certification to the potato industry. **14**:39-45
———— Potato production problems in South America. **16**:151-60
———— Observations on potato problems in the United States. **19**:1-6
———— Potatoes in Mexico. **20**:218-23
Turner, C. N. Custom potato spraying in New York aids the war. **20**:17-20
———— see Hardenburg, E. V.
———— see Horsfall, J. G.
Turnquist, O. C. Firmness of potato varieties as measured by a pressure tester. **25**:233-6
———— see Krantz, F. A.
Tussing, E. B. Potato costs. **6**:45-7
———— Second setting of potatoes. **9**:160-1
———— Developments in the marketing of the Ohio potato crop. **11**:69-73
———— see Alban, E. K.
Tuthill, C. S., and P. Decker. Losses in yield caused by leafroll of potatoes. **18**:136-9

Tyson, J. Soil management for potato production. **22**:267-75

———— see Muncie, J. H.

Udey, E. C., see Mader, E. O.

Umbreit, W. W. The growth of *actinomycetes* on different varieties of potatoes. **15**:349-55

Valentine, G. H. Corrosive sublimate not good with hard water. **2**:268

Valleau, W. D., and E. M. Johnson. Weed control and the potato virus problem. **5**:257-9

Vaughan, L. M. Factors affecting the cost and yield of potatoes on some New York farms. **7**:159-64

Vaughan, R. E. Potato seed treatment in Wisconsin. **5**:97

Vaughn, J. R., and J. G. Leach. A comparison of certain potato sprays in different localities in West Virginia. **24**:76-82

Veselovsky, I. A. Some new achievements in breeding potatoes for earliness. **14**:295-7

———— Biochemical and anatomical properties of starch of different varieties of potatoes and their importance for industrial purposes. **17**:330-9

Vincent, C. L. (abs.) Seed piece decay **11**:275-276

Voskressenskaya, O. Flowering potato tubers. **9**:209-11

Voss, C. M., and F. Andre. Observations of aphids on potatoes in Northern Wisconsin, 1947. **25**:266-72

Waid, C. W. Potato marketing developments. **4**:133-5

———— Trucking potatoes to market. **5**:40-3

———— How much scab and scurf (rhizoctonia) may certified seed potatoes carry? **5**:232-4

———— The motor truck and potato marketing. **7**:200-2

———— The motor truck and the potato market. **8**:134-7

Walker, E. A., see Jehle, R. A.

Walker, H. G., see Anderson, L. D.

Walker, J. C., R. H. Larson, and A. R. Albert. Studies of resistance to potato scab in Wisconsin. **15**:246-52

———— see Albert, A. R.

———— see Ladeburg, R. C.

———— see Larson, R. H.

Walker, O. P. Testing the strength of corrosive sublimate solution in the treating of seed potatoes. **9**:75-7

Walsh, M. D., see Treadway, R. H.

Ware, L. M. Interrelation of spacing of seed piece and rate of application of fertilizer in the production of potatoes in Alabama. **14**:355-62

———— Interrelation of size of seed piece and rate of application of fertilizer in the production of potatoes in Alabama. **14**:375-82

———— Summer legumes for the commercial potato crop in South Alabama. **15**:183-8

———— Fertilizer requirement of the potato on different soils of Alabama. **16**:259-66

———— Certain aspects of the Alabama field tests of seed potatoes as a requisite for certification. **17**:13-20

———— The value of organic matter and irrigation in the production of potatoes in Alabama. **20**:12-23

———— and H. M. Darling. Some possibilities of the Irish potato in north Alabama. **19**:48-59

———— and ———— Value of the Alabama potato seed testing program. **19**:216-23

Wattson, H. New potato varieties introduced in 1947. **25**:104-6

Webster, W. H., and G. H. Rieman. Unusual variegations in the Sebago potato —Part I—Somatic mutations. **26**:104 (abs.)

Weiss, F. Group reaction of potato varieties to wart disease. **1(5)**:18-9

———— Survey for potato wilt in Pennsylvania and Southern New York. **1**:243-4

———— The respiration of potatoes in storage. **2**:109-10

———— Some causes of storage losses. **2**:368-72

———— Overproduction of potatoes and of research. **5**:27-30

———— Recent studies on potato seed disinfection. **5**:95-103

———— and P. Brierly. The present status of investigation of varietal resistance to disease in the potato. I. **1**:112-6

———— and ———— The present status of investigation of varietal resistance to disease in the potato. II. **1**:132-40

Wellensick, S. J., Jr. Potato storage and blind tubers. **2**:396-9

Wells, A. A. Objectives of Potato Conference, Oct. '48. **26**:140 (abs.)

Werner, H. O. Imitation of certification tags. **2**:85-6

———— Some experiences with shell coded bins for storing seed potatoes. **25**:60-2 (abs.)

———— Storage and shipping tests with Nebraska Triumph seed potatoes for Southern mid-winter planting. **25**:60 (abs.)

———— Potato production in the northern Great Plains region. **2**:232-9

———— Spindle tuber—the cause of "run out" potatoes. **3**:16-8

———— Identifying spindle tuber in the field. **4**:89-90

———— Environmental conditions and seed potato productivity. **5**:34-7

———— Effect of variable conditions within a field containing spindle tuber plants upon the seed value of the potatoes produced. **6**:168-70

———— The cause and prevention of mechanical injuries. **8**:274-6

———— Cultivating potatoes under western conditions. **10**:121-2

———— Is there any difference in the productivity of dryland and irrigated seed potatoes? **12**:64-7

———— Seed value of potatoes grown in different crop rotations with irrigation. **12**:118-24

———— The effect of temperature. photoperiod, and nitrogen level upon tuberization in the potato. **12**:274-80

———— Morphological response of the potato (*Solanum tuberosum*) to abrupt changes. **13**:150-5

———— The significance of pre-emergence soil moisture to yield of potatoes on dry land in the western High Plains area. **14**:189-95

———— Testing seedling potato stocks for specific horticultural factors under controlled conditions. **14**:325-31

———— Performance of clonal strains of Triumph potatoes. I. **17**:66-80

———— Performance of clonal strains of Triumph potatoes. II. Comparison of strains under irrigation conditions in western Nebraska. **17**:95-9

———— Performance of clonal strains of Triumph potatoes. III. Comparison of strains in central Nebraska (at North Platte) with and without irrigation. **17**:123-7

———— Performance of clonal strains of Triumph potatoes. IV. Comparison of Triumph strains in eastern Nebraska (at Lincoln) with and without irrigation. **17**:153-55

———— Performance of clonal strains of Triumph potatoes. V. Comparison of Triumph strains in various Southern states. **17**:174-81

———— A test of the possibilities of photoperiodic induction of blooming in Triumph potatoes and the morphological consequences. **18**:144-9

———— Effect on berry production of varied day length during the life of two Triumph potato strains. **18**:174-8

———— Flower and berry production by potatoes as influenced by two light intensities and two mid-winter planting dates. **18**:349-55

———— Relative response of several varieties of potatoes to progressively changing temperatures and photoperiods controlled to simulate "northern" and "southern" conditions. **19**:30-40

———— Problems related to introducton and testing. **24**:227-8

———— and J. O. Dutt. Reduction of cracking of late crop potatoes at harvest time by root cutting or vine killing. **18**:189-208

————, H. W. Goss, and J. H. Jensen. The Kasota potato. **20**:25-7

———— and R. M. Leverton. The ascorbic acid content of Nebraska-grown potatoes as influenced by variety, environment, maturity, and storage. **23**:265-7

———— see Goss, R. W.

———— see Livermore, J. R.

Wessels, P. H. Potatoes and soil acidity. **5**:91-5

———— Ode. **6**:19-20

———— Influence of the level of fertility on the optimum spacing for potatoes. **11**:17-20

———— Fertilizer for potatoes. **11**:57-60

———— see Jacob, W. C.

———— see Thompson, H. C.

West, E., see Eddins, A. H.

Weston, J. W. Size of seed piece and distance of spacing. **2**:151-2

———— Potato seed requirements for Southern growers. **9**:1-3

Westover, K. C. The effect on vigor and yield of cut potato sets. **10**:209-23

———— The effect of the sun-greening of potato seed tubers on weight losses in storage and on subsequent field performance. **14**:341-50

———— The influence of fertilizers on potato tuber shape. **18**:155-63

Wheeler, E. J. Potato seed disinfectants compared. **6**:39-41

———— Progress made in the breeding program in Michigan in 1935. **13**:159-62

———— Inoculation of potato seedlings with the yellow dwarf virus. **13**:221-3

———— The testing of varieties as it applies to a potato improvement program. **25**:62 (abs.)

————, F. J. Stevenson, and H. C. Moore. The Menominee potato: a new variety resistant to scab and late blight. **21**:305-11

———— see Bandemer, S. L.

———— see Moore, H. C.

———— see Muncie, J. H.

Whipple, O. C., and T. C. Allen. Three years' of potato spraying in southern Wisconsin. **18**:254-61

White, R. P. Copper dusts and sprays on potatoes in Kansas. **3**:353-5

White, T. H. Late potatoes in Maryland, 1923. **1**:16-8

———— Fertilizing potatoes in Maryland. **2**:477-9

White-Stevens, R. H. Effect of different sources of phosphorus on the production of potatoes on Long Island. **19**:81-90

———— see Jacob, W. C.

Whitman, E. F., see Clark, C. F.

———— see Stevenson, F. J.

Whiteman, T. M., see Wright, R. C.

Whittemore, M., see Neil, B.

Whittenberger, R. T., see Nutting, G. C.

Wiant, J. S. Certain aspects of potato certification in Wyoming. **7**:30-3

———— Potato seed treatment with formaldehyde dust for the control of scab. **8**:101-4

———— Internal black spot of Long Island potato tubers. **22**:6-11

Wilkinson, A. E. Potato fertilizer notes. **7**:36-8

Willaman, J. J., see Child, A. M.

Wilson, J. D., and J. P. Sleesman. Spray materials and the blooming of potatoes. **23**:57-64

———— see Sleesman, J. P.

———— see Thurston, H. W.

Wilson, J. W., and J. P. Sleesman. The differential response of potato varieties to spraying with DDT plus a fixed copper. **24**:260-6

Wolfenberger, D. O., and J. W. Heuberger. Potato yields from different potato leafhopper densities. **23**:389-95

————, P. Decker, and W. A. Rawlins. Off-flavor of potato tubers produced by benzene hexachloride used for wireworm control. **25**:413-17

Wood, M., see Hotchkiss, A.

Wright, R. C. Some factors important to successful potato storage. **4**:101-5

———— Some pointers on potato storage. **5**:292-3

———— Comparative length of dormant periods of 35 varieties of potatoes at different storage temperatures. **26**:330-35

———— Problems in the production and storage of potatoes for food use. **26**:180-1 (abs.)

———— see Lutz, J. M.

———— and T. M. Whiteman. A progress report on the chipping quality of 33 potato varieties. **26**:117-20

————, J. S. Caldwell, T. M. Whiteman, and C. W. Culpepper. The effect of previous storage temperatures on the quality of dehydrated potatoes. **22**:311-23

Yarwood, C. E. Increased yield and disease resistance of Giant Hill potatoes. **23**:352-69

Yoke, H. S. Financing potatoes while in storage. **2**:341-7

Young, L. C. American potato breeders visit Canada. **15**:284-5

Younkin, S. G. Weed suspects of the potato yellow dwarf. **19**:6-11

———— Purple-top wilt potatoes caused by the aster yellows virus. **20**:177-83

Zander, P. A. Problems of the potato chip industry. **26**:214-15 (abs.)

Zimmerley, H. H. Potash for truck crop potatoes in eastern Virginia. **2**:475-7

———— Dusting and spraying early potatoes in eastern Virginia. **5**:160-1

———— see Brown, B. E.

Zuckerman, H. G. Things we don't know about fertilization. **2**:479-82

———— Potato control. **12**:182-93
———— How to get fair prices for the late crop of 1935. **12**:248-54
———— A legal potato control plan. **13**:87-91
———— Certification methods and suggested changes. **17**:55-60
———— Selection of parent seed potatoes. **19**:61-7
———— Ensiled potatoes and their feeding. **26**:179-80 (abs.)
Zundel, G. L. What do the virus diseases mean to Washington potato growers? **1**:362-4
———— Swat the cull potato. **2**:28-30
———— Possibilities of potato seed production in western Washington. **2**:312-5

AMERICAN POTATO JOURNAL

Subject Index

Vols. 1-26

Acidity, Soil, see Soil Acidity

Acids, Non-volatile
analysis of tubers (Green Mountain var.). **17**:328-30

Acreage losses
Potatoes planted and not harvested. **20**:283-9

Actinomyces
scabies, see Scab, Common
species, growth of, on potato varieties. (Lab. expts.). **15**:349-55

Advertising notes. 6:3-6

Aero cyanamid dust
as vine killer. **25**:52 (abs.)

Agricultural Adjustment Act
related to potato industry, U. S. **11**:7-16

Agricultural Conservation Program
potato programs in operation. **15**:59-63
related to potato farmers. **13**:113-7

***Agriotes mancus*, see Wireworm, Wheat**

Alabama, North
production possibilities. **19**:48-59

Alaska
fertilizer tests, effect on yield and specific gravity. **24**:82-9

Alberta
adaptable variety. **26**:326-30

Alcohol production
potato possibilities for. **24**:369-70; **26**:173-7 (abs.)

Alkali salts
effect on shape and appearance of Russet Burbank. (Idaho). **23**:425-30

***Alpha-naphthaleneacetamide* (spray)**
effect on seed-setting. **18**:273-9

***Alpha-naphthaleneacetic methyl ester* (vapor)**
effect on sprout inhibiting. **23**:88-91

Aluminum (soil)
effect on stem break necrosis. **24**:156-62
soil solubility related to soil organic matter and soil colloid composition. **14**:13-6

American Giant var.
origin and history. **3**:166-7

Ammonium
nitrate, fertilizer value *vs.* other N sources. **21**:1-5
sulphate
as vine killer. **25**:54 (abs.)
fertilizer value *vs.* calcium cyanamid. (Fla.) **12**:86-90
thiocyanate to hasten sprouting. (Bliss Triumph var.). **23**:92-4

Annual reports, see Potato Association of America

Antagonism
action of Trichoderma on *Actinomyces scabies* and *Rhizoctonia lignorum solani*. **14**:85-93

Aphids
control
BHC (gamma isomer of benzene hexachloride). **26**:16-24
DDT. **26**:16-24
nicotine. **26**:16-24
nicotine, *etc.* (L. I.). **18**:305-11
nicotine, timing application of, (L. I.). **20**:184-9
on rogued plants. **2**:400
parathion. **26**:16-24
control tests (Wis.). **25**:266-72
increase, possible, related to Bordeaux spraying. **18**:310-1
injury or dry weather? (L. I.). **1**:247-9
resistance to, by potato varieties and species. **23**:1-22
as transmitters of disease in storage. **26**:93 (abs.)

Argentina
potato situation. **13**:185-9

Armillaria mellea, see Dry rot

Ascorbic acid, see Vitamin C

Ashworth var.
description, blight resistant. **24**:328-31

Aster cloth cage
growing seed potatoes under. (Maine). **11**:65-9

Aster yellows virus
cause of Purple top wilt. **20**:177-83
see also Wilt, Purple top

Australia
development of potato industry. **11**:326-31
powdery scab in. **13**:12-4
suitable variety of potatoes. **26**:45-6

BHC
disease and insect control. **25**:82-6

Bacterial ring rot, see Ring rot

Bacterial soft rot, see Soft rot

Bacterial wilt. (*Bacterium solanacearum* or *Pseudomonas solanacearum*)
control
by soil disinfectants, (N. C.). **22**:197-202
by sulphur and limestone pH adjustments, (Fla.). **16**:6-16
occurrence, Colorado, first noted. **15**:225-30

Bacterial wilt, *Phytomonas sepedonica*)
eradication, stem smear method. **17**:45-53
identification by smear method and control. **15**:312-8
occurrence. **15**:243-5
symptoms and control, (Maine). **16**:109-14
transmission, distance and amount of spread. **17**:198-201
vs. Bacterial ring rot, symptoms compared, (Fla.). **16**:309-22
see also Ring rot

Bacterium
robefaciens, see Internal rust spot
suberfaciens, see Corky bacteriosis

Bags
sizes preferred in trade. **8**:212-4

Beauty of Hebron, Early var.
origin and history. **3**:166-7

Benzene hexachloride (insecticide). **25**:56 (abs.); **25**:255-9
wireworm control. **25**:413-7

Bermuda
potato industry. **8**:150-3

Bins, shell-cooled for storing seed potatoes. **25**:60 (abs.)

Blackening (tubers, after cooking)
related to
composition. **24**:1-6
composition, soil nutrition, storage *etc.* **13**:297-309
cultural and storage conditions, and acidity of boiling medium. **19**:229-54
mineral composition. **16**:199-203
vs. mealiness, variety differences and environmental effects. **18**:91-9
see also Discoloration (Tuber)

Blackleg
correlation with Rhizoctonia control. **5**:67-8
infecton sources and control. **7**:59-64
seed treatment for. **7**:229-31

Black spot, Internal (tubers)
related to pressure bruises, (L. I.). **22**:6-11

Blight, Early
control by fungicide-insecticide combinations. **26**:287-91

Blight, Late
biological specialization. **10**:129-34
building up virulence in laboratory. **15**:29-34
control
cuprous oxide in combined spray, reduced toxicity of. **18**:179-80
dithane-zinc-sulphate-lime-*etc.* (Fla.). **24**:299-307
fungicides. **26**:155-60
organic fungicides
field tests, (Conn.). **24**:103-10
field tests, (R. I.). **24**:35-9
spraying and dusting. **26**:155-60; **26**:9;-2 (abs.)
ecologic and seasonal relation. **5**:285-8; **12**:205-19
forecasting. **25**:49 (abs.)
immunity
breeding for. **14**:205-10
present situation and breeding possibilities. **20**:118-26
vs. resistance, seedling trial. **16**:20-24
investigations. **26**:98 (abs.)
occurrence
general, 1926. **4**:1-5
general, 1928. **5**:288-91
in Colorado, factors in. **20**:86-8
in South and control. **20**:107-12
overwintering under L. I. conditions. **24**:188-97
resistance
breeding for, progress report. **24**:223-6
breeding for, review. **13**:205-18; **22**:203-23
varietal, field tests. **16**:229-32
varieties, description. **24**:319-36; **25**:351-61
susceptibility to
related to artificially induced maturity in five varieties. **15**:318-25
transmission
cull piles as infection sources. **20**:112-8
diseased to healthy seed tubers, in bags, storage, etc. (Fla.). **22**:333-9

tuber rot
control by killing tops with herbicides, (Me.). **22**:163-7
control, need for late spraying. **2**:52-6; **5**:255-7
related to copper content of soils, (L. I.). **17**:88-92
maturity and harvesting time. **22**:163-7
Blind tuber, see Sprout tuber . . .
Bliss Triumph var.
effect of chemical weed killers. **25**:371-76
relation to common scab. **25**:427-31
relationship between maturity, yields, color, and cooking quality. **25**:53 (abs.)
stem and discoloration. **25**:49-50 (abs.)
Block arrangement, Randomized
vs. two-dimensional quasi-factorial design in field tests. **17**:279-82
Blooming, see Flower production
Blue stem necrosis
occurrence, symptoms, control, *etc.* **15**:72-7
Book reviews
Hardenburg, E. V. Potato production **26**:194-6
Bordeaux spray
control
insect
pyrethrum and rotenone *vs.* Bordeaux and copper lime, (N. J.). **19**:90-6
sulphur and pyrethrum dusts with Bordeaux, field tests, (N. Y.). **15**:337-49
leafhopper
calcium arsenate with Bordeaux
effect on yield, (Va.). **15**:64-6
method of killing, etc. (Ohio). **6**:109-14
pyrethrum-Bordeaux, effect on yield, (N. Y.). **15**:10-5
scab, as affected by. **12**:137-42
copper-lime ratio tests
(N. Y.). **11**:111-7; **12**:171-7; **12**:325-34
(P. E. Island). **24**:377-81
(Wis.) *vs.* fixed Cu. **18**:254-61
fungicidal action of. **6**:163-8
injury of, to potatoes, evidence, field tests, (Conn.). **20**:308-20
magnesium, value for late spraying, (Me.). **11**:152-6
notes on, (Bowker Chem. Co.). **10**:248-50
preparation of. **5**:187-90; **8**:164-6
pressure
and copper ratio tests, (N. Y.). **10**:79-88
and lime type tests, (Ohio). **8**:145-50
tests, (N. J.). **7**:155-8
skin (human) poisoning from. **2**:61
substitutes for, copper and organics plus DDT, field tests, (Me.). **23**:415-25
use of, related to
culinary quality. **14**:221-4
growth rate and yield, (L. I.). **13**:180-4
tuber composition and culinary quality, (N. Y.). **14**:56-9
value of, (La.). **15**:188-91
vs. fixed copper composition, field tests, (Pa.). **21**:55-9
see also Spraying
Bordeaux spray, Instant
preparation and advantages. **6**:237-42

Boron
effect on quality of dehydrated potatoes. **24**:397-412
leaf and tuber content under different cultural conditions. **18**:249-53
soil deficiencies and crop needs. **7**:315-7

Brazil
seed potato production in São Paulo. **19**:166-73

Breeders
rights of, protection in Netherlands. **24**:374-7

Breeding
artificial light as an aid to flower and berry production. **18**:349-55
Cuba, study of seedlings and varieties. **17**:323-7
for disease resistance
blight. **13**:205-18; **22**:203-23; **24**:224-7; **25**:351-61
Fusarium. **17**:92-5
literature review. **17**:299-314
mosaic. **25**:351-61
net necrosis. **25**:351-61
scab. **13**:256-9; **24**:220-3
for earliness, new achievements, (Russia). **14**:295-7
for leafhopper resistance. **18**:280-98
foreign varieties introduced, 1915 to date. **25**:259-65
genetic characters, available in new varieties, listed. **25**:263
historical notes. **24**:220-3
in Michigan, two new varieties. **24**:228-9
International Commission activities. **11**:20-3
introduction of varieties and testing, problems and procedures related to. **24**:227-31
Katahdin var., behavior of. **12**:55-9
literature review
from "Plant Breeding Abstracts." **9**:211-6; **8**:153-8; **12**:91-4; **13**:96-9 **14**:253-8; **15**:16-26; **16**:212-20; **17**:299-314; **18**:317-29; **20**:267-79; **22**:36-52; **25**:1-12.
maturity studies
of seedlings, greenhouse *vs.* field. **15**:157-64
Peru
research in. **24**:427-9
Russia
review of problems and results. **13**:235-52
seed germination studies
hybrid *vs.* selfed. **15**:67-71
selection
bud, value of. **10**:17-22
by hill-unit method, (N. Y.). **2**:421-5
comments. **1**:107-12
family lines for, of clean parent stock. **19**:61-7
self-fertilized line. **2**:303-4; **6**:227-37
technique, development of tubers from seed. **9**:111-6
25 years of progress, (U. S.). **16**:25-31

Breeding program
aims and problems. **11**:229-34
need for. **8**:229-34
plant pathologists' responsibility for. **13**:31-8

Breeding program, National coop.
aims and achievements. **13**:57-9; **16**:25-31
conference
La. and Ala. **17**:188-90
Me. and N. B. **15**:277-84
maintenance of domestic and foreign stocks. **25**:237-0

methods and results
yield, specific gravity, and starch content (tables). **20**:203-17
progress report. **9**:157-60; **11**:85-92
progress, summary of 14 years. **21**:192-9
recent developments. **24**:223-6
results summarized by states.
Mich. **13**:159-62
R. I. **16**:251-9
British Columbia
potato industry, development of. **3**:156-9
potato production in. **1**:18-20, 43-4
Brown rot, see Bacterial wilt
Browning (tubers)
related to harvesting and shipping practices. **23**:23-31
Bruising, see Injury, Mechanical
Buckwheat
as green manure, (Ohio). **11**:117-22
Bud selection
value for breeding. **10**:17-22
Bunchtop, see Purple-top
Burbank var., see Russet Burbank
By-products
cull potatoes and surplus as sources for. **24**:361-74
possibilities and problems. **24**:123-6

C-O-C-S
disease and insect control. **25**:82-6
Calcium
effects. **26**:367
Calcium cyanamid
fertilizer value *vs.* ammonium sulphate, (Fla.). **12**:86-90
ion, related to sloughing. **17**:1-9
soil, effects on scab. **12**:265-74
Calico (disease)
origin, description, and control, (Western U. S.). **9**:131-5
California
Agricultural *Pro Rata* Act. **12**:184-90
disease survey, peat soils. **19**:105-6
Calomel
dip treatment *vs.* mercuric chloride and Semesan Bel. **5**:6-12
Calrose var.
new, blight resistant, description. **23**:343-7
Canada
stabilization efforts for potato industry. **12**:36-40; **13**:52-5
Canus var. **26**:326-30
Carbon
dioxide storage, retardation of sprouting by. **24**:39-47
organic of soil related to 3-year rotation and fertilizer treatment. **18**:19-26
Cayuga var.
new, scab resistant. **23**:315-29
Cell permeability, see Permeability, Cell
Certification, Seed, see Seed certification
Certified seed, see Seed, Certified

Chemical composition
as affected by temperature. **26**:372-3
plants
rapid chemical tests. **14**:141-53
related to magnesum soil deficiency. **10**:147-65
plant petioles related to fertilizer treatments. **23**:107-35
tubers
dry-matter content, inheritance of. **21**:83-9
literature review. **18**:10-9
related to blackening. **13**:297-309; **24**:1-6
sprayed *vs.* unsprayed, related to Bordeaux. **14**:56-9
varietal studies
tubers and plants
related to fertilizer treatments, (Cal.). **21**:179-92
nutrient absorption, (Cal.). **24**:281-93
see also
Boron
Carbohydrate
Mineral composition
Starch

Chenango var.
blight resistant, description. **24**:331-5

Chile
home of potato? **12**:255-66

China
potato production problems. **21**:123-31

Chippewa var.
behavior. **17**:220-2
culinary quality. **12**:41-7
effect of virus diseases. **26**:104 (abs.)
evaluation. **13**:60-4
new, partly mild-mosaic resistant. **11**:90-1
sprout inhibition. **26**:279-87; **26**:90 (abs.)

Chips, Potato, see Potato chips

Chisago var. 26:264-68

Chlorates
for weed control. **6**:242-4; 322-3

Chlordane
disease and insect control. **25**:82-6

Chromates
as fungicides. **25**:406-09

Chromosome doubling
colchicine treatment, induced by, related to crossability. **16**:288-304
related to crossability of *Solanum* species. **17**:170-3

Clark, C. F. Obituary. 26:192-4

Cleaning
with high speed brushes. **9**:109-11

Cleveland market
grade analysis, injuries, defects, varieties, *etc.* **14**:107-16

Clones
importance of, in selective breeding. **19**:61-7

Clover, Medium red (*Trifolium pratense*)
related to yellow dwarf disease. **14**:293-5

Clubs
300 Bushel, (Mich.). **6**:137-4; **10**:9-12
400 Bushel, (Pa.), methods employed by members. **2**:148-51; **12**:82-5
600 Bushel, (Colo.). **7**:137-9
Ott. Certified seed, (N. J.). **2**:431-2
various states. **9**:185-200

Cobbler, Irish
certified, various sources, yield comparisons. **8**:249-51
seed supply, (U. S.). **15**:91-8

Colchicine treatment
for chromosome doubling. **16**:288-304

Cold storage, see Storage

Colloidal phosphate, see Phosphate, Colloidal

Color (Bliss Triumph var.)
as related to maturity, yield, and cooking quality. **25**:53 (abs.)

Color types inheritance and preferences, (Germany). 11:180-4

Colorado
curly dwarf. **13**:316-7
Marketing Agreement. **24**:427-9

Columbia Russet var.
new, origin and description, (British Columbia). **14**:93-9

Commercial fertilizers, see Fertilizers

Commission, International, see International Commission

Common scab, see Scab

Composition, Chemical, see Chemical composition

Composition, Mineral, see Mineral composition

Conference, see National potato conference

Connecticut
magnesium and lime related to soil needs and pH. **13**:3-8

Conservation program, Agricultural, see Agricultural conservation program, (U. S.).

Consumer
demand analysed by kind and quantity, in stores, restaurants, and hospitals, (Minneapolis and St. Paul). **14**:1-9
preferences
related to culinary quality and mealiness. **17**:253-61
literature review. **18**:10-9

Consumption (potato)
per capita
European countries *vs.* U. S. **14**:185-8
survey in 35 states in U. S. **6**:354-60
reduction in, (U. S.). **10**:114-8
see also Industrial utilization

Control (potato)
possibilities for Me. **12**:182-93

Cooking
blackening
causes of, experimental results. **13**:297-309
related to pH of medium. **19**:229-54
physico-chemical changes during. **10**:169-73

Cooking quality, see Culinary quality

Cooking methods
in hotels, restaurants, hospitals. **14**:1-9

Copper
content of L. I. soil related to blight. **17**:88-92
soil deficiencies and needs. **7**:314-5
substitutes for, as seed protectants and foliage sprays, field tests, (Conn.). **20**:141-53

Copper, Fixed
spray *vs.* Bordeaux, field tests, (Pa.). **21**:55-9; (Me.). **26**-90 (abs.)

Copper sulphate
fertilizer tests, negative results, (Va.). **14**:37-9
fungicidal action of. **6**:163-8

Corky bacteriosis (tuber)
description. **6**:187-90

Corky ringspot
description, (Fla.). **23**:330-3

Cornell University
potato research program. **17**:27-37

Corrosive sublimate, Hot
seed potato treatment
strength testing method. **6**:142-3; **9**:75-7
vs. other methods. **9**:73-5
see also Mercuric chloride

Corynebacterium sepedonicum, see Ring rot

Cost of production, see Production cost

Cover cropping
practices, (N. J.). **2**:153-5

Cover crops
related to
soil organic matter and potato yields, (Va.). **14**:9-18
succeeding potato yields, (Green Mountain var.). **15**:164-70
see also
Manure, Green
Crop rotation

Cracking, Late crop tubers
reduction of, by cutting or vine killing. **18**:189-209
Triumph var. **26**:355-61

Crop rotation
for Rhizoctonia control. **16**:93-8
for Rhizoctonia and scab control. **17**:290-5
irrigated
experiments, (Nebr.). **3**:194-6
effect on scab. **13**:91-6
legume
summer, related to potato crops, (Ala.). **15**:183-8
vs. non-legume, (R. I.). **10**:27-31
non-legumes as green manure. **11**:117-22
related to
fertilization and soil reaction, (N. Y.). **8**:192-5
organic carbon of soils, 3-years' experiments. **18**:9-26
specific gravity and cooking quality. **17**:163-9
vs. continuous culture, (Conn.). **13**:313-5
Yield (Green Mountain var.)
related to preceding cover crop. **15**:164-70
studies, (N. Y.). **17**:235-43
see also
Cover crops
Manure, Green

Cuba
potato production problems. **25**:34-6
seedling and variety study. **17**:323-7
Culinary quality
as affected by physico-chemical changes during cooking. **10**:169-73
determination by
consumer preferences. **17**:253-61
score card judging. **12**:335-46
Score card judging and chart grading, boiled *vs.* baked potatoes. **6**:259-66
specific gravity tests. **14**:235-42; **17**:38-45
related to
fertilizers
(N. H.). **16**:329-35
(Red River Valley, Minn.). **22**:173-87
fertilizers and rotation systems. **17**:163-9
soil reaction, fertilizer, moisture, temperature, and Bordeaux spraying. **14**:221-4
storage temperature. **8**:174-6
tubers, sprayed *vs.* unsprayed, effect on composition. **14**:56-9
Triumph var. **26**:132
relation to maturity, yield, and color. **25**:53 (abs.)
varietal differences related to environmental effects. **12**:41-7; **18**:91-9
varietal tests. **16**:126-33
see also
Blackening
Sloughing
Cull potato
piles as blight infection sources. **20**:112-8
industrial utilization of. **24**:361-74
Cultivation
efficiency factors, ridge *vs.* level, etc. **10**:94-8
4-year experiments (L. I.). **8**:195-8
methods
discussion of. **10**:91-4
related to
growth, yield, and soil condition evaluation. **14**:175-84
yield (Katahdin var.)., (Me.). **13**:252-5
under western condition. **10**:121-2
Cultivation, Continuous
for wheat wireworm control. **13**:70-3
Cultural practices
experimental results, (La.). **9**:37-9
experiments 1944-46. **25**:329-33; **26**:361-78
importance, for optimum potato production. **5**:155-7
in Charleston Co. (S. C.). **5**:198-200
in the Red River Valley, (Minn.). **2**:488-91
value, related to yield. **18**:121-31
Culture
plot size and shape, related to yield variation. **13**:310-3
vs. rotation, (Conn.). **13**:313-5
Culture investigations
literature review. **12**:150-6; **13**:38-44; **14**:211-5; **16**:143-50; **17**:60-5; **18**:85-9; **21**:91-115
Cuprous oxide
toxicity of, to late blight, related to added insecticides. **18**:179-80
Curly dwarf
in Colorado. **13**:316-7

Custom spraying, see Spraying, Custom

Cut seed, see Seed, Cut

Cytology
literature review. **17**:299-314; **18**:317-29; **20**:267-70; **22**:36-52; **25**:1-12

Dakota Red var.
identity with Jersey Red Skin. **10**:199-201

Datura stramonium
as indicator plant for leafroll virus. **25**:283-90

DDT dust
effect of leafhopper control. **25**:55 (abs.)

DDT spray
and other materials, evaluation of. **22**:242-50
aphids; oil emulsion *vs.* wettable powder. **25**:266-72
combination treatments for insect and early blight control, (Colo.). **23**:347-52; (N. J.). **25**:82-6
combinations with fungicides for Bordeaux replacement. **23**:415-25; **26**:90 (abs.)
leafhopper control. **25**:315-28
plus fixed copper, varietal response. **24**:260-6
summary of experimental results, six states. **23**:135-50
value, preliminary tests. **21**:89-91
vs. other new materials. **25**:255-59
see also special insects, as Aphids

Degeneration (potato)
tests to overcome. **7**:140-2

Dehydration. **26**:181-2 (abs.)
deterioration. **26**:181-2 (abs.)
for stock feeding. **26**:178-9 (abs.)
methods. **26**:163-72
potato quality related to boron fertilization. **24**:397-412
related to previous storage temperature. **22**:311-23
suitability studies, early *vs.* late crop. **21**:211-6

Demand. **26**:218 (abs.)

Desiccation
effects on skinned potatoes. **17**:287-9

De Sota var.
new, description. **25**:89-91

Dietetic value. **5**:251-4; **5**:283-5; **6**:99-109; **6**:246-7; **7**:1-8; **11**:292-5; **14**:185-8
alkalies *vs.* acids. **5**:315-6
literature review. **18**:10-9
cooking methods. **6**:171-3

Digger
adjustment related to tuber bruising. **17**:191-7
operation related to tuber injury. **11**:171-8

Digging
date of, related to Rhizoctonia development on tubers. **13**:74-6

Discoloration
vascular
in tubers, from frost-killed vines. **2**:108
stem-end, due to *Fusarium oxysporum*. **20**:10-2; **25**:49-50
see also Blackening

Diseases
control
cultural practices related to yield. **18**:121-31
new chemicals. **25**:82-6
problems, (Mich.). **2**:306-8
spraying (Me.). **26**:90 (abs.)
with inocula from resistant and susceptible varieties. **25**:432-7
important, (S. C.). **5**:162-4
new and unusual, Report of Committee to Coordinate Research on. **17**:81-8
resistance, see Breeding for disease resistance
review of, for seed certification. **15**:117-30
varietal, I. **1**:112-6; II. **1**:132-40
wilting, diagnosis in peat soils, survey, (Cal.). **19**:105-6
see also under specific names such as Ring rot, Curly dwarf, etc.
see also under Virus diseases

Distribution. **26**:141 (abs.); **26**:217 (abs.)

Dithane
disease and insect control. **25**:82-6

Dormancy, see Rest period

Dowspray 66 Improved
as vine killer. **25**:52 (abs.); **25**:54 (abs.)

Drought tolerance. **8**:251-3
breeding studies. **14**:205-10

Dry-matter content
inheritance of in potatoes. **21**:83-9
of ten varieties. **24**:73-6
related to culinary quality. **14**:235-42

Dry rot
in British Columbia. **14**:215-7

Dusting
copper, for disease control. **3**:353-5
experimental results, (Mich.). **24**:183-7
in North Dakota. **25**:334-39
in Wisconsin. **3**:162-3
survey and recommendations. **5**:226-30
vs. spraying, comparisons. **3**:149-54; 163-6; **5**:192-4

Dusts and sprays, zinc-containing
effect on yield. **26**:256-63

Earlaine var.
behavior. **17**:222-3

Earliness
breeding for. (Russia). **14**:295-7
see also Maturity, Early

Early Beauty of Hebron var., see Beauty of Hebron, Early

Embryo
early development and fertilization. **17**:20-5

Empire var.
blight resistant, description. **22**:357-62; **24**:320-1

Empoasca fabae, see Leafhopper

Ensiled potatoes
use as stock feed. **26**:178-9 (abs.); 179-80 (abs.)

Entomology, see Insect control

Epitrix cucumeris, Harris, see Flea beetle

Erie var.
late, adapted to Ohio. **22**:29-32

Erosion, Soil, see Soil erosion
Erwinia carotovora, see Soft rot
Ethylene chlorohydrin
for breaking rest period. **2**:363-5; **26**:7-16
of large quantities of potatoes. **24**:9-14
of tubers in green house tests. **20**:171-6
Europe
introduction and development of potato in. **19**:256-9
Exhibits (potato)
Erfurt, Germany, Imperial Institution of Nutrition. **11**:331-3
Experimentation
data evaluation in field trials. **12**:142-50
error reduction techniques in yield tests. **17**:279-82
standardization of field plot technique, committee report. **14**:45-55
Exploration
for new species
as aid in potato improvement. **19**:255-66
Mexico. **8**:169-74
Eye, Potato, see Potato eye

Fairmount Weed killer
as vine killer. **25**:54 (abs.)
Feed, livestock, see Livestock
Fermentation products. **26**:100 (abs.); 173 (abs.)
Fertility level
related to optimum spacing, (L. I.). **11**:17-20
Fertility, Soil, see Soil Fertility
Fertilization
importance of, in potato production. **2**:461-3
recommendations. **6**:195-200
status of, (N. Y.). **2**:457-61
Fertilization, Flower
and early embryo development in potato. **17**:20-5
Fertilizers
acid forming *vs.* non-acid forming, related to scab development. **16**:1-5
ammonium nitrate as source of nitrogen. **21**:1-5
application
Conn. **7**:36-8
effect on plant petiole composition, yield, and tuber specific gravity. **23**:107:35
experimental results. **1**:183-6
experimental results, (L. I.). **11**:57-60
methods and rates. **2**:482-6; **5**:129-31; **8**:104-8
N. P. K., experimental results
Conn. **9**:17-24
S. C. **9**:151-7
Va. **25**:393-406
related to
crop rotation, (N. Y.). **8**:192-5
seed piece size and spacing, (Ala.). **14**:355-62; 375-82
soil analysis, effect on yield. **23**:299-301
yield and potato quality, (Conn.). **8**:133-4
yield and residual effect of, experimental results, (L. I.). **5**:71-4
yields and specific gravity, (Alaska). **24**:82-9
yield, grade, composition, tuber shape, *etc.*, (Colo.). **14**:382-94; **15**:252-61
yield, Sebago *vs.* Pioneer Rural vars. **20**:267-77
see also Fertilizer placement methods

bags, storage in, effect on tubers. **4**:37-8
changes in, and present status. **13**:327-39
complete
forecast. **5**:103-5
nutrient balance studies
East Va. **21**:199-203
related to yield, chemical composition, *etc.*, (Cal.). **21**:179-92
split application related to yield. **18**-81-5
concentrated
advantages of. **2**:185-9
for Long Island. **6**:208-10
problems of use. **6**:144-6; **7**:318-20
problems of use. **6**:144-6; **7**:318-20
related to yield and tuber size, (N. J.). **7**:321-4
situation in 1926. **3**:1-9
tests on three soil types, (Me., Pa., Va.). **10**:35-42
crop rotation studies. **21**:163-9
economic considerations. **25**:12-6
efficiency studies, (Md.). **6**:268-71
experiments, 1944-'46. **25**:329-33
mercury compounds for scab control, (L. I.). **13**:100-3
minor elements in
discussion of. **7**:307-21
experiments (Me.). **18**:234-9
neutralized, related to scab severity. **19**:201-8
nitrogen
and potassium needs of potato at various growth stages. **23**:267-71
importance of. **7**:227-9
phosphorus, potash, various sources, response of potato to. **17**: 105-13
sources, effect on plant petiole composition, yield, and tuber specific gravity. **23**:107-35
ordinary *vs.* double strength, in placement work. **11**:265-73
phosphate reduction possibility, in sandy soils. **20**:153-5
placement methods. **13**:337-9
effect on plant petiole composition, yield, and tuber specific gravity. **23**:107-35
experimental results, (R. I.). **9**:125-8
level band *vs.* Hi-Lo, (N. J. and Me.). **22**:297-311
plow-sole related to yield. **22**:33-6
related to sprout emergence. **13**:343-6
sassafras loam, (N. J.). **10**:191-9
side *vs.* underneath. **11**:265-73
(various states). **13**:269-72
see also Fertilizers, application methods and rates
placement studies
Maine. **11**:92-5
on prominent soil types. **11**:141-7
results summarized. **16**:81-93
(various states). **11**:265-73; **12**:178-82, 254-7
potash
amount of, related to mealiness, experimental results. **7**:275-83
effect on Green Mountain variety yields. **4**:17-9
sources, effect on plant petiole composition, yield, and tuber specific gravity. **23**:107-35
vs. nitrogen and phosphoric acid mixture on different soil types related to yield. **2**:494-8
quality of. **2**:463-4
recommendations, (Md.). **2**:477-9

related to
cooking quality. **16**:329-35
and specific gravity. **17**:163-9
of Red River Valley potatoes, (Minn.). **22**:173-87
maturity and type, (Mont.). **13**:218-20
specific gravity
Minn. **22**:275-88
and cooking quality. **17**:163-9
tuber shape, experimental results, (W. Va.). **18**:155-63
requirement(s)
and sources, (R. I.). **10**:27-31
for nitrogen and potassium at various growth stages. **23**:267-71
N, P, K, (Ala.). **16**:259-66
peat and muck soil studies, (Iowa). **9**:105-9
sand culture studies. **2**:365-6
subsoil, improvement of, related to yield. **14**:78-91
superphosphates, spent acid, production of **20**:89-95
urea as nitrogen source, (Fla.). **16**:322-9
use
and progressive changes. **7**:339-48; **13**:327-39
fundamental problems. **2**:479-82
in Kansas River Valley. **12**:219-21
profitable, related to soil acidity, organic matter, moisture, etc. **9**:89-91
related to 1928 potato crop. **5**:31-4
survey of, U. S., Eastern. **6**:202-3
with and without, on various soil types related to yield. **2**:472-5
see also specific names such as Magnesium, Nitrogen, Phosphorus, *etc.*

Fertilizer mixtures
acid and neutral, related to yield on limed plots, (Ea. Va.). **15**:35-7

Fertilizer studies
literature review. **12**:254-7; **14**:245-53; **15**:99-109; **16**:53-66; **17**:262-75; **18**:333-48; **19**:108-118; **21**:30-48; **21**:342-55; **26**:361-78

Fertilizer treatment
3-year, related to organic carbon of soils. **18**:19-26

Field plot
designs for seed source tests, (South). **19**:74-9
technique, standardization of, committee report. **14**:45-55; **17**:114-23

Field trial
evaluation of methods and data. **12**:142-50

Field wireworm, see Wireworm, Field

Firmness (potato)
pressure tester experiments, (Minn.). **25**:233-6

Flavor
methods for judging of cooked potatoes. **26**:300-4

Flea beetle
control. **25**:255-9
discussion of. **6**:319-21
experiments, (Ea. Va.). **14**:319-25; **16**:114-20
resistance of Solanum species to. **17**:9-12

Flooded land
reclamation of, salt water, (L. I. and Va.). **14**:19-22

Florida
Potato Growers' Association. **5**:222-5
potato growing in. **9**:55-7
variety test results. **21**:269-77

Flour production methods. **26**:93 (abs.)

Flower
and berry production, effect of supplemental light in midwinter planting. **18**:349-55
and seed production, related to length of day in different varieties. **16**:236-44
bud formation
related to
size of seed piece, temperature, and light. **15**:331-6
variety, size of seed piece, and light. **19**:97-105
drop, see Seed setting
primordia, see Flower bud formation
production
as affected by
length of day, morphological consequences, Triumph var. **18**:144-9
length of rest period, (La.). **13**:141-4

Food, utilization of potato for. **21**:181-2 (abs.)

Foreign introductions, varieties, official procedures reviewed. **25**:259-65

Formaldehyde, Hot
for seed potato treatment. **1**:101-2

Formaldehyde dust
control
scab. **8**:101-4
wilt (*Fusarium eumartii*, Carpenter; "Z" disease). **14**:154-5

Freezing, see Temperature, Low

Freezing-Dehydration. **26**:177-8 (abs.)

French fries
effect of storage on quality of Katahdin var. **26**:439-45

Frost resistance
breeding studies. **13**:98; **14**:257-8

Fungicides
aerial application. **26**:96 (abs.)
combined with insecticides, tests of. **26**:287-91, 98 (Mich.) (abs.)
copper, for late blight control. **26**:155-60
new, late blight control. **24**:35-9
organic, for late blight control, (Conn.). **24**:103-10; **26**:155-60
organic and copper, with and without DDT to replace Bordeaux. **23**:415-25
sprays and dusts, copper, (Kansas). **3**:353-5
see also specific names; Bordeaux mixture, copper, etc.

Fusarium eumartii, Carpenter, see Fusarium wilt

Fusarium oxysporum, see Fusarium wilt

Fusarium wilt (*F. eumartii*, "Z" disease)
control by formaldehyde dust. **14**:154-5
reaction of hybrids. **26**:100 (abs.)
resistance, greenhouse seedling testing. **18**:239-42
survey, (Pa. and N. Y.). **1**:243-4
susceptibility to, varietal. **18**:209-12

Fusarium wilt (*F. oxysporum*)
stem-wilt vascular discoloration, cause of. **20**:10-2; **25**:49-50 (abs.)

Fusarium wilt (*F. oxysporum* and *eumartii*)
differentiation, occurrence related to environmental factors, (Nebr.). **13**:171-80
resistance, breeding for. **17**:92-5

Genetic characters in new varieties, listed. **25**:263

Genetics
chromosome doubling
effect on crossability. **17**:170-3
induced by colchicine treatment. **16**:288-304
literature review. **8**:156-7; **17**:299-314; **18**:317-29; **20**:267-79; **22**:36-52; **25**:1-12
Geographical distribution of potato. **19**:256-9
Georgia
potato growing possibilities. **5**:164-7
Germany
potato exhibition of the Imperial Institution of Nutrition at Erfurt. **11**:331-3
restriction of number of varieties. **13**:11-2
seed supervision. **15**:192-3
testing identity and purity of varieties. **11**:242-4
Germination
seed
as affected by depth of planting, temperature, age of seed, seed cleaning, *etc.* **20**:247-58
preparation for, from seedball, methods suggested. **9**:111-6
selfed *vs.* hybrid. **15**:67-71
tubers, induction, early, in greenhouse tests for virus, treatment methods suggested. **20**:171-6
Giant hill potato
vine growth, abnormal
description, (Vt.). **1**:291-2
increased yield and disease resistance over normal plants. **23**:352-69
Golden nematode, see Nematode, Golden
Golden var.
new. **11**:91
Grade analysis
on Cleveland market, injuries, defects, varieties, etc. **14**:107-16
Grading
discussion of problems. **3**:122-4
for seed certification, Western states, agreement. **22**:323-6
importance in marketing. **2**:28-30; **8**:64-71
see also Marketing
Great Britain
potato situation in. **12**:79-81
Greening (tubers)
permanence of. **24**:336-40
Green manures, see Manures, Green
Green Mountain var.
culinary quality. **12**:41-7
effects of storage on starch and sugar content. **26**:33-4
late blight control by spraying and dusting. **26**:55-60
Growing
potatoes with tractor power. **11**:199-204
Growing season
as affected by leafhopper control with DDT. **25**:55 (abs.)
Growth
as affected by sprout treatments. **26**:7-16; **26**:90 (abs.)
characters related to stolon development in seedlings. **17**:140-7
rate related to Bordeaux spraying, (L. I.). **13**:180-4
second, related to stems per hill, spacing, soil moisture, *etc.*, in Russet Burbank var. **22**:134-42
vegetative, effect of abrupt changes of day length and temperature on. **13**:150-5

Growth promoting substances, see Hormones, Plant

Hammond's Weed Killer
as vine killer. **25**:54 (abs.)

Harvesting
digging date related to Rhizoctonia control. **13**:74-6
effect of time on ascorbic acd content of tubers. **26**:47-53
injuries
cause and prevention. **10**:173-6
digger adjustment related to bruising. **17**:191-7
methods related to browning. **23**:23-31
research
review of recent literature. **25**:437-45
see also Injury, Mechanical

Heat
related to bacterial soft rot. **21**:149-61

Heat sprouts, see Sprouts, Heat

Herbicides, see Weed control

Heterodera rostochiensis, see Nematode, Golden

High Plains Potato Workers
conference (3rd), (Wyo.). **15**:286-7

Hill-unit selection
3-years' results, (N. Y.). **2**:421-5

Hi-Lo
vs. level-band fertilizer placement method, (N. J. & Me.). **22**:297-311

Histology
hollow heart study. **19**:134-43

History
early
of potato. **19**:255-9
of potato industry, (U. S.). **5**:354-63
potatoes and growers 40 years ago. **10**:250-2

Hollow heart
histological study. **19**:134-43
incidence, related to removal of foliage and shading. **19**:144-9
opinions about. **2**:155-9

Hopperburn
related to
late blight. **18**:280-98
planting date. **17**:283-6
resistance to
breeding for. **18**:280-98
of different varieties and seedlings. **16**:139-42
see also Leafhopper

Hormones, Plant
a-naphthaleneacetamide, effect on seed setting. **18**:273-9
methyl ester of naphthalene acetic acid, effect on sprout inhibiting. **26**:7-16; **26**:90 (abs.)
sprouting inhibited by. **22**:104-13; **26**:369-77
use related to yield. **22**:1-5

Horticultural factors
testing seedlings for, importance discussed. **14**:325-31

Hospitals
use of potato studied. **14**:1-9

Host range
Golden nematode. **25**:55-6 (abs.); **25**:290-94

Hotels
use of potato studied. **14**:1-9

Houma var.
behavior. **17**:223-4
relation of type of storage to weight loss. **26**:75-9
Hybrid varieties
reaction to *Fusarium eumartii*. **26**:100 (abs.)

Import regulations
U. S. **8**:182-3
Improvement (potato) program
plant pathologist's responsibility in. **13**:31-8
Indexing
seed improvement program, (Nebr.). **19**:161-6
seed stock for potato improvement. **20**:33-4
to eliminate virus diseases from seed potatoes. **26**:100 (abs.)
Industrial utilization. **26**:92-3 (abs.); **26**:219 (abs.)
cull and surplus potatoes. **24**:361-74
fermentation products. **25**:102 (abs.)
Industry, Potato
Agricultural Adjustment Act. **11**:7-16
changes since 1922, (Central Jersey). **2**:245-7
conditions, prices, and yield reviewed. **6**:67-75
cultural practices and experiments, (England). **8**:91-6
development
Australia. **11**:326-31
British Columbia. **3**:156-9
U. S. **10**:108-14
early, (U. S.). **5**:354-63
future possibilities. **2**:429-31; **25**:172-82
marketing developments, (Ohio). **11**:69-73
problems, discussion of. **13**:1-3; **26**:141-4 (abs.)
soil fertility and fertilizer problems. **7**:64-7
suggestions for regulation of, (Northeast U. S.). **11**:319-26
Inflorescence, see Flower bud formation
Injury
desiccation effects on skinned potatoes. **17**:287-9
Injury, Mechanical
bruising
causes and preventisn. **8**:274-6; **10**:173-6
in Cleveland and Rochester markets, study of. **15**:213-9
prevention, suggestions for. **7**:223-7
related to
digger operation. **11**:171-6; **17**:191-7
digging and picking, analysis of and remedies for, (N. Dak.). **8**:126-32
effect on weight loss and decay in storage. **10**:176-83
internal black spot development, (L. I.). **22**:6-11
sprayer wheel
on muck soil. **9**:5-7
related to yield. **25**:128-30
sprayers, (Conn.). **10**:205-6
Injury, Sun
to cut seed while planting. **16**:98-103
Insect(s)
control
dusting materials, factorial experiments. **18**:1-9
fungicide-insecticide combinations. **26**:287-91
literature review. **13**:64-70; **17**:135-9; **18**:112-6; **19**:42-7; **25**:107-27
problems, Annual Meeting abstract. **22**:15
spraying, new chemicals. **25**:82-6

spraying and dusting
efficiency, (L. I.). **5**:123-6
field tests, (Mich.). **25**:255-9
field tests (Me.). **26**:90 (abs.)
problems, review of results, (N. Y.). **16**:232-6
yield, related to planting date, spraying experiments, (L. I.). **7**:27-30
see also Insecticides
injury
quantitative aspects, spraying experiments. **16**:179-85
varietal susceptibility to. **14**:157-61
notes on, (Vt.). **2**:32-4
see also under specific names such as Aphids, Flea beetle, etc.

Insecticides
Bordeaux combination treatments for insect and disease control. **25**:82-6
Bordeaux mixture, sulphur, and pyrethrum dust, interaction of, experiments. **15**:337-49
combined with fungicides, tests of. **26**:287-91; **26**:98 (abs.) (Mich.)
leafhopper, evaluated by tuber specific gravity. **22**:339-43
pyrethrum, rotenone, sulphur, cuprous oxide, *etc.*, interaction of, factorial studies. **18**:1-9
new. **25**:82-6
Mich. **24**:162-6; **25**:255-59
W. Wash. **24**:116-22
organic for wireworm control. **26**:315-25
see also special names, such as DDT, rotenone, pyrethrum, etc.

Inspection
field
accuracy in. **3**:44-7
method of. **2**:309
sample size related to testing accuracy. **21**:229-34
grade, compulsory law, (Kans.). **5**:347-53

Instant Bordeaux, see Bordeaux, Instant

Internal black spot, see Black spot, Internal

Internal mahogany browning, see Mahogany browning, Internal

Internal rust spot, see Rust spot, Internal

International Commission for the Study of the Potato
activities of. **11**:20-3

Interstate Early Potato Committee
aim and activities. **8**:42-6

Ireland
cultural practices. **3**:41-4; **8**:179-82

Irish Cobbler var.
leaf roll. **25**:50-1 (abs.)
weeding with 2,4-D. **26**:1-7

Irrigating-up
after planting. **3**:192-4

Irrigation
crop rotation related to
scab control, (Nebr.). **13**:91-6
yield, experiments, (Nebr.). **3**:194-6
effect of fertilizer requirements. **26**:241-55
methods
Sacramento-San Joaquin Delta. **3**:201-3
Yakima Valley. **6**:35-41
procedures followed, (Western valleys). **3**:209-13
recommendations. **3**:205-8

related to
disease control. **3**:198-201
scab prevalence, (Wyo.). **20**:279-87
seed value of potatoes grown in different crop rotations. **12**:118-24
special problems. **3**:196-8
value of, spring *vs.* fall crops, (Ala.). **20**:13-6
vs. dry-land culture, value comparisons. **3**:203-5; **5**:63-4; **8**:71-3

Jersey Red Skin var.
identity with Dakota Red. **10**:199-201

Kansas
fertilizer use in. **12**:219-21
Kasota var.
new, description. **20**:25-7
Katahdin var.
behavior. **11**:87-9; **17**:224-7
culinary quality. **12**:41-7
effects of storage on starch and sugar content. **26**:33-34
evaluation. **13**:60-4
genetic composition and breeding behavior. **12**:55-9
storage and quality of French fries. **26**:439-45
new, description. **8**:121-5
yield, as affected by tillage practices, (Me.). **13**:252-5
yield, as affected by virus diseases. **26**:104 (abs.)
Kennebec var. **25**:351-61
Killing vines, see Vine killing

La Salle var.
new, description. **25**:89-91
La Soda var.
new, description. **25**:89-91
Late blight, see Blight, Late
Latent mosaic, see Mosaic, Latent
Leafhopper
control
Bordeaux mixture and pyrethrum dust. **15**:10-5
Bordeaux mixture with sulphur and pyrethrum dust added, experiments. **15**:337-49
Bordeaux toxicity studies. **6**:109-14
DDT in relation to length of season, quality and yield. **25**:315-28
dust comparisons, (L. I.). **15**:271-7
sprays and dusts. **25**:255-9
densities related to yield. **23**:389-95
insecticides evaluated by tuber specific gravity. **22**:339-43
nymphal population
related to planting date. **17**:283-6
variations of, in different varieties. **14**:242-5
resistance
breeding for. **18**:280-98
of *Solanum* sp. 17:9-12
yellow dwarf virus transmission by. **18**:231-3
see also Hopperburn
Leafroll, Non-virus
varietal reaction to, (La.). **21**:5-13
Leafroll, Virus
control
effect on stand and yield. **26**:104 (abs.)
factors affecting development of symptoms in Irish potato. **25**:501 (abs.)

indicator plants for transmission studies. **25**:283-90
means of detection by test plant. **15**:52 (abs.)
suggestions, Annual Meeting abstract. **23**:160-1
control by tuber-line seed plots. **19**:225-8
resistance, breeding for. **20**:1-10
resistance, varietal
field experiments. **25**:37-43
of seedlings, to natural spread of. **23**:247-64
vs. mosaic related to yield. **3**:121-2
yield loss determination
in different varieties. **21**:60-71
statistical calculations. **18**:136-9; **20**:53-6

Leak, see Shell rot

Legumes
vs. timothy sods related to yield. **22**:267-75

Legumes, Summer
evaluation experiments, (S. Ala.). **15**:183-8

Length of day
effect on
flower *primordia*. **15**:331-6
flowering, fruiting, and vine growth, varietal differences. **18**:100-12
tuberization. **12**:274-80
morphological response of tubers to. **13**:150-5
related to
berry production in two Triumph strains. **18**:174-8
blooming, Triumph var. **18**:144-9
flower and seed production, different varieties. **16**:236-44
vegetative growth, maturity, and tuber characters, (La.). **18**:261-5
varietal response to, "northern" *vs.* "southern" conditions, greenhouse tests. **19**:30-40

Level-band
vs. Hi-Lo fertilizer placement method, (N. J. & Me.). **22**:297-311

Light, Artificial
effect on
flower and berry production, midwinter planting. **18**:349-55
true seed production. **10**:103-7

Lignin
as fertilizer. **26**:369

Lime
application rate related to yield, (Fla.). **11**:299-302
forms and rate of use, value, experimental results, (Va.). **13**:339-42
importance and use of potatoes. **7**:339-48
soil treatment related to yield, field tests. **3**:3-8
spraying, reduced amounts in Bordeaux mixture. **12**:171-7
stem streak necrosis related to soil acidity, greenhouse experiments **24**:156-62
use, related to crop yields. **12**:235-48

Lime content, see Bordeaux mixture

Limonius agonus, see Wireworm, Field

Livestock feeding
research. **26**:219-21 (abs.)
use of ensiled and dehydrated potatoes. **26**:178-9 (abs.); 179-80 (abs.)
value of potatoes for. **5**:317-9; **24**:367-9

Loading
freight cars, recommendations. **22**:168-72
methods, experimental results. **23**:23-31

Long Island
reclamation of potato land flooded by salt water. **14**:19-22

Louisiana
dry-matter content of 10 varieties. **24**:73-6

Machinery, (potato)
recent developments. **11**:199-204

Macrosiphum solanifolii Ashm., see Aphids

Magnesium
availability in various limestones and other resources. **15**:4-9
deficiency
related to chemical composition changes within plant. **10**:147-65
studies
Maine. **11**:29-35
1930-37, (Me.). **15**:301-12
under various soil conditions, (L. I.). **11**:35-40
various soil types, (Me., N. J., N. Y., Va.). **10**:55-65
distribution, regional, in river and lake waters, (U. S.). **13**:156-9
value tested, (Conn.). **13**:3-8

Magnesium ammonium phosphate
availability of magnesium in, **15**:4-9

Mahogany browning, Internal
inheritance, varietal, of predisposition to. **24**:294-8

Maine
fertilizer placement studies. **11**:92-5
necessity of potato production control, Cal. *Pro Rata* Act. **12**:182-93
variety testing and release program. **26**:404-09

Manganese
fertilizer tests, negative results, (E. Va.). **14**:37-9
soil deficiencies and crop needs. **7**:308-14
soluble, stem streak necrosis related to. **24**:156-62

Manitoba
seed potato situation. **3**:61

Manure, Green
crop rotation practices, (N. Y.). **15**:219-25
importance, fertilizer studies. **21**:163-9
non-legumes in potato rotation, (Ohio). **11**:117-22
value of, in potato production, (Va.). **16**:32-6
see also Legumes, Summer

Market conditions, in Philadelphia. **15**:261-2

Marketing quality
improvement by efficient cultural and harvesting methods. **7**:348-51

Marketing
agreement(s) for production control. **12**:27-32; **24**:429-31 (Colo.)
compulsory inspection law, (Kansas). **5**:347-53
cooperative price regulation experiment, (N. J.). **11**:176-80
developments, (Ohio). **4**:133-5; **11**:69-73
economic study of, (N. Y.). **2**:93-102
extension program. (N. Y.). **2**:50-2
forecasting from grower's standpoint. **7**:9-13
grades and standards, importance of. **8**:64-71; **9**:57-61
grading problems. **3**:122-4
investigations, literature review. **12**:150-6
motor truck, use of, advantages and disadvantages. **3**:18-9; **7**:200-2; **8**:134-7
motor trucking related to standardization. **5**:40-3
program(s)
for Pa. **13**:285-8
in operation. **15**:59-63
progress and trends. **10**:2-5
regulation, see Regulation

related to demand fluctuation. **2**:390-4
research. **26**:216 (abs.)
stabilization, Interstate Early Potato Committee, activities. **8**:42-6; **10**:138-9
tuber bruising in Cleveland and Rochester markets. **15**:213-9
use of small bags, advantages. **6**:266-8

Marygold var. **26**:25-32

Maryland
Eastern Shore Farmers' Association. **5**:219-22

Maturity
artificially induced, related to susceptibility to late blight, in 5 varieties. **15**:318-25
related to fertilization, (Mont.). **13**:218-20
relation to yield, color, and cooking quality, (Bliss Triumph var.). **25**:53 (abs.)
variations of, in greenhouse *vs.* field. **15**:153-7

McCormick var.
need for replacement of, (Md.). **1**:16-8

Mealiness
determination of, by specific gravity measurement. **17**:163-9
related to
amount of potash fertilizer. **7**:275-83
blackening. **18**:97-9
tuber turgidity. **15**:170-1
varietal differences and environmental effects. **18**:91-9
varietal tests. **16**:126-33

Mechanical injury, see Injury, Mechanical

Melanin, see Blackening

Menominee var.
insect control. **25**:255-9
new. **24**:230
new, scab and late blight resistant, description. **21**:305-11; **25**:59 (abs.)

Merchandising
notes. **24**:123-6
see also Marketing

Mercuric chloride
for rotary knife disinfection in ring rot control, (Colo.). **22**:127-33
ineffectiveness when used with hard water. **2**:268-9

Mercury compounds
for scab control, (L. I.). **13**:100-3
inoculated, effects on yield, (Fla.). **11**:295-302
organic *vs.* mercuric chloride in seed treatment. **6**:9-15
see also Calomel

Mesaba var.
behavior. **17**:227-8
description. **15**:89-91

Methyl ester of naphthaleneacetic acid
effect on sprout inhibiting. **26**:7-16

Mexico
potato development in. **20**:218-23
search for new species. **8**:169-74

Mineral composition (tuber)
related to blackening. **16**:199-203

Minnesota
new varieties. **26**:264-8

Minor elements
fertilizer studies, (Me.). **18**:234-9
soil deficiencies and crop needs, manganese, boron, *etc.* **7**:307-21

Mohawk var.
new baking potato, description. **20**:79-86
Moisture
effect on leaf roll symptoms. **25**:50-1 (abs.)
Morphological response, see Growth, Vegetative
Mosaic
latent (virus X)
control by tuber-line seed plots. **19**:225-8
detection
problems, (N. Dak.). **1**:220-1
transmission on cutting knife. **24**:341-51
observations, (Fla., Me.). **7**:189-93
occurrence, yield tests, control measures. **21**:278-83
resistance of seedling varieties to, genetic analysis. **14**:124-7
vs. leafroll related to yield. **3**:121-2
see also Virus X
masked, occurrence, effects, control. **10**:235-45
mild, resistance, varieties, description. **25**:351-61
veinbanding (Virus Y)
resistance to. **24**:413-9
Motor trucking, see Marketing
Muck soil
fertilizer and subsoil studies, (Iowa). **9**:105-9
fitness of, for potato production. **1**:324-5; **2**:486-8
production problems, (N. Y.). **11**:244-6
vs. upland, related to seed and table quality, experimental results. **8**:27-37
Mutations
bud, in different varieties. **6**:131-5
literature review. **8**:154
somatic. **26**:104 (abs.)
Myzus persicae, Sulz., see Aphids

National Onion and Potato Committee
aims in breeding work. **25**:144-6
National Potato Conference
2nd summer meeting, (N. Y.). **14**:297-300
National Potato Council
scope and possibilities. **6**:345-54
testimony before special subcommittee of House Committee on Agriculture. **26**:196-200
Nebraska
seed improvement program. **19**:161-6
Triumph var. seed potatoes
storage and shipping tests. **25**:60 (abs.)
Necrosis, Internal
cause in White Rose var. **25**:57 (abs.)
histologic features. **25**:51 (abs.)
relation of varieties to incidence. **26**:427-31
Necrosis, Net
description, due to leafroll. **4**:90-2
importance of elimination. **19**:280-2
origin and description. **7**:252-3
resistance, varieties, description. **25**:351-61
Nematode, Golden (*Heterodera rostochiensis*)
control. **25**:59 (abs.)
host range studies. **25**:290-94
present status. **25**:290-94
Net necrosis, see Necrosis, Net

Netherlands
protection of breeders' rights in. **24**:374-7
New Brunswick
seed potato situation. **3**:61-2
New Jersey
cooperative marketing. **11**:176-80
potato industry development. **5**:259-65
wireworm control. **26**:315-25
New York
muckland potato production. **11**:244-6
Nicotine
forms and timing for aphid control, (L. I.). **20**:184-9
Nitrogen
acidity of various sources of, related to crop increase. **12**:60-2
ammonium nitrate as source. **21**:1-5
effect on leaf roll symptoms. **25**:50-1 (abs.)
importance of as plant food. **7**:227-9
investigations. **26**:363
level, effects on tuberization. **12**:274-80
nitrate of soda *vs.* sulphate of ammonia as a source of. **17**:105-13
requirements
as affected by irrigation. **26**:241-55
response to, (Conn.). **26**:93-4 (abs.)
salts, new, field studies. **2**:491-4
Nittany Cobbler, var.
behavior. **17**:228
Nomenclature
parental identity in varietal selection names. **21**:72-4; 139-40
variety problems. **13**:272-6
Nomenclature Committee
Annual reports. **14**:81-5; **15**:41-2; **16**:103-4; **17**:275-8; **18**:212-5; **19**:68-71
past accomplishments and future objectives. **20**:241-7
Non-volatile acids, see Acids, Non-volatile
Nutrient deficiencies
diagnosis of, by rapid chemical tests, preliminary study. **25**:216-24
Nutrient level (plants)
diagnosis of, by rapid chemical tests. **14**:141-53
Nutrition studies
chemical composition and nutrient uptake, (Cal.). **24**:281-93
literature review. **13**:44-52; **14**:245-53; **15**:99-109; **16**:53-66; **17**:262-75; **18**:333-48; **19**:108-118; **21**:30-48; **21**:342-55

Odor
methods for judging of cooked potatoes. **26**:300-04
Ohio
marketing developments. **11**:69-73
production problems. **16**:67-70
Olivine
availability of magnesium in. **15**:4-9
Ontario
Value of well-known and new spray materials, experimental results. **23**:285-90
Ontario var.
new, scab resistant. **23**:315-29; **25**:59 (abs.)
Oregon
Klamath Falls, new potato district. **9**:24-7

Organic matter
value for spring and fall crops, (Ala.). **20**:12-23
Organic mercury compounds, see Mercury compounds, Organic
Outlets, see Distribution
Oxygen
effect of restricting amount to roots. **26**:90 (abs.)

Packaging, Consumer
small bags
survey of use, (U. S. cities). **6**:326-30
use, advantages and disadvantages. **6**:266-8
weight loss in various types. **23**:302-4
Pamir, see Russia
Paper mulch
experimental results and economics regarding use. **9**:91-4
Parthion 3422 (Insecticide). **25**:56 (abs.); 82-6; 255-9
Pawnee var.
reaction to common scab. **25**:427-31
Parzate
disease and insect control. **25**:82-6
Peat soil
cultural methods on, (Iowa). **7**:69-71
fitness of, for potato production. **1**:324-5
Pennigan var.
behavior. **17**:228
Pennsylvania
400 Bushel Club methods. **2**:148-51; **12**:82-5
marketing plan. **13**:285-8
see inspection standards in. **11**:187-9
Permeability, Cell (tuber)
related to bacterial soft rot at high storage temperature. **23**:73-87
Peru
potato research in. **24**:427-9
Phosphate(s)
availability related to soil organic matter. **14**:17-18
colloidal *vs.* superphosphate, field experiments. **21**:241-9
different sources, experimental results, (L. I.). **19**:81-90
reduction possibility of, In fertilizers, on sandy soil. **20**:153-5
sulphuric acid production, spent *vs.* clear acid. **20**:89-95
waste-pond, see Phosphate, colloidal
Phosphorus
investigations. **26**:363-6
requirements
as affected by irrigation. **26**:241-55
sludge-acid and alkylation-acid superphosphates as sources of. **20**:89-95
various sources, response of potatoes to. **17**:105-13
Photoperiod, see Length of day
Phygon
disease and insect control. **25**:82-6
Physalis angulata L.
as indicator plant for leafroll virus. **25**:52 (abs.); **25**:283-90
Phytomonas sepedonica, see Bacterial wilt and soft rot
Phytophthora infestans, see Blight, Late
Physalis floridana
as indicator plant for leafroll virus. **25**:283-90
Placement, Fertilizer, see Fertilizer placement

Placid var.
description, blight resistant. **24**:321-5
Plant number (stand percentage)
as affected by virus diseases. **26**:10-1 (abs.)
related to yield of U. S. No. 1 potatoes. **23**:395-9
Plant tissue
tests. **26**:368-9
Planting
date
effect on yield and grade. **25**:55 (abs.)
midwinter, effect on flower and berry production with supplemental light, (Nebr.). **18**:349-55
related to
leafhopper population and hopperburn development. **17**:283-6
seed production, (S. Ohio). **19**:124-9
yield and scab control, (Ind.). **20**:301-8
test results, (Mich.). **9**:77-80
decay prevention of seed piece by fungicidal seed treatment, (Kansas). **19**:119-23
depth
and spacing experiments, (N. J.). **7**:97-101
related to yield and tuber set, (Cal.). **22**:343-9
location
effect on yield and grade. **25**:58 (abs.)
rate, number of plants per hill related to yield, (Ohio). **19**:119-23
whole, sizing for, (Ohio). **12**:19-21
Plot size and shape
related to yield variations. **13**:310-3
Plow-sole
fertilizer placement related to yield. **22**:33-6
Phyxia scabiei, Hopkins, see Scab-gnat
Poetry
"King Spud." **6**:245
"Ode" (about potato). **6**:19-20
Pollen, Stainable
field *vs.* greenhouse production of, Katahdin var., (Colo.). **19**:12-5
Pollination
method for. **18**:104-7
Pontiac var.
behavior. **17**:228-9; **24**:229-30
Potash
crop requirement of, and use. **7**:346-8
muriate *vs.* sulphate of, as potassium sources, value, experiments, (E. Va.). **2**:475-7
requirements
as affected by irrigation. **26**:241-55
various sources, response of potato to. **17**:105-13; **26**:291-9
Potassium
investigations. **26**:366
need, critical, in growth cycle of potato. **23**:267-71
potato utilization for food. **26**:181-2 (abs.)
Potato Association of America. **26**:351-3
Annual meeting, abstracts of papers. **25**:47-62; **26**:90-104
Annual Reports

10th	1923	**1**:29-32
11th	1924	**2**:1
12th	1925	**3**:12-6

.....

20th	1933	**11**:26-8
21st	1934	**12**:23-6
22nd	1935	**13**:23-6
23rd	1936	**14**:26-34
24th	1937	**15**:230-33
25th	1938	**16**:304-7
26th	1939	**17**:343-6
27th	1940	**18**:329-31
.....		
30th	1946	**24**:26-32
31st	1947	**25**:148
32nd	1948	**25**:54-72

Committee Report on bacterial ring rot diagnosis. **21**:311-4
constitution and by-laws of. **25**:156-62
field meeting report. **25**:339-41
objectives listed. **1**:1-2
presidential address
Livermore, J. R. **11**:1-7
Tucker, J. **12**:1-5
Bateman, F. H. **15**:1-4
Seed Certification Committee, see Seed Certification Committee

Potato Association of America and the International Crop Improvement Association—joint meetings, report, Chicago
abstracts of papers. **22**:12-8, 55 cont'd; **23**:38, 160-1 cont'd.

Potato chips
industry problems of. **26**:214-15 (abs.)
quality tests of 33 varieties. **26**:117-20
quality tests related to chemical composition and frying technique. **14**:269-90

Potato conference. Eastern Regional Research Laboratory, 1948
objectives. **26**:140
summary of papers. **26**:140-54; **26**:172-82; **26**:214-26

Potato cutter
disinfection to control ring rot. **26**:379-84
stationary type (tension blade). **26**:379-84

Potato eye
certified seed, trade development and test results, (Canada). **14**:23-5

Potato improvement
variety testing **25**:62 (abs.)

Potato Improvement Committee
Report. **15**:109-10

Potato Inspection Conference
Report, (N. J.). **17**:190

Potato Research Program
Cornell University. **17**:27-37

Potato starch
utilization of factory wastes by European methods. **25**:409-12

Potato wart, see Wart, Potato

Potato, Wild
origins of, in South America. **19**:255-66
resistance to
leafhopper and fleabeetle. **17**:9-12
scab, breeding for. **16**:71-6
tuberization related to climatic and soil conditions. **18**:266-9

Potomac var.
new, description. **22**:261-6

Powdery scab, see Scab, Powdery

Presidential address, see Potato Association of America

Price
as affected by production and demand, control proposals. **12**:295-303
control proposals for late crop, 1935. **12**:248-54
related to quality. **12**:125-7
support program, testimony by C. G. McIntyre, (Me.). **24**:387-91

Prince Edward Island
potato vine killing. **26**:409-20; **26**:91 (abs.)
seed potato
certification in. **5**:294-7
selection, methods compared. **5**:294
situation. **3**:62-4

Production
cost. **26**:436-8
acres *vs.* bushel. **7**:34-6
as affected by
cultivation and fertilization. **7**:165-9
fertilizer, seed planted per acre, seed treatment, *etc.* (N. Y.). **7**:159-64
high yields, (Colo.). **7**:91-6
Ohio. **6**:45-7; **7**:170-5
Pa. **7**:123-30
profit margins. **26**:436-8
reduction
related to profits, discussion of. **6**:15-8
trends, survey. **10**:45-8
related to yield, Empire State Potato Club contest, (N. Y.). **6**:80-3
yield. **26**:436-8
dry weather conditions, (Mich.). **8**:235-9
factors. **25**:393-406
increase, stimulation of, by contests and clubs. **9**:185-200
limiting factors in. **2**:44-50
losses in acreage, planted and not harvested, study of. **20**:283-9
methods.
and trends, 400 bushel club, (Pa.). **12**:82-5
Northern Great Plains. **2**:232-9
of Empire State Potato Club contest winners, (N. Y.). **6**:78-83
Pa. **3**:55-9
progressive, to meet competition. **7**:256-61
price regulation proposals. **12**:295-303
problems. **25**:180-1 (abs.)
profit factors related to good seed, fertilization, cultivation, *etc.* **6**:294-7; **11**:156-8
record, see Yields
related to fertilizer application and crop rotation, leguminous *vs.* timothy sods, (Mich.). **22**:267-75
research. **26**:216 (abs.)

Pro Rata Act.
provisions. **12**:184-90

Pseudomonas solanacearum, see Bacterial wilt

Psyllid yellows
injury related to seed vigor. **17**:315-7
symptoms and control, environmental studies. **15**:193-206
tolerance to
degree of, in seed certification. **13**:277-85
variety tests for, related to maturity, tuber and top injury, *etc.* **21**:321-41

Purple-top wilt
cause, indicated by field distribution. **22**:362-72
caused by aster yellow virus. **20**:177-83

report on, abstract of paper presented at joint meeting of the Potato Association of America and the International Crop Improvement Association. **22**:55
in Canada. **26**:95-6 (abs.)

Pyrethrum dust
vs. Bordeaux, copper, lime, and rotenone dusts, (N. J.). **19**:90-6
with Bordeaux, effect on leafhopper control and yield. **15**:10-5
with sulphur and Bordeaux, effect on insect control and yield. **15**:337-49

Pythium debaryanum, see Shell rot

Quality, Culinary, see Culinary quality

Quality. **26**:374-5
related to prices. **12**:125-7
as affected by leafhopper control with DDT. **25**:55 (abs.)
as affected by specific gravity. **26**:181 (abs.)

Quasi-factorial design
two-dimensional, *vs.* randomized-block arrangement in yield tests. **17**:279-82

Quebec
tuber-unit and seed plot. **12**:62-4

Reclamation
of land from salt water, (Va.) (L. I.). **14**:19-22

Red clover, Medium, see Clover, Red medium

Red McClure var.
effect of chemical vine killers. **25**:371-76

Red Skins, see Jersey Red Skins

Red Warba, see Warba, Red

Regulation (potato industry)
Agricultural Adjustment Act. **11**:7-16
national, plan for. **12**:5-14
Pro Rata Act. (Cal.). **13**:87-91
suggestions for, of Northeastern states. **11**:319-26
see also
Marketing program
Stabilization

Research (potato)
current, Research Committee Report, (No. America). **25**:183-90
in Peru. **24**:427-9
more economic, needed. **5**:27-30
problems and inventory of results. **14**:75-8; **26**:215-21 (abs.)

Respiration (tubers)
in storage, ideal temperature. **2**:109-10

Restaurants
use of potatoes studied. **14**:1-9; **26**:221-6 (abs.)

Rest period
breaking of
methods suggested. **1(5)**:15-6
of spring-grown seed with sodium thiocyanate for late crop use, varietal tests. **14**:290-3
with ammonium thiocyanate. **23**:92-4
with ethylene chlorohydrin for virus percentage reading. **20**:171-6; **24**:9-14
with ethylene gas. **2**:363-5
comparative length of 35 varieties. **26**:330-5
effect on subsequent flowering. **13**:141-4

Rhizoctonia solani
antagonistic action of Trichoderma on. **14**:85-93
control
by chlorinated lime treatment. **19**:16-7
limitations of tuber treatment. **8**:11-3
progress made by various states. **10**:65-73
related to
digging date. **8**:15-6; **13**:74-6
fertilizers, stable manure, and cover crops. **16**:93-8; **17**:290-5
seed treatment
calomel *vs.* hot mercuric chloride and Semesan Bel. **5**:6-12
various materials tested, (N. Y.). **7**:130-6
correlation with blackleg infection. **5**:67-8
infection time of treated tubers with soil-borne Rhizoctonia, on successive crops. **25**:17-23
tolerance for seed certification, various states. **9**:33-7
Rhothane
disease and insect control. **25**:82-6
Ring rot (*Corynebacterium sepedonicum*). **26**:126-31
control
boiling water on cutting knife. **21**:161-3
cutting knife disinfectants and cutting techniques. **25**:446-54; **26**:379-84
disinfectants
on metallic and wooden surfaces, field tests. **24**:141-50
whole *vs.* cut seed, transmission, *etc.* **17**:318-22
rotary knife
mercuric chloride cut seed dips, and ultra-violet light. **21**:250-61
sterilization, disinfectants *vs.* boiling water. **22**:127-33
rotary *vs.* double-edged knives with various disinfectants. **23**:291-9
steam sterilization of burlap bags. **24**:231-3
survey of methods and results, various states. **19**:175-96
description and present status. **25**:71-82
diagnosis
microscopic method. **18**:140-3
standards and procedures, Potato Association Committee Report. **21**:311-4
stem-ooze test
incubation methods, (Cal.). **23**:170-81
reliability for field use. **22**:57-62
ultra-violet light
accuracy and value of. **19**:71-4
and Gram stains. **19**:208-12
dissemination by volunteer plants. **19**:131-3
eradication, 5-year program for disease-free seed. **21**:14-7
importance of. **19**:5-6
incidence in seed, survey, 1940-7. **25**:44-7
increase rate in seed lots, from known quantities of infection. **20**:237-41
infection related to soil temperature and other factors. **21**:27-9
inoculation, concentration tests. **24**:151-6
longevity, on potato bags related to sunlight exposure. **24**:177-9
occurrence
in Canada. **23**:160; **26**:85-9
survey by seed producing states, (U. S. and Canada). **22**:21-7
pathogenicity comparison of inocula from resistant and susceptible potato varieties. **25**:432-37
prevention, recommendations. **22**:18-20; **26**:203-7
resistance of Teton var. to. **23**:379-89
suscept range. **25**:361-71

transmission
and control, Florida tests of Maine seed. **16**:309-22
control, diagnosis, eradication, survey of all work on, by states. **18**:27-55
vs. brown rot, occurrence and symptoms. **16**:309-22
Ringspot
type of potato virus X. **26**:432-5
Ringspot, Corky, see Corky ringspot
Rouging
methods and suggestions. **1**:214-6
Roots
distribution and growth related to methods of cultivation. **14**:175-84
effect of lack of oxygen. **26**:90 (abs.)
Root cutting
for reduction of tuber cracking at harvest time. **18**:189-208
Rot, see Soft rot, Ring rot, etc.
Rotary knife
disinfected, for ring rot control. **21**:250-61; **22**:127-33; **23**:291-9
Rotation, Crop, see Crop rotation
Rotenone dust
vs. Bordeaux, copper lime, and pyrethrum dusts. **19**:90-6
Rugose mosaic, see Mosaic
Russet Burbank var.
alkali salt related to shape and appearance of. **23**:425-30
culinary quality as affected by environment. **12**:41-7
record yield, (Cal.). **1**:349-53
second growth related to stems per hill, spacing, soil moisture, etc. **22**:134-42
Russet Sebago var.
resistance to common scab (Wis.). **25**:59 (abs.)
Russeting
origin, study of. **10**:88-91
Russia
breeding problems and results, review. **18**:235-52
cultivation methods and species, (Pamir). **14**:217-20
Rust Proof var.
new, blight and tuber rot resistant. **9**:49-54
Rust spot, Internal
description. **6**:187-90
Salt water flooding
reclamation of land, (L. I.), (Va.). **14**:19-22
San Luis Valley
vine killing. **25**:54 (abs.)
Sand culture
fertilizer requirement studies. **2**:365-6
Saranac var. **26**:45-6
Satapa var. **26**:264-8
Scab, Common
antagonistic action of Trichoderma on. **14**:85-93
control
limitations of tuber treatment. **8**:11-3
progress made by various states. **10**:65-73
related to
fertilizers, stable manure, and cover crops. **17**:290-5
irrigated crop rotations, (Nebr.). **18**:91-6
planting time, muck soil, (Ind.). **20**:301-8

resistance of new varieties (Wis.). **25**:59 (abs.)
seed and soil treatment, various materials tested,
Western N. Y. **13**:145-50
Colo. **23**:163-70
soil treatment
ammonium sulphate. **2**:107-8
mercury compounds and calomel. **13**:100-3
pH tests
(L. I., N. J.). **8**:59-64
sulphur and acid fertilizers, (Mich.). **21**:293-304
sulphur and limestone, sandy soil, (Fla.). **18**:312-6
various materials tested, (Wis.). **15**:325-30
spraying with Bordeaux mixture, (N. Y.). **12**:137-42
distribution of, (U. S.). **12**:265-74
occurrence
on seedling roots. **25**:51-2 (abs.)
related to
Ca and soil reaction. **12**:265-74
neutral and acid fertilizers on limed plats, (E. Va.). **15**:35-7
neutralized and one-third neutralized fertilzers, (Va.). **19**:201-8
soil reaction and fertilizers, (Va.). **16**:1-5
prevalence related to moisture and other factors. **20**:279-87
prevention, by instantaneous seed treatment, old and new materials discussed. **3**:93-6
reactions to. **25**:427-31
reappearance of, related to soil moisture, light sandy loam. **18**:65-80
resistance
breeding for. **24**:223-6
Me. **13**:256-9
possibilities with *Solanum sp.* **16**:71-6
in parental clones and progenies. **25**:294-300
new varieties: Ontario, Cayuga, Seneca. **23**:315-29
related to environmental conditions, varietal studies, (Wis.). **15**:246-52
Yampa var. **26**:335-42
tolerance for seed certification, various states. **9**:33-7

Scab-gnat
description, control. **10**:22-7

Scab, Powdery
in Australia. **13**:12-4

Scotland
potato variety inspection. **3**:160-2

Scurf, see *Rhizoctonia solani*

Sebago var.
behavior. **17**:230-2
effect of virus diseases. **26**:104 (abs.)
pathological somatic mutations. **26**:104 (abs.)
relation to type of storage to weight loss. **26**:75-9
resistance to yellow dwarf, (Wis.). **20**:277-83
variegations. **26**:94 (abs.)

Seed, (potato)
bed preparation and planting, (Pa.). **7**:101-2
berry production, effect of day-length, two Triumph strains. **18**:174-8
Cobbler supply, (U. S., Canada). **15**:91-8
cut, sun injury. **16**:98-103
cutting knife disinfectants for ring rot control. **22**:127-33
disease-free, related to high yields, (Pa.). **12**:14-8
disinfection, see Seed treatment
fall-grown, storage temperature related to yield, (La.). **14**:362-4

foundation stock growing, (Me.). **11**:246-7
germination, see Germination
handling methods related to stands and yield. **13**:346-50
improvement, need for more standardization, Bliss Triumph var., (South). **9**:1-3
inspection, federal, analysis of, grade requirements. **2**:394-6
knobby, value of. **7**:38-9
marketing role of catalogue seedsmen. **22**:373-5
oversized potatoes, value of for. **3**:117-20
piece(s)
basal *vs.* apical, relative vigor related to yield. **13**:124-30
decay
late blight transmission by wet bags. **22**:333-9
prevention by fungicidal seed treatment before planting, (Kansas). **19**:19-23
planting depth and spacing tests. **7**:97-101
size
related to
rate of fertilizer application, (Ala.). **14**:372-82
yield
at different spacing distances, test results. **2**:151-2
Sebago *vs.* Pioneer Rural varieties. **20**:267-77
to plant. **1**:102-3
plot
tuber-line for mosaic and leafroll control. **19**:225-8
tuber-unit
growing under aster cloth cage, (Me.). **11**:65-9
value
Me. **2**:304-5
Mich. **3**:321-5
Quebec. **12**:62-4
roguing demonstrations. **6**:206-8
selection of location, seed, and product. **4**:61-3
Western U. S. **6**:204-6
production
certification, tolerance, *etc.* in São Paulo, (Brazil). **19**:166-73
possibilities, (Western Washington State). **2**:312-5
productivity
grown on sandy *vs.* peat soils, (Central Wis.). **16**:16-24
related to environment. **5**:34-7
psyllid yellows infection related to certification, (Cal.). **13**:277-85
ring rot-free, selection by ultraviolet-light method, value. **19**:71-4
selfed and hybrid, germination studies. **15**:67-71
setting, as affected by spraying with a-naphthaleneacetamide and by light. **18**:273-9
sized, value of. **2**:242-3
sizing for planting whole. **12**:19-21
small-sized, whole *vs.* cut
value of, (Ohio). **8**:3-5
yield comparisons, (Brit. Columbia). **8**:139; **12**:113-8
source testing
field plot design, (South). **19**:75-9
N. Y. **1**:186-8
spacing related to yield, Sebago *vs.* Pioneer Rural. **20**:267-77
spring-grown, treatment for late crop, use, (Md. eastern shore). **14**-290-3
sprouted, related to plant emergence, growth, tuber development, and yield, two experiments. **18**:163-74
sprouting, Sprouting
storage in shell cooled bins. **25**:60 (abs.)

storage temperature
related to yield. **12**:151-3
studies, northern *vs.* Md. eastern shore grown, as affecting germination, yield, chemical composition, *etc.* **14**:394-410
suberization, related to stands and yield. **14**:311-8
sun-greening, effect on weight loss in storage and field performance. **14**:341-50
supply problems in Argentina and Uruguay. **13**:185-9
testing
advantages of, (South). **4**:77-9
program, value, (Ala.). **19**:216-23
sample size
and reliability. **19**:197-9
related to testing accuracy, two opposing opinions. **21**:229-34
treatment
bi-chloride, methods of use. **8**:16-7
calomel
and mercuric oxide, test results, (N. Y.). **7**:130-6
dip *vs.* mercuric chloride and Semesan Bel. **5**:6-12
corrosive sublimate hot, *vs.* other methods, (N. Y.). **9**:73-5
disinfectants compared. **6**:139-41
for blackleg control. **7**:229-31
for scab control, various materials tested. **5**:59-62
formaldehyde, hot. **1**:101-2
Kansas. **2**:270-3
mercury compounds *vs.* mercuric chloride, efficiency tested. **6**:9-15
methods, (N. J.). **4**:25-7
on community basis
Minn. **1**:317-20
N. J. **8**:271-2
recent studies. **5**:95-103
Idaho. **5**:98-9
Mich. **5**:100-3
Wisc. **5**:97
root hormones related to yield. **22**:1-5
Semesan Bel for scab control. **3**:93-6
summary. **5**:131-6
true
production of, with artificial light application. **10**:103-7
transmission of virus diseases through. **13**:118-24
see also Seed ball(s)
value
apical dominance as index of. **2**:357-8
grown in different crop rotations with irrigation. **12**:118-24
irigated *vs.* dry land
Mont. **3**:203-5; **5**:63-4; **8**-71-3
productivity of, (Nebr.). **12**:118-24
related to
crop rotations with irrigation. **12**:118-24
soil types. **2**:464-6
spindle tuber, varying field conditions, (Nebr.). **6**:168-70
suberized *vs.* freshly cut, related to stand and yield. **14**:311-8
vigor
determination methods. **12**:153
related to
psyllid injury. **17**:315-7
storage temperature. **6**:291-3
reproduction, maximum, Irish Cobbler var., (S. Ohio). **19**:124-9
virus,free, selection by ultraviolet-light method, value. **24**:179-83
war approved. **21**:136-9; **22**:16-8
waxing, desiccation prevention, effect on sprouting and yield. **16**:37-40

Seed, Certified
growing methods. **3**:269-76
La. grown for tropical use. **13**:9-10
potato eye trade, development of and test results, (Canada). **14**:23-5
Southern trials
benefits from. **19**:107-8
for northern grown. **19**:3-4
see also Seed certification
Seed certification. **26**:160-3
Act, (Pa.). **6**:307-11
biological basis for, description of potato diseases. **15**:117-30
Committee Report and recommendations. **13**:16-22; **14**:59-64; **15**:43-56; **16**:120-5; **17**:295-8; **18**:56-64; **20**:65-6
Conference
N. J. **2**:281-3; **3**:237-42
Ill. **14**:410-4
La. **15**:130-40; **21**:24-6; **21**:52-4
developments
Nebr. **9**:94-6
Ohio. **7**:14-6
N. Dak. **19**:149-52
Wyo. **7**:30-3
disease
control by four-year-five-phase program. **20**:33-6
tolerance, scab and Rhizoctonia, various states. **9**:33-7
grades for
Minn. **1**:180-1
Western states agreed on, (Ore.). **22**:323-6
importance, (South). **13**:288-9
improvement program, discussion of
Ala. **17**:13-20
Nebr. **19**:161-6
indexing
methods, (Wis.). **9**:136-40
vs. tuber unitting and roguing, (Mont.). **9**:128-31
Irish Cobbler, source and yield comparisons, (Ohio). **8**:249-51
methods
and suggested changes. **17**:55-60
N. Dak. **3**:64-8
Mich. *vs.* Ohio seed. **6**:6-8
Northern Georgia, seed all crop, for South. **16**:266-73
need of educational work. **21**:75-6
present status
Germany. **15**:192-3
Prince Edward Island. **3**:62-4; **3**:325-7; **5**:294-7
Scotland. **3**:160-2
production figures, total, by varieties and states, committee report. **15**:48-56
progress
Canada. **1**:21-4
N. J. **5**:167-70
protection against fraud. **2**:318-22
seed plot, value of in. **3**:321-5
small sized seed in, value of, (Brit. Columbia). **12**:113-8
standardization, variation factors in, (U. S.). **10**:134-8
standards
inspection, (Pa.). **11**:187-9
N. Y. **2**:124-6
uniform, set up. **10**:245-8
uniformity of rules possible and desirable? **3**:277-82
tag imitation, (Nebr.). **2**:85-6

testing program, value of, (Ala.). **19**:216-23
tolerance standards for scab and Rhizoctonia. **5**:232-6
tuber-unit *vs.* tuber index method, (Ky.). **10**:42:5; (Ottowa). **26**:100 (abs.)
value of. **3**:81-5
(L. I.). **2**:198-9
results summarized. **14**:39-45
see also Seed, Certified

Seedball(s)
production related to length of day, varietal greenhouse tests, (Md.). **16**:236-44
viability tests, longevity related to storing method and temperature. **17**:147-52

Seedling
adaptability, value of field practices to determine. **9**:165-73
first year, Fusarium wilt infection testing. **18**:239-42
growth characters related to stoloniferous condition. **17**:140-7
handling methods, for breeding work. **7**:283-90
maturity, variations in, in greenhouse *vs.* field behavior. **15**:153-7
performance in greenhouse related to yield in field. **16**:41-3
stock testing, for horticultural factors. **14**:325-31
testing for yield, disease resistance, *etc.* (R. I.). **16**:251-9

Seedsman
role in selling seed potatoes. **22**:373-5

Selection
bud, see Bud selection
hill-unit, see Hill-unit selection
self-fertilized lines for potato improvement. **2**:303-4

Semesan Bel
for scab control. **3**:93-6

Seneca var.
new, scab resistant. **23**:315-29

Sequoia var.
behavior. **17**:232-3
description, insect resistant, (N. C.). **22**:97-103

Serpentine
availability of magnesium in. **15**:4-9

Shell rot
occurrence, (Idaho). **22**:250-3

Shipping
cold weather precautions. **6**:331
methods, experimental results. **23**:23-31
of seed potatoes for southern midwinter planting. **25**:60 (abs.)

Silage
making of. **6**:115-7

Sinox General (dinitro ortho secondary amylphenol)
as vine killer. **25**:52 (abs.); **25**:54 (abs.)

Sizing
seed potatoes for planting whole. **12**:19-21

Sloughing
related to
calcium ion. **17**:1-9
turgidity of tubers. **15**:170-1

Sodium nitrate
as vine killer. **25**:54 (abs.)

Sodium salts
as sprout inhibitors. **26**:90 (abs.)

Soft rot, Bacterial
related to
cell permeability and sugar concentration at high storage temperatures. **23**:73-87
heat and desiccation. **21**:149-61
susceptibility to, as influenced by sublethal temperatures. **23**:41-57; **23**:73-87
Soil
acidity
related to
bacterial wilt control, sulphur and limestone treatment, (Fla.). **16**:6-16
culinary quality. **14**:221-2
scab occurrence and control
fertilizer experiments. **5**:9-5; **8**:59-64; **12**:265-74; **15**:325-30; **16**:1-5; **21**:293-304
sulphur and limestone treatment, (Fla.). **18**:312-6
stem streak necrosis control. **24**:156-62
tuber growth, market and table quality. **10**:118-21
analysis related to fertilizer application, Red. McClure var., (Colo.). **23**:299-301
colloid composition related to aluminum solubility. **14**:13-4
copper content related to late blight, (L. I.). **17**:88-92
deficiency of minor plant food elements. **13**:335-7
disinfection, see Soil treatment
erosion, related to fertility losses and yield. **20**:57-64
fertility
crop rotations. **21**:163-9
investigations, (Wis.). **25**:377-86
problems. **7**:64-7
studies, literature review. **13**:44-52; **14**:245-53; **15**:99-109
ideal, and its fertilization. **6**:195-200
management
fertilizer application, crop rotation in potato production, (Mich.). **22**:267-75
soil testing, importance of. **11**:259-65
moisture, pre-emergence, related to dryland yields, (Nebr.). **14**:189-95
muck, see Muck soil
nutrients related to mineral uptake, rapid plant tests. **14**:141-53
organic
carbon level related to 3-years' rotation and fertilizer treatment. **18**:19-26
matter related to aluminum and phosphate solubility
peat, see Peat soil
preparation, types of machinery for. **8**:37-40
reaction, see Soil acidity
salinity, effect on Russet Burbank, shape and appearance, (Idaho). **23**:425-30
testing, rapid
as a guide to sound soil management. **11**:259-65
use, in teaching, research, and extension work. **11**:95-8
treatment
bacterial wilt control, (N. C.). **22**:197-202
scab control
ammonium sulphate. **2**:107-9
mercury compounds and calomel. **13**:100-3
pH tests
L. I. and N. J. **8**:59-64
sulphur and acid fertilizers, (Mich.). **21**:293-304
sulphur and limestone, sandy soil, (Fla.). **18**:312-6
various materials tested, (Wis.). **15**:325-30

types
related to seed potatoes. **2**:464-6
Solanum species, see Potato, Wild
Sorghum
cover crops in potato production, (Va.). **16**:32-6
South America
potato
growing methods. **6**:135-9
origin of. **19**:255-66
production problems by countries. **16**:151-60
South Carolina
variety tests and performance. **19**:213-6
Southern bacterial wilt, see Bacterial wilt
Southern grown potatoes,
storage during summer. **24**:209-20
Soybeans
cover crop in potato production, (Va.). **16**:32-6
Spacing, optimum
related to
fertility level, (L. I.). **1**:17-20
rate of fertilizer application, (Ala.). **14**:355-62
test results, (Mich.). **9**:77-80
variations in, related to crop uniformity, (N. J.). **8**:40-2
Spacing, row
effect on production. **25**:393-406
Spacing, Seed
effect on production. **25**:393-406
Specific gravity
as affected by fertilizers
Ala. **24**:82-9
Minn. **22**:275-88
N. Y. **23**:107-35
method to determine
culinary quality. **14**:235-42; **16**:126-33; **17**:38-45
effectiveness of leafhopper insecticides. **22**:339-43
related to composition and quality. **26**:181-2 (abs.)
related to starch content
and weight. **24**:6-9
breeding experiments. **20**:203-17
see also Culinary quality
Spindle tuber
behavior, sample tests, (Fla.); (Me.). **7**:194-7
cause of "run out" potatoes. **3**:16-8
description, (Vt.). **1**:291-2
effect on
sprouting. **2**:261-4
yields, proportional, varietal tests. **21**:60-71
identification in field. **4**:89-90
related to tuber seed value under varying field conditions. **6**:168-70
spread by knife. **4**:51-2
Sprain (tuber)
description. **6**:187-90
Spray
materials
and application methods
Kansas. **3**:353-5
Ohio. **10**:140-1
Pa. **25**:100-2

copper substitutes, field tests, (Conn.). **20**:141-53
new (DDT, etc.) *vs.* old (Bordeaux, etc.), field tests
Maine. **26**:90 (abs.)
Mich. **24**:183-7
Ohio. **22**:242-50
Ontario. **23**:285-90
W. Va. **24**:76-82
related to flower production of potato. **23**:57-64
standardization, need for. **6**:163-8
zinc-containing. **26**:94-5 (abs.)
problems, (L. I.). **8**:177-9
program related to planting date and yields, (L. I.). **7**:27-30
ring, see Spraying, Custom

Spraying
and dusting
by air. **26**:96 (abs.)
development and value of. **8**:96-100
for late blight. **26**:91 (abs.)
custom, (N. Y.). **5**:194-7; **21**:17-20
equipment for. **4**:49-51
experimental results, (N. Dak.). **25**:334-39
for disease and insect control, (Maine). **26**:90 (abs.)
insect control recommendations, (N. Y.). **5**:230-2
methods and practices
N. Y. **6**:175-7
Ohio. **10**:140-1
practical factors and successes in, (Pa.). **3**:349-53
progress. **2**:193-6; **2**:305-6
related to high yields, (Pa.). **12**:14-8
vs. dusting
Ohio. **5**:192-4
test results summarized. **5**:157-9
Va. **5**:160-1
see also special materials, as Bordeaux, pyrethrum, etc.

Sprout(s)
emergence related to fertilizer placement. **13**:343-6
heat, related to rest period and maturing time, (La.). **20**:28-33
treatment, inhibiting *vs.* inducing, effect on growth and yield. **24**:47-56; **26**:7-16
tuber prevention
by chemical treatment. **8**:189-92
related to storage conditions. **2**:396-9

Sprouting
as affected by
ethylene chlorohydrin. **26**:7-16
methyl ester of naphthaleneacetic acid. **26**:7-16
spindle tuber. **2**:261-4
habits related to storage temperatures, low. **11**:123-7
hastening with ammonium thiocyanate. **23**:92-4
inhibition by
alpha-naphthaleneacetic methyl ester. **23**:88-91; **26**:90 (abs.)
carbon dioxide storage. **24**:39-47
plant hormones. **22**:104-13; **26**:371-2

Stabilization
efforts, (Canada). **12**:36-40; **13**:52-5
National Potato Council proposed. **6**:345-54
see also Regulation

Stand percentages, see Plant number

Starch
analysis, sampling method, quartering *vs.* coring. **7**:219-23
content
as affected by
storage. **26**:33-44
source of potash. **26**:291-9
breeding for high. **20**:203-17
factors influencing quality. **26**:152-4 (abs.)
varietal studies. **15**:356-7
disposal and utilization of factory wastes. **26**:172-3 (abs.)
paste viscosity as affected by potato storage. **26**:121-6
production for industrial utilization. **24**:363-5; **26**:146-152 (abs.)
properties, biochemical and anatomical, related to industrial use, (Russia). **17**:330-9
value and importance of. **1**:16-7
Statistical analysis
of field trials, evaluation. **12**:142-50
standardization of field plot technique, Committee report. **17**:114-23
two-dimensional quasi-factorial design *vs.* randomized block arrangement, efficiency of. **17**:279-82
Steam sterilization
to control ring rot on burlap bags. **24**:231-3
Stem-end browning
due to *Fusarium oxysporum*. **20**:10-2
Stem-end browning
importance of. **19**:280-2
origin and description. **7**:253-5
susceptibility to, varying, of Green Mountain and Irish Cobbler strains. **23**:219-34
Stem-end vascular discoloration, see Stem-end browning
Stem-ooze test
for ring rot field identification, reliability of. **22**:57-62
Stem streak necrosis
related to soil acidity. **24**:156-62
Sterilization, see Steam sterilization
Stolon
development related to growth characters in seedlings. **17**:140-7
Storage
aphid-infestation problem. **26**:93 (abs.)
carbon dioxide for sprouting inhibition. **24**:39-47
conditions, ideal. **2**:366-7; **4**:101-5; **5**:292-3
conditions, temperature, *etc.*, effect on Vitamin C content. **23**:197-218
containers, weight loss in various types. **23**:302-4; **26**:75-9
cut *vs.* whole seed. **6**:42-4
effect
of pre-storage temperature and humidity on weight loss and decay. **10**:176-80
on ascorbic acid content of tubers. **26**:47-53
on paste viscosity of starch. **26**:121-6
on starch and sugar content of Green Mountain var. **26**:33-34
on starch and sugar content of Katahdin var. **26**:33-34
on weight loss (of potatoes). **26**:75-9
financing potatoes in. **2**:341-7
injury
low temperature. **19**:24-9
various causes. **2**:368-72
investigations, literature review. **13**:38-44; **16**:143-50; 17:60-5; **18**:85-9; **21**:91-115
of seed potatoes for southern midwinter planting. **25**:60 (abs.)

of Southern grown potatoes during summer. **24**:209-20
problems. **26**:180-1 (abs.)
related to quality for french fries. **26**:439-45
relation of variety to weight loss. **26**:75-9
requirements. **2**:354-7; **8**:269-71
research
review of recent literature. **25**:437-45
respiration of potatoes in. **2**:109-10
shell-cooled bins. **25**:60 (abs.)
temperature
effect on length of dormant period. **26**:330-5
effect on stem end discoloration. **25**:49-50 (abs.)
high, value for fall-grown seed, (La.). **14**:362-4
low, injury studies. 19:24-9
related to
culinary quality. **8**:174-6
seed vitality. **6**:291-3; **17**:147-52
sugar content and dehydration of potatoes. **22**:311-23
yields. **13**:346-50
studies
northern grown potatoes for Md. east shore, as affecting germination, yield, chemical composition, *etc.* **14**:394-410
raise in temperature, effect on late-grown Irish Cobbler. (Md.). **11**:289-92
ventilation
problems. **1**:245-7; **2**:358-61
warehouse. **6**:287:91
by electric fans. **1**:244-5
warehouse description. (Vt.). **2**:361-3

Suberization, Seed, see Seed suberization

Subsoil
fertilizer studies on peat and muck farms, (Iowa). **9**:105-9
fertilizers related to root development and yield. **14**:78-81

Sugar content
as affected by storage. **26**:33-44

Sulphur
compounds, inoculated, effects on yield, (Fla.). **11**:295-302
soil treatment related to scab control. **18**:312-6
with pyrethrum and Bordeaux mixture related to yield and insect control. **15**:337-49

Sulphuric acid
superphosphate production, spent *vs.* clear acid. **20**:89-95

Sun-drying
for stock feed. **26**:82-5

Sun-greening
seed tuber, related to storage weight losses and field performance. **14**:341-50

Sun injury, see Injury, Sun

Sunlight
heat related to bacterial soft rot. **23**:41-57

Sunscald, see Soft rot, Bacterial

Superphosphates, see Phosphate

Surplus
control by shipment restrictions. **9**:145-51
industrial utilization. **24**:361-74; **26**:144-6 (abs.)

Synchytrium endobioticum, see Wart, Potato

Tarnished plant bugs
control with sprays and dusts. **25**:255-9
Temperature
effect on chemical composition. **26**:372-3
low, injury studies. **19**:24-9
related to hastening of tuberization. **12**:274-80; **13**:150-5
related to leafroll symptoms. **25**:50-1 (abs.)
varietal response to "northern" *vs.* "southern" conditions. **19**:30-40
see also Storage temperature
Testing program (seedling stocks)
horticultural factors, discussion of. **14**:325-31
Teton var.
new, ring rot resistant, description. **23**:379-89
Tillage, see Cultivation
Timothy
value in crop rotation. **22**:267-75
Toxaphene
disease and insect control. **25**:82-6
Trace elements
effect. **26**:367-8
see also Soil deficiencies, and specific names
Tractor power
recent developments for potatoes. **11**:199-204
Trading, Future
Board of Exchange, Chicago
description, **7**:290-3
rules of. **8**:46-8
Transportation
research. **26**:218 (abs.)
review of recent literature. **25**:437-45
Tri-Basic Copper
disease and insect control. **25**:82-6
Trichoderma
antagonistic action of, an *Actinomyces scabies* and *Rhizoctonia solani*. **14**:85-93
Trifolium pratense, see Clover, Medium
Triumph var.
berry production of strains, related to day length. **18**:174-8
clonal strains, performance of
comparisons, (Southern states). **17**:174-81
on dry land, (W. Nebr.). **17**:66-80
under irrigation, (W. Nebr.). **17**:95-9
with and without irrigation
Central Nebr. **17**:123-7
E. Nebr. **17**:153-5
cooking quality. **26**:132-7
cracking. **26**:355-61
diseases of, (La.). **2**:317
mosaic-free, production of. **3**:301-2
Tropical countries
La. grown certified seed for. **13**:9-10
Trucking, see Marketing
Tuber(s)
ascorbic acid (vit. C) content. **26**:47-53
blackening, see Blackening
bruising, see Injury, Mechanical

composition, effect of Bordeaux spraying related to cooking quality. **14**:56-9
cracking, see Cracking, Tuber
density related to dry matter content. **21**:83-9
discoloration
diseases. **6**:187-90
net necrosis *vs.* stem-end browning. **7**:251-6
flowering. method for, (Russia). **9**:209-11
germination, early, induction of, in greenhouse tests for virus. **20**:171-6
greening, permanence of. **24**:336-40
indexing, notes. **19**:5
compared with tuber planting for elimination of virus diseases in seed potatoes. **26**:100 (abs.)
injury, see Injury, Mechanical
line seed plot, see Seed plot. **19**:225-9
paring wastes related to size, shape, eye depth, *etc.* **8**:6-11
ring rot and wilt, see Bacterial wilt and rot
rot, see Specific diseases
russeting, origin, study of. **10**:88-91
seed, see Seed tuber
setting, second, related to temperature, (Ohio). **9**:160-1
shape
related to fertilizers. **19**:155-63
standard potato type measurements. **5**:319-23
sprouting habits at low temperatures. **11**:123-7
sugar content related to bacterial soft rot at high storage temperature. **23**:73-87
unit seed plot, see Seed plot

Tuberization
as affected by
climatic and soil conditions, wild potato. **18**:266-9
temperature, nitrogen level, and photoperiod. **12**:274-80

2,4-D spray
effect of drift. **26**:80-1
effect on yield. **26**:208-13; **26**:92 (abs.)
weed control, varietal response. **25**:163-71
Irish Cobbler var. **26**:1-7

Ultraviolet-light
use of for
selecting ring rot-free seed stocks, accuracy tested. **19**:71-4
virus detection in tubers. **21**:131-6; **24**:179-83; **25**:56 (abs.)

Urea
nitrogen source, (Fla.). **16**:322-9

Uraguay
potato situation. **13**:185-9

Uses (potato)
literature review. **18**:10-9
see also Consumer demand

Utilization (potato). **25**:300-02
food. **26**:181-2 (abs.); **26**:219
see also Industrial utilization, Industry

Varieties
adaptability
and yield tests
Fla. **21**:269-77
S. C. **19**:213-6
to southern and northern planting. **19**:30-40

blight
immune *vs.* resistant. **16**:220-4
resistant. **24**:319-36; **25**:351-61
yield and grades, grown in 20 locations. **25**:209-15
commercial and breeding, list and descriptions. **22**:229-42; **26**:395-404
degeneracy in warm climates. **5**:245-6
early
19th century. **22**:373-5
vs. late, (Mich.). **10**:6-9
vs. main crop, tests, (Wash. state). **6**:35-41
effect on ascorbic acid content. **26**:47-53
foreign introductions, summarized, 1915 to date. **25**:259-65
Frost-resistant, (Russia). **9**:205-9
insect injury studies. **14**:157-61
mosaic-resistant. **14**:124-7
new
evaluation problems. **13**:60-4; **19**:153-61
introduced to growers, brief listing. **19**:41-2; **21**:192-9; **25**:104-6; **25**:133-4
introduction methods of. **24**:228-31
observations on, (U. S.). **19**:1-6
present status, regional survey. **24**:247-60
nomenclature problems. **1**:287-9; **13**:272-6
origin, quality, selection of. **10**:201-4
relation to incidence of internal necrosis. **26**:427-31
resistant to net necrosis. **25**:351-61
restriction of number of, (Germany). **13**:11-2
standard types, by tuber shape. **5**:319-23
testing and release program (Me.). **26**:404-09
testing identity and purity
Germany. **11**:242-4
R. I. **16**:251-9
yellow fleshed. **12**:194; **26**:25-32
see also under specific names
American Giant
Ashworth
Beauty of Hebron, Early
Bliss Triumph
Calrose
Canus
Cayuga
Chenango
Chippewa
Chisago
Columbia Russet
Dakota Red
De Sota
Earlaine
Empire
Erie
Golden
Green Mountain
Houma
Jersey Red Skin
Kasota
Katahdin
Kennebec
La Salle
La Soda
McCormick
Marygold

Menominee
Mesaba
Mohawk
Nittany Cobbler
Ontario
Placid
Pontiac
Potomac
Red McClure
Russet Burbank
Russet Sebago
Rust Proof
Saranac
Satapa
Sebago
Seneca
Sequoia
Teton
Triumph
Virgil
Warba
Warba, Red
Waseca
White Rose
Yampa

Vine killing
chemicals
effectiveness tests
Bliss Triumph. **25**:371-76
Red McClure. **25**:371-76
N. Dak. **24**:110-6; **25**:52 (abs.)
Prince Edward Island. **25**:225-33; **26**:91 (abs.)
information and application. **23**:333-6
for reduction of tuber cracking at harvest time. **18**:189-208
investigations. **26**:371
Prince Edward Island. **26**:209-20

Virgil var.
blight resistant, description. **24**:325-8

Virginia
reclamation of potato land flooded by salt water. **14**:19-22
spray comparisons in different localities. **24**:76-82

Virus
detection by ultraviolet-light. **21**:131-6; **24**:179-83
diseases
American and European, comparative study. **16**:281-7
aster cloth cage for seed control. **11**:65-9
aster yellows, cause of purple top wilt. **20**:177-83
comparison of chemical tests with ultra-violet technique. **25**:56 (abs.)
control by four-year-five-phase program. **20**:33-6
elimination of
by tuber indexing. **26**:100 (abs.)
methods. **4**:127-9
problems, (Brit. Columbia). **8**:13-5
listed. **13**:14-6
literature review. **9**:173-81; **10**:224-33; **11**:235-42; **12**:304-14; **117-24**; **15**:157-64; **16**:204-12; **17**:201-10; **18**:221-30; **19**:267-79
related to
weed control. **5**:257-9
yield. **5**:190-1
seed transmission of. **13**:118-24

significance, (Wash. state). **1**:362-4
transmission by aphids in storage potatoes. **26**:93 (abs.)
see also Diseases
X
effect on stand and yield. **26**:104 (abs.)
ringspot type. **26**:432-5
see also Mosaic, Latent
Y, see Mosaic, Veinbanding
yellow dwarf, see Yellow dwarf
Vitamin C. content. **26**:373-4
effects and relationships of various factors on. **22**:62-83; **26**:47-53
related to
environment, variety, maturity, and storage, (Nebr.). **23**:265-7
storage conditions, temperature, *etc.*, (Me.). **23**:197-218
variety, fertilization, culinary quality, storage, etc. **16**:169-79
Vitamins (potato)
literature review. **18**:15-9

Warba var.
behavior. **17**:233-5
evaluation. **13**:60-4
Warba, Red
behavior. **17**:229-30
description of original tuber and progeny. **16**:185-90
Wart, Potato
susceptibility to, varietal tests. **1**:18-9; **21**:283-8
Waseca var. **26**:264-8
Washing
and brushing, notes. **19**:4-5
importance of. **9**:96-7
Washington state
potato production in Yakima Valley. **6**:35-41
Water
magnesium content of, rivers and lakes, (U. S.). **13**:156-9
Waxing
effect on sprouting and yield. **16**:37-40
Weed control
chemical. **26**:370-1
chlorate application rates and methods
field experiments. **6**:322-3
recommendations. **6**:242-4
cultivation
experiments. (L. I.). **8**:195-8
how and how much. **10**:91-4
efficiency factors, ridge *vs.* level cultivation. **10**:94-8
related to potato virus problems. **5**:257-9
2,4-D
application rate related to yield. **25**:87-9
varietal response. **25**:163-71
Irish Cobbler var. **26**:1-7
Weeds
suscepts of yellow dwarf virus. **19**:6-11
Weight, Minimum
of prime potato. **11**:205-6
Weight loss
as affected by types of container. **26**:75-9
as affected by types of storage. **26**:75-9

Western Regional Research Laboratory
Potato program. **26**:181-2 (abs.)
Wheat wireworm, see Wireworm, Wheat
White Rose var.
internal necrosis. **26**:57 (abs.)
Wild potato, see Potato, Wild
Wilt, Bacterial, see Bacterial wilt
Wilt, Fusarium, see Fusarium wilt
Wilt, purple-top, see Purple-top wilt
Wilting
disease diagnosis, peat soils, (Cal.). **19**:205-6
Wireworm(s)
control
by benzene hexachloride. **25**:413-17
determination of effect on flavor and odor of cooked potatoes. **26**:300-4
with organic insecticides. **26**:315-25
experiments, (N. Y.). **11**:61-5; **12**:32-6
field, injury, varietal differences. **20**:156-8
wheat
control by
continuous cultivation, studies, **13**:70-4
cultivation, crop rotation, early digging. **14**:351-4
distribution, soil factors in, (Ohio). **12**:107-13
Wisconsin
soil fertility investigations. **25**:377-86
Wollenweber, see Nematode, Golden
X1 (potassium cyanate) weed killer
as vine killer. **25**:52 (abs.)

Yampa var. **26**:335-42
Yellow dwarf
occurrence, (N. Y.). **9**:116-7; **15**:37-40
related to Medium red clover. **14**:293-5
resistance in Sebago var., (Wis.). **20**:277-83
transmission. **11**:148-52
by plug-grafting for breeding work. **13**:221-3
related leafhopper species. **18**:231-3
weed suscepts. **19**:6-11
Yield
as affected by
Bordeaux spraying, (L. I.). **13**:180-4
fertilizer, (Alaska). **24**:82-9
field plot design, seed source tests, (South). **19**:74-9
inoculated sulphur, lime, and mercury compounds. **11**:295-302
leafhopper control with DDT. **25**:55 (abs.)
plant hormones. **26**:369-77
plant number (stand percentage)
and skips in stands, (La.). **23**:395-9
per hill. **19**:119-23
planting time
and season. **13**:26-8
muck soil, (Ind.). **20**:301-8
pre-emergence soil moisture, (W. Nebr.). **14**:189-95
relative efficiency of two-dimensional quasi-factorial design *vs.* randomized-block arrangement. **17**:279-82
source of potash. **26**:291-9
sprout treatments. **24**:47-56; **26**:7-16
tillage practices. **13**:252-5

2,4-D. 26:208-13; 26:92 (abs.)
as vine killer. 25:52 (abs.)
virus diseases. 26:104 (abs.)
zinc-containing dusts and sprays. 26:256-63
high, cultural practices, (Mich.). 8:209-12
improvement by various seed handling methods. 13:346-50
limiting factors in. 2:44-50
losses from disease or missing plants, statistical calculations. 18:136-9
record
Cal. 11:349-53
Colo. 2:231-6; 6:75-7; 6:324-5; 8:253-4
observations, (various states). 24:426:7
variations, as affected by plot size and shape. 13:310-3

"Z" disease, see Fusarium wilt

Zerlate
disease and insect control. 25:82-6

Zinc
fertilizer tests, negative results, (Va.). 14:37-9

Vol. 1	.....	1923-24
Vol. 2	.....	1924-25
Vol. 3	.....	1926
Vol. 4	.....	1927
Vol. 5	.....	1928
Vol. 6	.....	1929
Vol. 7	.....	1930
Vol. 8	.....	1931
Vol. 9	.....	1932
Vol. 10	.....	1933
Vol. 11	.....	1934
Vol. 12	.....	1935
Vol. 13	.....	1936
Vol. 14	.....	1937
Vol. 15	.....	1938
Vol. 16	.....	1939
Vol. 17	.....	1940
Vol. 18	.....	1941
Vol. 19	.....	1942
Vol. 20	.....	1943
Vol. 21	.....	1944
Vol. 22	.....	1945
Vol. 23	.....	1946
Vol. 24	.....	1947
Vol. 25	.....	1948
Vol. 26	.....	1949